

INTERNATIONAL STANDARD



**Household and similar electrical appliances – Safety –
Part 2-10: Particular requirements for floor treatment machines and wet
scrubbing machines**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IECNORM.COM : Click to view the full PDF of IEC 60352-10:2021 CMV



IEC 60335-2-10

Edition 6.0 2021-12
COMMENTED VERSION

INTERNATIONAL STANDARD



**Household and similar electrical appliances – Safety –
Part 2-10: Particular requirements for floor treatment machines and wet
scrubbing machines**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 13.120; 97.080

ISBN 978-2-8322-1057-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	4
INTRODUCTION	7
1 Scope	8
2 Normative references	9
3 Terms and definitions	9
4 General requirement	9
5 General conditions for the tests	9
6 Classification	10
7 Marking and instructions	10
8 Protection against access to live parts	10
9 Starting of motor-operated appliances	10
10 Power input and current	10
11 Heating	10
12 Void Charging of metal-ion batteries	11
13 Leakage current and electric strength at operating temperature	11
14 Transient overvoltages	11
15 Moisture resistance	12
16 Leakage current and electric strength	12
17 Overload protection of transformers and associated circuits	12
18 Endurance	12
19 Abnormal operation	12
20 Stability and mechanical hazards	12
21 Mechanical strength	13
22 Construction	13
23 Internal wiring	13
24 Components	14
25 Supply connection and external flexible cords	14
26 Terminals for external conductors	14
27 Provision for earthing	14
28 Screws and connections	14
29 Clearances, creepage distances and solid insulation	14
30 Resistance to heat and fire	14
31 Resistance to rusting	14
32 Radiation, toxicity and similar hazards	14
Annexes	16
Annex C (normative) Ageing test on motors	16
Bibliography	17
List of comments	17

Figure 101 – Probe for measuring surface temperatures.....	15
--	----

Table 101 – Maximum temperature rises for specified external surfaces under normal operating conditions	11
---	----

IECNORM.COM : Click to view the full PDF of IEC 60335-2-10:2021 CMV

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-10: Particular requirements for floor treatment machines and wet scrubbing machines

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This commented version (CMV) of the official standard IEC 60335-2-10:2021 edition 6.0 allows the user to identify the changes made to the previous IEC 60335-2-10:2002 +AMD1:2008 CSV edition 5.1. Furthermore, comments from IEC TC 61 experts are provided to explain the reasons of the most relevant changes.

A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text. Experts' comments are identified by a blue-background number. Mouse over a number to display a pop-up note with the comment.

This publication contains the CMV and the official standard. The full list of comments is available at the end of the CMV.

IEC 60335-2-10 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances. It is an International Standard.

This sixth edition cancels and replaces the fifth edition published in 2002 and Amendment 1:2008. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the text has been aligned with IEC 60335-1:2020;
- b) some notes have been converted to normative text (Clause 1, 19.10, 20.1, 20.2, 22.101);
- c) introductions of limits on the temperature rise of external accessible surfaces (Clause 11);
- d) relocation of cord reel modification from 11.7 to 11.2 to align with Part 1;
- e) modification of the resistance to moisture test (15.2);
- f) clarification of the stability test (20.1).

The text of this International Standard is based on the following documents:

Draft	Report on voting
61/6382/FDIS	61/6432/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 60335 series, published under the general title *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments unless that edition precludes it; in that case, the latest edition that does not preclude it is used. It was established on the basis of the sixth edition (2020) of that standard.

NOTE 1 When “Part 1” is mentioned in this standard, it refers to IEC 60335-1.

This Part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Particular requirements for floor treatment machines and wet scrubbing machines.

When a particular subclause of Part 1 is not mentioned in this Part 2, that subclause applies as far as is reasonable. When this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

Guidance documents concerning the application of the safety requirements for appliances can be accessed via TC 61 supporting documents on the IEC website

<https://www.iec.ch/tc61/supportingdocuments>

This information is given for the convenience of users of this International Standard and does not constitute a replacement for the normative text in this standard.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another Part 2 of IEC 60335, the relevant Part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a Part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the Part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal ~~and generic standards~~ publications, basic safety publications and group safety publications covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. ~~For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.~~ **1**

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

NOTE 3 Standards dealing with non-safety aspects of household appliances are:

- IEC standards published by TC 59 concerning methods of measuring performance;
- CISPR 11, CISPR 14-1 and relevant IEC 61000-3 series standards concerning electromagnetic emissions;
- CISPR 14-2 concerning electromagnetic immunity;
- IEC standards published by TC 111 concerning environmental matters. **1**

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-10: Particular requirements for floor treatment machines and wet scrubbing machines

1 Scope

This clause of Part 1 is replaced by the following.

This part of IEC 60335 deals with the safety of electric floor treatment and wet scrubbing machines intended for household and similar purposes, their **rated voltage** being not more than 250 V, including direct current (DC) supplied appliances and **battery-operated appliances**. **1**

~~NOTE 101~~ Examples of floor treatment machines that this standard is applicable to are

- floor buffers;
- floor polishers;
- floor waxers.

~~NOTE 102~~ Examples of wet scrubbing machines that this standard is applicable to are

- floor scrubbers;
- rug shampoos;
- upholstery shampoos.

Appliances not intended for normal household use but that nevertheless ~~may~~ can be a source of danger to the public, such as appliances intended to be used by laymen in shops, hotels, offices, schools, hospitals and similar premises, in light industry and on farms, are within the scope of this standard.

~~NOTE 103~~ Examples of such appliances are appliances intended to be used in hotels, offices, schools, hospitals and similar premises.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- persons (including children) whose
 - physical, sensory or mental capabilities; or
 - lack of experience and knowledgeprevents them from using the appliance safely without supervision or instruction;
- children playing with the appliance.

~~NOTE 104~~ Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements ~~may~~ can be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

~~NOTE 105~~ This standard does not apply to

- vacuum cleaners and water suction cleaning appliances (IEC 60335-2-2);
- appliances intended for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour, or gas);
- floor sanding machines;
- floor treatment machines for commercial use (IEC 60335-2-67, IEC 60335-2-72).

2 Normative references

This clause of Part 1 is applicable *except as follows*.

Addition:

IEC 60584-1, *Thermocouples – Part 1: EMF specifications and tolerances*

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

3.1 Definitions relating to physical characteristics

3.1.9 ~~Replacement~~ Addition: 2

normal operation

operation of the appliance under the following conditions:

Floor treatment machines are operated while being moved backwards and forwards at a rate of 15 cycles per minute on a polished steel plate over a distance of 1 m. The appliance is fitted with brushes for hard-surface floors in accordance with the instructions.

Note 101 to entry: Heating of the steel plate is to be prevented. Forced cooling may be used but care is to be taken to ensure that the air movement does not affect the temperature rises to be determined.

Floor scrubbers are operated on untreated smooth pine-wood boards, 25 mm thick and approximately 100 mm wide, fastened inside the bottom of a metal pan. The pan is filled with water to a level approximately 1 mm above the surface of the boards. The scrubber is moved backwards and forwards at a rate of 10 cycles per minute over a distance of 1 m.

Rug shampooers are operated on a carpet that is fastened inside the bottom of a metal pan that is filled with water to a level approximately 3 mm below the surface of the carpet. The carpet is made of nylon fibres having a pile height of approximately 6 mm. The shampooer is moved backwards and forwards at a rate of 10 cycles per minute over a distance of 1 m.

If the floor scrubber or rug shampooer has a liquid dispensing system, the pan is not filled with water but the liquid dispensing system is in operation.

Upholstery shampooers are operated without their rotating brushes or similar devices being in contact with upholstery or any other surface. Suction hoses are laid out straight with the inlet unobstructed. Liquid dispensing systems are operated with the liquid container empty.

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable.

6 Classification

This clause of Part 1 is applicable.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.12 Addition:

The instructions for appliances with rotating brushes shall state that a hazard may occur if the appliance runs over the supply cord.

The instructions for appliances with a liquid dispensing system shall specify the amount and type of the liquid to be used.

The instructions shall state that the plug must be removed from the socket-outlet before cleaning or maintaining the appliance.

8 Protection against access to live parts

This clause of Part 1 is applicable.

9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

10 Power input and current

This clause of Part 1 is applicable.

11 Heating

This clause of Part 1 is applicable except as follows.

11.2 Modification:

Appliances incorporating an automatic cord reel are operated with one-third of the total length of the cord unreeled for 30 min, after which the cord is completely unreeled. **3**

11.3 Addition:

*Where the external **accessible surfaces** are suitably flat and access permits, then the test probe of Figure 101 is used to measure the temperature rises of external **accessible surfaces** specified in Table 101. The probe is applied with a force of $4\text{ N} \pm 1\text{ N}$ to the surface in such a way that the best possible contact between the probe and the surface is ensured. The measurement is performed after a contact period of 30 s.*

The probe may be held in place using a laboratory stand clamp or similar device. Any measuring instrument giving the same results as the probe may be used. **4**

11.7 Replacement Addition: 5

Appliances are operated until steady conditions are established.

~~Appliances incorporating an automatic cord reel are operated with one-third of the total length of the cord unreeled for 30 min, after which the cord is completely unreeled.~~

11.8 Modification:

During the test, the temperature rises are monitored continuously and shall not exceed the values shown in Table 3 and Table 101. **4**

Addition:

Table 101 – Maximum temperature rises for specified external surfaces under normal operating conditions

Surface	Temperature rise of external accessible surfaces ^a K	
	Surfaces of portable appliances situated on the floor	Surfaces of hand-held appliances and other appliances
Bare metal	38	42
Coated metal ^b	42	49
Glass and ceramic	51	56
Plastic and plastic coating > 0,4 mm ^{c, d}	58	62

NOTE The temperature rise limits of knobs, grips, keyboards, keypads and similar parts are specified in Table 3.

^a Temperature rises are not measured on surfaces that are inaccessible to a 75 mm diameter probe having a hemispherical end, applied with a force not exceeding 1 N.

^b Metal is considered coated when a coating having a minimum thickness of 90 µm made of enamel or non-substantially plastic coating is used.

^c The temperature rise limit applies also for plastic material having a metal finish of thickness less than 0,1 mm.

^d When the thickness of plastic coating does not exceed 0,4 mm, the temperature rise limits of coated metal or glass and ceramic apply.

12 ~~Void~~ Charging of metal-ion batteries

This clause of Part 1 is applicable. **1**

13 Leakage current and electric strength at operating temperature

This clause of Part 1 is applicable.

14 Transient overvoltages

This clause of Part 1 is applicable.

15 Moisture resistance

This clause of Part 1 is applicable except as follows.

15.2 ~~Modification:~~

~~Wet scrubbing machines are filled with a detergent solution specified in the instructions instead of the saline solution.~~

Addition:

Liquid containers are filled with the spillage solution. 1 If the container is in a hand-held part, the part is placed in the most unfavourable position. Other parts having containers are placed on a horizontal surface and overturned to the most unfavourable stable position. After 5 min the part is returned to its normal position. 6

*Wet scrubbing machines are supplied at **rated voltage** and operated for 10 min under **normal operation** except that*

- the rate of movement is 15 cycles per minute;*
- the water level is*
 - approximately 1 mm below the surface of the carpet for rug shampoos;*
 - approximately 5 mm above the surface of the wooden boards for floor scrubbers.*

16 Leakage current and electric strength

This clause of Part 1 is applicable.

17 Overload protection of transformers and associated circuits

This clause of Part 1 is applicable.

18 Endurance

This clause of Part 1 is not applicable.

19 Abnormal operation

This clause of Part 1 is applicable except as follows.

19.7 *Addition:*

Appliances are operated for 30 s.

19.10 *Addition:*

~~NOTE 101~~ *Appliances are operated without the brushes in contact with any surface.*

20 Stability and mechanical hazards

This clause of Part 1 is applicable except as follows.

20.1 Addition:

~~NOTE 101—This requirement only applies to parts of appliances incorporating a liquid container.~~ **7**

Modification:

Appliances intended to be held in the hand during normal use while also being supported by the cleaning surface, are not subjected to this test. **8**

20.2 Addition:

~~NOTE 101—The requirement regarding moving parts does not apply to brushes and similar devices. It does not apply to moving parts such as shafts that become accessible when changing accessories and that only move when the brush or similar device is moving.~~

21 Mechanical strength

This clause of Part 1 is applicable.

22 Construction

This clause of Part 1 is applicable except as follows.

22.101 Appliances with single-disc brushes and having a **rated power input** exceeding 300 W shall incorporate means to prevent starting in addition to the switch controlling the motor. Appliances incorporating a biased-off switch are considered to comply with this requirement if the switch:

- incorporates a self-resetting interlock, or
- is used in combination with an additional device that prevents
 - the appliance from being operated, or
 - the brush from being engaged with the motor when the handle is in the storage position.

Other appliances shall be constructed so that inadvertent operation is unlikely. Appliances where the actuating member of the switch controlling the motor is located in a recess are considered to comply with this requirement.

Compliance is checked by inspection, by manual test and by the following test.

The means to prevent starting is operated 6 000 times. It shall then be fit for further use and shall not be damaged to such an extent that compliance with this standard is impaired.

~~NOTE 1—The means to prevent starting is considered to be met by incorporating a biased-off switch that~~
~~— incorporates a self-resetting interlock, or~~
~~— is used in combination with an additional device that prevents~~
~~• the appliance from being operated, or~~
~~• the brush from being engaged with the motor when the handle is in the storage position.~~

~~NOTE 2—Inadvertent operation is considered to be unlikely if the actuating member of the switch is appropriately located, for example in a recess.~~

23 Internal wiring

This clause of Part 1 is applicable.

24 Components

This clause of Part 1 is applicable.

25 Supply connection and external flexible cords

This clause of Part 1 is applicable.

26 Terminals for external conductors

This clause of Part 1 is applicable.

27 Provision for earthing

This clause of Part 1 is applicable.

28 Screws and connections

This clause of Part 1 is applicable.

29 Clearances, creepage distances and solid insulation

This clause of Part 1 is applicable except as follows.

29.2 Addition:

The microenvironment is pollution degree 3 unless the insulation is enclosed or located so that it is unlikely to be exposed to pollution during normal use of the appliance.

30 Resistance to heat and fire

This clause of Part 1 is applicable except as follows.

30.2 Modification:

Replace the two dashed items in the compliance statement with the following:

For floor treatment machines and wet scrubbing machines, 30.2.2 is applicable.


~~30.2.3 Not applicable.~~ **9**

31 Resistance to rusting

This clause of Part 1 is applicable.

32 Radiation, toxicity and similar hazards

This clause of Part 1 is applicable.



Key

- A adhesive
- B thermocouple wires 0,3 mm diameter to IEC 60584-1 Type K
- C handle arrangement permitting a contact force of $4\text{ N} \pm 1\text{ N}$
- D polycarbonate tube: inside diameter 3 mm, outside diameter 5 mm
- E tinned copper disc: 5 mm diameter, 0,5 mm thick with flat contact face

Figure 101 – Probe for measuring surface temperatures

IECNORM.COM : Click to view the full PDF of IEC 60335-2-10:2021 CMV

Annexes

The annexes of Part 1 are applicable except as follows.

Annex C (normative)

Ageing test on motors

Modification:

The value of p in Table C.1 is 2 000.

IECNORM.COM : Click to view the full PDF of IEC 60335-2-10:2021 CMV

Bibliography

The bibliography of Part 1 is applicable except as follows.

Addition:

IEC 60335-2-2, *Household and similar electrical appliances – Safety – Part 2-2: Particular requirements for vacuum cleaners and water-suction cleaning appliances*

IEC 60335-2-67, *Household and similar electrical appliances – Safety – Part 2-67: Particular requirements for floor treatment machines, for commercial use*

IEC 60335-2-72, *Household and similar electrical appliances – Safety – Part 2-72: Particular requirements for floor treatment machines with or without traction drive, for commercial use*

~~ISO 13732-1, *Ergonomics of the thermal environment – Methods for the assessment of human responses to contact with surfaces – Part 1: Hot surfaces*~~

IECNORM.COM : Click to view the full PDF of IEC 60335-2-10:2021 CMV

List of comments

- 1 This revision is for alignment with IEC 60335-1:2020.
- 2 This revision maintains the normal operation while charging as specified in IEC 60335-1:2020.
- 3 This is relocated from 11.7 to align with cord reel requirements in IEC 60335-1:2020.
- 4 Limits on the temperature rise of external accessible surfaces are introduced to address the risk of thermal injury from contact with external accessible surfaces.
- 5 This revision maintains the test duration while charging as specified in IEC 60335-1:2020.
- 6 The test specification is modified to align with requirements in IEC 60335-2-54.
- 7 This requirement is now applicable for appliances with and without a liquid container to align with other Part 2 Standards.
- 8 This test is not applied to appliances supported by the hand while also being supported by the cleaning surface. The test specification is modified to align with other Part 2 Standards.
- 9 This test may be applicable for appliances for remote operation and for parts connected to the supply mains during the charging period as specified in 30.2 of IEC 60335-1:2020. This is now clarified in the modification to 30.2.

IECNORM.COM : Click to view the full PDF of IEC 60335-2-10:2021 CMV

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Household and similar electrical appliances – Safety –
Part 2-10: Particular requirements for floor treatment machines and wet
scrubbing machines**

**Appareils électrodomestiques et analogues – Sécurité –
Partie 2-10: Exigences particulières pour les appareils de traitement des sols et
les machines à broser les sols mouillés**

CONTENTS

FOREWORD	4
INTRODUCTION	7
1 Scope	8
2 Normative references	9
3 Terms and definitions	9
4 General requirement	9
5 General conditions for the tests	9
6 Classification	10
7 Marking and instructions	10
8 Protection against access to live parts	10
9 Starting of motor-operated appliances	10
10 Power input and current	10
11 Heating	10
12 Charging of metal-ion batteries	11
13 Leakage current and electric strength at operating temperature	11
14 Transient overvoltages	11
15 Moisture resistance	12
16 Leakage current and electric strength	12
17 Overload protection of transformers and associated circuits	12
18 Endurance	12
19 Abnormal operation	12
20 Stability and mechanical hazards	12
21 Mechanical strength	13
22 Construction	13
23 Internal wiring	13
24 Components	13
25 Supply connection and external flexible cords	13
26 Terminals for external conductors	13
27 Provision for earthing	14
28 Screws and connections	14
29 Clearances, creepage distances and solid insulation	14
30 Resistance to heat and fire	14
31 Resistance to rusting	14
32 Radiation, toxicity and similar hazards	14
Annexes	16
Annex C (normative) Ageing test on motors	16
Bibliography	17
Figure 101 – Probe for measuring surface temperatures	15

Table 101 – Maximum temperature rises for specified external surfaces under normal operating conditions.....	11
--	----

IECNORM.COM : Click to view the full PDF of IEC 60335-2-10:2021 CMV

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –****Part 2-10: Particular requirements for floor treatment machines
and wet scrubbing machines**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60335-2-10 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances. It is an International Standard.

This sixth edition cancels and replaces the fifth edition published in 2002 and Amendment 1:2008. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the text has been aligned with IEC 60335-1:2020;
- b) some notes have been converted to normative text (Clause 1, 19.10, 20.1, 20.2, 22.101);
- c) introductions of limits on the temperature rise of external accessible surfaces (Clause 11);
- d) relocation of cord reel modification from 11.7 to 11.2 to align with Part 1;
- e) modification of the resistance to moisture test (15.2);

f) clarification of the stability test (20.1).

The text of this International Standard is based on the following documents:

Draft	Report on voting
61/6382/FDIS	61/6432/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 60335 series, published under the general title *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments unless that edition precludes it; in that case, the latest edition that does not preclude it is used. It was established on the basis of the sixth edition (2020) of that standard.

NOTE 1 When “Part 1” is mentioned in this standard, it refers to IEC 60335-1.

This Part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Particular requirements for floor treatment machines and wet scrubbing machines.

When a particular subclause of Part 1 is not mentioned in this Part 2, that subclause applies as far as is reasonable. When this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

IECNORM.COM : Click to view the full PDF of IEC 60335-2-10:2021 CMV

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

Guidance documents concerning the application of the safety requirements for appliances can be accessed via TC 61 supporting documents on the IEC website

<https://www.iec.ch/tc61/supportingdocuments>

This information is given for the convenience of users of this International Standard and does not constitute a replacement for the normative text in this standard.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another Part 2 of IEC 60335, the relevant Part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a Part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the Part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal publications, basic safety publications and group safety publications covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

NOTE 3 Standards dealing with non-safety aspects of household appliances are:

- IEC standards published by TC 59 concerning methods of measuring performance;
- CISPR 11, CISPR 14-1 and relevant IEC 61000-3 series standards concerning electromagnetic emissions;
- CISPR 14-2 concerning electromagnetic immunity;
- IEC standards published by TC 111 concerning environmental matters.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-10: Particular requirements for floor treatment machines and wet scrubbing machines

1 Scope

This clause of Part 1 is replaced by the following.

This part of IEC 60335 deals with the safety of electric floor treatment and wet scrubbing machines intended for household and similar purposes, their **rated voltage** being not more than 250 V, including direct current (DC) supplied appliances and **battery-operated appliances**.

Examples of floor treatment machines that this standard is applicable to are

- floor buffers;
- floor polishers;
- floor waxers.

Examples of wet scrubbing machines that this standard is applicable to are

- floor scrubbers;
- rug shampoos;
- upholstery shampoos.

Appliances not intended for normal household use but that nevertheless can be a source of danger to the public, such as appliances intended to be used by laymen in shops, hotels, offices, schools, hospitals and similar premises, in light industry and on farms, are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- persons (including children) whose
 - physical, sensory or mental capabilities; or
 - lack of experience and knowledgeprevents them from using the appliance safely without supervision or instruction;
- children playing with the appliance.

Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements can be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

This standard does not apply to

- vacuum cleaners and water suction cleaning appliances (IEC 60335-2-2);
- appliances intended for industrial purposes;

- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour, or gas);
- floor sanding machines;
- floor treatment machines for commercial use (IEC 60335-2-67, IEC 60335-2-72).

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60584-1, *Thermocouples – Part 1: EMF specifications and tolerances*

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

3.1 Definitions relating to physical characteristics

3.1.9 *Addition:*

operation of the appliance under the following conditions:

Floor treatment machines are operated while being moved backwards and forwards at a rate of 15 cycles per minute on a polished steel plate over a distance of 1 m. The appliance is fitted with brushes for hard-surface floors in accordance with the instructions.

Note 101 to entry: Heating of the steel plate is to be prevented. Forced cooling may be used but care is to be taken to ensure that the air movement does not affect the temperature rises to be determined.

Floor scrubbers are operated on untreated smooth pine-wood boards, 25 mm thick and approximately 100 mm wide, fastened inside the bottom of a metal pan. The pan is filled with water to a level approximately 1 mm above the surface of the boards. The scrubber is moved backwards and forwards at a rate of 10 cycles per minute over a distance of 1 m.

Rug shampooers are operated on a carpet that is fastened inside the bottom of a metal pan that is filled with water to a level approximately 3 mm below the surface of the carpet. The carpet is made of nylon fibres having a pile height of approximately 6 mm. The shampooer is moved backwards and forwards at a rate of 10 cycles per minute over a distance of 1 m.

If the floor scrubber or rug shampooer has a liquid dispensing system, the pan is not filled with water but the liquid dispensing system is in operation.

Upholstery shampooers are operated without their rotating brushes or similar devices being in contact with upholstery or any other surface. Suction hoses are laid out straight with the inlet unobstructed. Liquid dispensing systems are operated with the liquid container empty.

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable.

6 Classification

This clause of Part 1 is applicable.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.12 Addition:

The instructions for appliances with rotating brushes shall state that a hazard may occur if the appliance runs over the supply cord.

The instructions for appliances with a liquid dispensing system shall specify the amount and type of the liquid to be used.

The instructions shall state that the plug must be removed from the socket-outlet before cleaning or maintaining the appliance.

8 Protection against access to live parts

This clause of Part 1 is applicable.

9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

10 Power input and current

This clause of Part 1 is applicable.

11 Heating

This clause of Part 1 is applicable except as follows.

11.2 Modification:

Appliances incorporating an automatic cord reel are operated with one-third of the total length of the cord unreeled for 30 min, after which the cord is completely unreeled.

11.3 Addition:

*Where the external **accessible surfaces** are suitably flat and access permits, then the test probe of Figure 101 is used to measure the temperature rises of external **accessible surfaces** specified in Table 101. The probe is applied with a force of $4\text{ N} \pm 1\text{ N}$ to the surface in such a way that the best possible contact between the probe and the surface is ensured. The measurement is performed after a contact period of 30 s.*

The probe may be held in place using a laboratory stand clamp or similar device. Any measuring instrument giving the same results as the probe may be used.

11.7 Addition:

Appliances are operated until steady conditions are established.

11.8 Modification:

During the test, the temperature rises are monitored continuously and shall not exceed the values shown in Table 3 and Table 101.

Addition:

Table 101 – Maximum temperature rises for specified external surfaces under normal operating conditions

Surface	Temperature rise of external accessible surfaces ^a K	
	Surfaces of portable appliances situated on the floor	Surfaces of hand-held appliances and other appliances
Bare metal	38	42
Coated metal ^b	42	49
Glass and ceramic	51	56
Plastic and plastic coating > 0,4 mm ^{c, d}	58	62
NOTE The temperature rise limits of knobs, grips, keyboards, keypads and similar parts are specified in Table 3.		
^a Temperature rises are not measured on surfaces that are inaccessible to a 75 mm diameter probe having a hemispherical end, applied with a force not exceeding 1 N. ^b Metal is considered coated when a coating having a minimum thickness of 90 µm made of enamel or non-substantially plastic coating is used. ^c The temperature rise limit applies also for plastic material having a metal finish of thickness less than 0,1 mm. ^d When the thickness of plastic coating does not exceed 0,4 mm, the temperature rise limits of coated metal or glass and ceramic apply.		

12 Charging of metal-ion batteries

This clause of Part 1 is applicable.

13 Leakage current and electric strength at operating temperature

This clause of Part 1 is applicable.

14 Transient overvoltages

This clause of Part 1 is applicable.

15 Moisture resistance

This clause of Part 1 is applicable except as follows.

15.2 Addition:

Liquid containers are filled with the spillage solution. If the container is in a hand-held part, the part is placed in the most unfavourable position. Other parts having containers are placed on a horizontal surface and overturned to the most unfavourable stable position. After 5 min the part is returned to its normal position.

*Wet scrubbing machines are supplied at **rated voltage** and operated for 10 min under **normal operation** except that*

- *the rate of movement is 15 cycles per minute;*
- *the water level is*
 - *approximately 1 mm below the surface of the carpet for rug shampoos;*
 - *approximately 5 mm above the surface of the wooden boards for floor scrubbers.*

16 Leakage current and electric strength

This clause of Part 1 is applicable.

17 Overload protection of transformers and associated circuits

This clause of Part 1 is applicable.

18 Endurance

This clause of Part 1 is not applicable.

19 Abnormal operation

This clause of Part 1 is applicable except as follows.

19.7 Addition:

Appliances are operated for 30 s.

19.10 Addition:

Appliances are operated without the brushes in contact with any surface.

20 Stability and mechanical hazards

This clause of Part 1 is applicable except as follows.

20.1 Modification:

Appliances intended to be held in the hand during normal use while also being supported by the cleaning surface, are not subjected to this test.

20.2 Addition:

The requirement regarding moving parts does not apply to brushes and similar devices. It does not apply to moving parts such as shafts that become accessible when changing accessories and that only move when the brush or similar device is moving.

21 Mechanical strength

This clause of Part 1 is applicable.

22 Construction

This clause of Part 1 is applicable except as follows.

22.101 Appliances with single-disc brushes and having a **rated power input** exceeding 300 W shall incorporate means to prevent starting in addition to the switch controlling the motor. Appliances incorporating a biased-off switch are considered to comply with this requirement if the switch:

- incorporates a self-resetting interlock, or
- is used in combination with an additional device that prevents
 - the appliance from being operated, or
 - the brush from being engaged with the motor when the handle is in the storage position.

Other appliances shall be constructed so that inadvertent operation is unlikely. Appliances where the actuating member of the switch controlling the motor is located in a recess are considered to comply with this requirement.

Compliance is checked by inspection, by manual test and by the following test.

The means to prevent starting is operated 6 000 times. It shall then be fit for further use and shall not be damaged to such an extent that compliance with this standard is impaired.

23 Internal wiring

This clause of Part 1 is applicable.

24 Components

This clause of Part 1 is applicable.

25 Supply connection and external flexible cords

This clause of Part 1 is applicable.

26 Terminals for external conductors

This clause of Part 1 is applicable.

27 Provision for earthing

This clause of Part 1 is applicable.

28 Screws and connections

This clause of Part 1 is applicable.

29 Clearances, creepage distances and solid insulation

This clause of Part 1 is applicable except as follows.

29.2 Addition:

The microenvironment is pollution degree 3 unless the insulation is enclosed or located so that it is unlikely to be exposed to pollution during normal use of the appliance.

30 Resistance to heat and fire

This clause of Part 1 is applicable except as follows.

30.2 Modification:

Replace the two dashed items in the compliance statement with the following:


For floor treatment machines and wet scrubbing machines, 30.2.2 is applicable.

31 Resistance to rusting

This clause of Part 1 is applicable.

32 Radiation, toxicity and similar hazards

This clause of Part 1 is applicable.

**Key**

- A adhesive
- B thermocouple wires 0,3 mm diameter to IEC 60584-1 Type K
- C handle arrangement permitting a contact force of $4\text{ N} \pm 1\text{ N}$
- D polycarbonate tube: inside diameter 3 mm, outside diameter 5 mm
- E tinned copper disc: 5 mm diameter, 0,5 mm thick with flat contact face

Figure 101 – Probe for measuring surface temperatures

IECNORM.COM : Click to view the full PDF of IEC 60335-2-10:2021 CMV

Annexes

The annexes of Part 1 are applicable except as follows.

Annex C (normative)

Ageing test on motors

Modification:

The value of p in Table C.1 is 2 000.

IECNORM.COM : Click to view the full PDF of IEC 60335-2-10:2021 CMV

Bibliography

The bibliography of Part 1 is applicable except as follows.

Addition:

IEC 60335-2-2, *Household and similar electrical appliances – Safety – Part 2-2: Particular requirements for vacuum cleaners and water-suction cleaning appliances*

IEC 60335-2-67, *Household and similar electrical appliances – Safety – Part 2-67: Particular requirements for floor treatment machines, for commercial use*

IEC 60335-2-72, *Household and similar electrical appliances – Safety – Part 2-72: Particular requirements for floor treatment machines with or without traction drive, for commercial use*

IECNORM.COM : Click to view the full PDF of IEC 60335-2-10:2021 CMV

SOMMAIRE

AVANT-PROPOS	20
INTRODUCTION.....	23
1 Domaine d'application	24
2 Références normatives	25
3 Termes et définitions	25
4 Exigences générales	26
5 Conditions générales d'essais	26
6 Classification.....	26
7 Marquage et instructions	26
8 Protection contre l'accès aux parties actives	26
9 Démarrage des appareils à moteur	26
10 Puissance et courant	26
11 Echauffements	26
12 Charge des batteries à ions métalliques	27
13 Courant de fuite et rigidité diélectrique à la température de régime	27
14 Surtensions transitoires	28
15 Résistance à l'humidité.....	28
16 Courant de fuite et rigidité diélectrique	28
17 Protection contre la surcharge des transformateurs et des circuits associés	28
18 Endurance.....	28
19 Fonctionnement anormal	28
20 Stabilité et dangers mécaniques	29
21 Résistance mécanique.....	29
22 Construction	29
23 Conducteurs internes	29
24 Composants	29
25 Raccordement au réseau et câbles souples extérieurs	30
26 Bornes pour conducteurs externes	30
27 Dispositions en vue de la mise à la terre	30
28 Vis et connexions	30
29 Distances dans l'air, lignes de fuite et isolation solide	30
30 Résistance à la chaleur et au feu.....	30
31 Protection contre la rouille.....	30
32 Rayonnement, toxicité et dangers analogues.....	30
Annexes	32
Annexe C (normative) Essai de vieillissement des moteurs.....	32
Bibliographie.....	33
Figure 101 – Calibre pour le mesurage des températures de surface	31

Tableau 101 – Echauffements maximaux pour les surfaces extérieures spécifiées en conditions de fonctionnement normal	27
--	----

IECNORM.COM : Click to view the full PDF of IEC 60335-2-10:2021 CMV

COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

**APPAREILS ÉLECTRODOMESTIQUES ET ANALOGUES –
SÉCURITÉ –****Partie 2-10: Exigences particulières pour les appareils de traitement
des sols et les machines à broser les sols mouillés**

AVANT-PROPOS

- 1) La Commission Electrotechnique Internationale (IEC) est une organisation mondiale de normalisation composée de l'ensemble des comités électrotechniques nationaux (Comités nationaux de l'IEC). L'IEC a pour objet de favoriser la coopération internationale pour toutes les questions de normalisation dans les domaines de l'électricité et de l'électronique. A cet effet, l'IEC – entre autres activités – publie des Normes internationales, des Spécifications techniques, des Rapports techniques, des Spécifications accessibles au public (PAS) et des Guides (ci-après dénommés "Publication(s) de l'IEC"). Leur élaboration est confiée à des comités d'études, aux travaux desquels tout Comité national intéressé par le sujet traité peut participer. Les organisations internationales, gouvernementales et non gouvernementales, en liaison avec l'IEC, participent également aux travaux. L'IEC collabore étroitement avec l'Organisation Internationale de Normalisation (ISO), selon des conditions fixées par accord entre les deux organisations.
- 2) Les décisions ou accords officiels de l'IEC concernant les questions techniques représentent, dans la mesure du possible, un accord international sur les sujets étudiés, étant donné que les Comités nationaux de l'IEC intéressés sont représentés dans chaque comité d'études.
- 3) Les Publications de l'IEC se présentent sous la forme de recommandations internationales et sont agréées comme telles par les Comités nationaux de l'IEC. Tous les efforts raisonnables sont entrepris afin que l'IEC s'assure de l'exactitude du contenu technique de ses publications; l'IEC ne peut pas être tenue responsable de l'éventuelle mauvaise utilisation ou interprétation qui en est faite par un quelconque utilisateur final.
- 4) Dans le but d'encourager l'uniformité internationale, les Comités nationaux de l'IEC s'engagent, dans toute la mesure possible, à appliquer de façon transparente les Publications de l'IEC dans leurs publications nationales et régionales. Toutes divergences entre toutes Publications de l'IEC et toutes publications nationales ou régionales correspondantes doivent être indiquées en termes clairs dans ces dernières.
- 5) L'IEC elle-même ne fournit aucune attestation de conformité. Des organismes de certification indépendants fournissent des services d'évaluation de conformité et, dans certains secteurs, accèdent aux marques de conformité de l'IEC. L'IEC n'est responsable d'aucun des services effectués par les organismes de certification indépendants.
- 6) Tous les utilisateurs doivent s'assurer qu'ils sont en possession de la dernière édition de cette publication.
- 7) Aucune responsabilité ne doit être imputée à l'IEC, à ses administrateurs, employés, auxiliaires ou mandataires, y compris ses experts particuliers et les membres de ses comités d'études et des Comités nationaux de l'IEC, pour tout préjudice causé en cas de dommages corporels et matériels, ou de tout autre dommage de quelque nature que ce soit, directe ou indirecte, ou pour supporter les coûts (y compris les frais de justice) et les dépenses découlant de la publication ou de l'utilisation de cette Publication de l'IEC ou de toute autre Publication de l'IEC, ou au crédit qui lui est accordé.
- 8) L'attention est attirée sur les références normatives citées dans cette publication. L'utilisation de publications référencées est obligatoire pour une application correcte de la présente publication.
- 9) L'attention est attirée sur le fait que certains des éléments de la présente Publication de l'IEC peuvent faire l'objet de droits de brevet. L'IEC ne saurait être tenue pour responsable de ne pas avoir identifié de tels droits de brevets.

L'IEC 60335-2-10 a été établie par le comité d'études 61 de l'IEC: Sécurité des appareils électrodomestiques et analogues. Il s'agit d'une Norme internationale.

Cette sixième édition annule et remplace la cinquième édition parue en 2002 et l'Amendement 1:2008. Cette édition constitue une révision technique.

Cette édition inclut les modifications techniques majeures suivantes par rapport à l'édition précédente:

- a) alignement du texte sur l'IEC 60335-1:2020;
- b) conversion en texte normatif de certaines notes (Article 1, 19.10, 20.1, 20.2, 22.101);

- c) introduction des limites d'échauffement des surfaces accessibles extérieures (Article 11);
- d) déplacement de la modification concernant l'enrouleur de câble du 11.7 au 11.2 pour l'aligner sur la Partie 1;
- e) modification de l'essai de résistance à l'humidité (15.2);
- f) clarification de l'essai de stabilité (20.1).

Le texte de cette Norme internationale est issu des documents suivants:

Projet	Rapport de vote
61/6382/FDIS	61/6432/RVD

Le rapport de vote indiqué dans le tableau ci-dessus donne toute information sur le vote ayant abouti à son approbation.

La langue employée pour l'élaboration de cette Norme internationale est l'anglais.

Ce document a été rédigé selon les Directives ISO/IEC, Partie 2, il a été développé selon les Directives ISO/IEC, Partie 1 et les Directives ISO/IEC, Supplément IEC, disponibles sous www.iec.ch/members_experts/refdocs. Les principaux types de documents développés par l'IEC sont décrits plus en détail sous www.iec.ch/standardsdev/publications.

Une liste de toutes les parties de la série IEC 60335, publiées sous le titre général *Appareils électrodomestiques et analogues – Sécurité*, se trouve sur le site web de l'IEC.

La présente Partie 2 doit être utilisée conjointement avec la dernière édition de l'IEC 60335-1 et ses amendements, sauf si cette édition l'exclut. Dans ce cas, la dernière édition qui n'exclut pas la présente Partie 2 est utilisée. Elle a été établie sur la base de la sixième édition (2020) de cette norme.

NOTE 1 L'expression "la Partie 1" utilisée dans la présente norme fait référence à l'IEC 60335-1.

La présente Partie 2 complète ou modifie les articles correspondants de l'IEC 60335-1, de façon à transformer cette publication en norme IEC: Exigences particulières pour les appareils de traitement des sols et les machines à broser les sols mouillés.

Lorsqu'un paragraphe particulier de la Partie 1 n'est pas mentionné dans cette Partie 2, ce paragraphe s'applique pour autant que cela soit raisonnable. Lorsque la présente norme mentionne "addition", "modification" ou "remplacement", le texte correspondant de la Partie 1 doit être adapté en conséquence.

NOTE 2 Le système de numérotation suivant est utilisé:

- les paragraphes, tableaux et figures qui s'ajoutent à ceux de la Partie 1 sont numérotés à partir de 101;
- à l'exception de celles qui sont dans un nouveau paragraphe ou de celles qui concernent des notes de la Partie 1, les notes sont numérotées à partir de 101, y compris celles des articles ou paragraphes qui sont remplacés;
- les annexes qui sont ajoutées sont désignées AA, BB, etc.

NOTE 3 Les caractères d'imprimerie suivants sont utilisés:

- exigences: caractères romains;
- *modalités d'essais: caractères italiques;*
- notes: petits caractères romains.

Les termes en **gras** dans le texte sont définis à l'Article 3. Lorsqu'une définition concerne un adjectif, l'adjectif et le nom associé figurent également en gras.

Le comité a décidé que le contenu de ce document ne sera pas modifié avant la date de stabilité indiquée sur le site web de l'IEC sous webstore.iec.ch dans les données relatives au document recherché. A cette date, le document sera

- reconduit,
- supprimé,
- remplacé par une édition révisée, ou
- amendé.

NOTE 4 L'attention des Comités nationaux est attirée sur le fait que les fabricants d'appareils et les organismes d'essai peuvent avoir besoin d'une période transitoire après la publication d'une nouvelle publication IEC, ou d'une publication amendée ou révisée, pour fabriquer des produits conformes aux nouvelles exigences et pour adapter leurs équipements aux nouveaux essais ou aux essais révisés.

Le comité recommande que le contenu de cette publication soit entériné au niveau national au plus tôt 12 mois et au plus tard 36 mois après la date de publication.

IECNORM.COM : Click to view the full PDF of IEC 60335-2-10:2021 CMV

INTRODUCTION

Il a été considéré en établissant cette Norme internationale que l'exécution de ses dispositions était confiée à des personnes expérimentées et ayant une qualification appropriée.

Les documents de recommandations concernant l'application des exigences de sécurité pour les appareils peuvent être consultés dans les documents de support du CE 61, accessibles sur le site web de l'IEC à l'adresse:

<https://www.iec.ch/tc61/supportingdocuments>

Cette information est donnée à l'intention des utilisateurs de la présente Norme internationale et n'a pas pour objet de remplacer le texte normatif de la présente norme.

La présente norme reconnaît le niveau de protection internationalement accepté contre les dangers électriques, mécaniques, thermiques, liés au feu et au rayonnement des appareils, lorsqu'ils fonctionnent comme en usage normal en tenant compte des instructions du fabricant. Elle couvre également les situations anormales auxquelles on peut s'attendre dans la pratique et elle tient compte de la façon dont les phénomènes électromagnétiques peuvent affecter le fonctionnement sûr des appareils.

Cette norme tient compte autant que possible des exigences de l'IEC 60364, de façon à rester compatible avec les règles d'installation quand l'appareil est raccordé au réseau d'alimentation. Cependant, des règles nationales d'installation peuvent être différentes.

Si un appareil relevant du domaine d'application de la présente norme comporte également des fonctions couvertes par une autre Partie 2 de l'IEC 60335, la Partie 2 correspondante est appliquée à chaque fonction séparément, dans la limite du raisonnable. Si cela est applicable, on tient compte de l'influence d'une fonction sur les autres fonctions.

Lorsqu'une Partie 2 ne comporte pas d'exigences complémentaires pour couvrir les risques traités dans la Partie 1, la Partie 1 s'applique.

NOTE 1 Cela signifie que les comités d'études responsables pour les Parties 2 ont déterminé qu'il n'était pas nécessaire de spécifier des exigences particulières pour l'appareil en question en plus des exigences générales.

Cette norme est une norme de famille de produits traitant de la sécurité d'appareils et a préséance sur les normes horizontales et génériques couvrant le même sujet.

NOTE 2 Les publications horizontales, les publications fondamentales de sécurité et les publications groupées de sécurité couvrant un risque ne sont pas applicables parce qu'elles ont été prises en considération lorsque les exigences générales et particulières ont été étudiées pour la série de normes IEC 60335.

Un appareil conforme au texte de la présente norme ne sera pas nécessairement jugé conforme aux principes de sécurité de la norme si, lorsqu'il est examiné et soumis aux essais, il apparaît qu'il présente d'autres caractéristiques qui compromettent le niveau de sécurité visé par ces exigences.

Un appareil utilisant des matériaux ou présentant des modes de construction différents de ceux décrits dans les exigences de cette norme peut être examiné et essayé en fonction de l'objectif poursuivi par ces exigences et, s'il est jugé pratiquement équivalent, il peut être estimé conforme aux principes de sécurité de la norme.

NOTE 3 Les normes traitant des aspects non relatifs à la sécurité des appareils électrodomestiques sont:

- les normes IEC publiées par le comité d'études 59 concernant les méthodes de mesure d'aptitude à la fonction;
- les normes CISPR 11 et CISPR 14-1, ainsi que les normes applicables de la série IEC 61000-3 concernant les émissions électromagnétiques;
- la norme CISPR 14-2 concernant l'immunité électromagnétique;
- les normes IEC publiées par le comité d'études 111 concernant l'environnement.

APPAREILS ÉLECTRODOMESTIQUES ET ANALOGUES – SÉCURITÉ –

Partie 2-10: Exigences particulières pour les appareils de traitement des sols et les machines à broser les sols mouillés

1 Domaine d'application

L'article de la Partie 1 est remplacé par le texte suivant.

La présente partie de l'IEC 60335 traite de la sécurité des appareils électriques de traitement des sols et des machines électriques à broser les sols mouillés, destinés à un usage domestique et analogue et dont la **tension assignée** est inférieure ou égale à 250 V, y compris les appareils alimentés en courant continu et les **appareils alimentés par batteries**.

La présente norme est applicable aux exemples de machines de traitement des sols suivants, tels que:

- les lustreuses;
- les polisseuses;
- les cireuses.

La présente norme est applicable aux exemples de machines à broser les sols mouillés suivants, tels que:

- les machines à lessiver les sols;
- les machines à laver les tapis;
- les machines à laver les tapisseries.

Les appareils non destinés à un usage domestique normal, mais qui peuvent néanmoins constituer une source de danger pour le public, tels que les appareils destinés à être utilisés par des usagers non avertis dans des magasins, des hôtels, des bureaux, des écoles, des hôpitaux et locaux analogues, chez des artisans et dans des fermes, sont compris dans le domaine d'application de la présente norme.

Dans la mesure du possible, la présente norme traite des dangers courants que présentent les appareils et auxquels sont exposés tous les individus situés à l'intérieur et autour de l'habitation. Cependant, cette norme ne tient pas compte en général:

- des personnes (y compris des enfants) dont:
 - les capacités physiques, sensorielles ou mentales; ou
 - le manque d'expérience et de connaissanceles empêchent d'utiliser l'appareil en toute sécurité sans surveillance ou instruction;
- de l'utilisation de l'appareil comme jouet par des enfants.

L'attention est attirée sur le fait que:

- pour les appareils destinés à être utilisés dans des véhicules ou à bord de navires ou d'avions, des exigences supplémentaires peuvent être nécessaires;