

---

---

**Information technology — ASN.1  
encoding rules: Mapping W3C XML  
schema definitions into ASN.1**

*Technologies de l'information — Règles de codage ASN.1: Mappage en  
ASN.1 des définitions de schéma XML du W3C*

IECNORM.COM : Click to view the full PDF of ISO/IEC 8825-5:2008

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

IECNORM.COM : Click to view the full PDF of ISO/IEC 8825-5:2008



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published by ISO in 2009

Published in Switzerland

## CONTENTS

Page

|                                                                                                  |    |
|--------------------------------------------------------------------------------------------------|----|
| Foreword .....                                                                                   | v  |
| Introduction .....                                                                               | vi |
| 1 Scope .....                                                                                    | 1  |
| 2 Normative references .....                                                                     | 1  |
| 2.1 Identical Recommendations   International Standards .....                                    | 1  |
| 2.2 Additional references .....                                                                  | 2  |
| 3 Definitions .....                                                                              | 2  |
| 3.1 Imported definitions .....                                                                   | 2  |
| 3.2 Additional definitions .....                                                                 | 3  |
| 4 Abbreviations .....                                                                            | 3  |
| 5 Notation .....                                                                                 | 3  |
| 6 Purpose and extent of standardization .....                                                    | 3  |
| 7 Mapping XSD Schemas .....                                                                      | 4  |
| 8 Ignored schema components and properties .....                                                 | 5  |
| 9 ASN.1 modules .....                                                                            | 6  |
| 10 Name conversion .....                                                                         | 6  |
| 10.1 General .....                                                                               | 6  |
| 10.2 Generating ASN.1 type definitions that are references to ASN.1 type assignments .....       | 7  |
| 10.3 Generating identifiers and type reference names .....                                       | 7  |
| 10.4 Order of the mapping .....                                                                  | 9  |
| 11 Mapping uses of XSD built-in types .....                                                      | 10 |
| 12 Mapping facets .....                                                                          | 10 |
| 12.1 The length, minLength, and maxLength facets .....                                           | 11 |
| 12.2 The pattern facet .....                                                                     | 11 |
| 12.3 The whiteSpace facet .....                                                                  | 11 |
| 12.4 The enumeration facet .....                                                                 | 12 |
| 12.5 Other facets .....                                                                          | 14 |
| 13 Mapping simple type definitions .....                                                         | 14 |
| 14 Mapping element declarations .....                                                            | 16 |
| 15 Mapping attribute declarations .....                                                          | 17 |
| 16 Mapping values of simple type definitions .....                                               | 17 |
| 17 Mapping model group definitions .....                                                         | 17 |
| 18 Mapping model groups .....                                                                    | 17 |
| 19 Mapping particles .....                                                                       | 18 |
| 20 Mapping complex type definitions .....                                                        | 19 |
| 21 Mapping wildcards .....                                                                       | 20 |
| 22 Mapping attribute uses .....                                                                  | 22 |
| 23 Mapping uses of simple and complex type definitions (general case) .....                      | 22 |
| 24 Mapping special uses of simple and complex type definitions (substitutable) .....             | 23 |
| 25 Mapping special uses of simple and complex type definitions (substitutable, nillable) .....   | 24 |
| 26 Mapping special uses of simple type definitions (nillable) .....                              | 25 |
| 27 Mapping special uses of complex type definitions (nillable) .....                             | 26 |
| 28 Mapping special uses of element declarations (head of element substitution group) .....       | 27 |
| 29 Generating special ASN.1 type assignments for types used in element declarations .....        | 28 |
| 30 Generating special ASN.1 type assignments for types belonging to a derivation hierarchy ..... | 29 |
| 31 Generating special ASN.1 type assignments for element substitution groups .....               | 29 |

|                                                                                                      |    |
|------------------------------------------------------------------------------------------------------|----|
| Annex A – ASN.1 type definitions corresponding to XSD built-in types for the Version 1 mapping ..... | 31 |
| Annex B – ASN.1 type definitions corresponding to XSD built-in types for the Version 2 mapping ..... | 35 |
| Annex C – Identification of the XSD module .....                                                     | 40 |
| Annex D – Examples of mappings .....                                                                 | 41 |
| D.1 A Schema using simple type definitions .....                                                     | 41 |
| D.2 The corresponding ASN.1 definitions .....                                                        | 42 |
| D.3 Further examples .....                                                                           | 43 |
| D.3.1 Schema documents with import and include element information items .....                       | 43 |
| D.3.2 Mapping simple type definitions .....                                                          | 44 |
| D.3.3 Mapping facets .....                                                                           | 46 |
| D.3.4 Mapping element declarations .....                                                             | 48 |
| D.3.5 Mapping attribute uses and attribute declarations .....                                        | 53 |
| D.3.6 Mapping model group definitions .....                                                          | 54 |
| D.3.7 Mapping particles .....                                                                        | 55 |
| D.3.8 Mapping complex type definitions .....                                                         | 57 |
| D.3.9 Mapping wildcards .....                                                                        | 62 |
| Annex E – Use of the mapping to provide binary encodings for W3C XML Schema .....                    | 64 |
| E.1 Encoding XSD Schemas .....                                                                       | 64 |
| E.2 Transfer without using the XSD Schema for Schemas .....                                          | 64 |
| E.3 Transfer using the XSD Schema for Schemas .....                                                  | 64 |

IECNORM.COM : Click to view the full PDF of ISO/IEC 8825-5:2008

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 8825-5 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as ITU-T Rec. X.694 (11/2008).

This second edition cancels and replaces the first edition (ISO/IEC 8825-5:2004), which has been technically revised. It also incorporates the Amendment ISO/IEC 8825-5:2004/Amd.1:2008 and the Technical Corrigendum ISO/IEC 8825-5:2004/Cor.1:2006.

ISO/IEC 8825 consists of the following parts, under the general title *Information technology — ASN.1 encoding rules*:

- *Part 1: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER)*
- *Part 2: Specification of Packed Encoding Rules (PER)*
- *Part 3: Specification of Encoding Control Notation (ECN)*
- *Part 4: XML Encoding Rules (XER)*
- *Part 5: Mapping W3C XML schema definitions into ASN.1*
- *Part 6: Registration and application of PER encoding instructions*

## Introduction

This Recommendation | International Standard specifies Version 1 and Version 2 of a mapping from a W3C XML Schema definition (an XSD Schema) into an ASN.1 schema. The mappings can be applied to any XSD Schema. Both mappings specify the generation of one or more ASN.1 modules containing type definitions, together with ASN.1 XER encoding instructions. These are jointly described as an ASN.1 schema for XML documents. This ASN.1 schema (produced by either Version of the mapping), when used with the ASN.1 Extended XML Encoding Rules (EXTENDED-XER), can be used to generate and to validate the same set of W3C XML 1.0 documents as the original XSD Schema. The resulting ASN.1 types and encodings support the same semantic content as the XSD Schema. Thus ASN.1 tools can be used interchangeably with XSD tools for the generation and processing of the specified XML documents.

Other standardized ASN.1 encoding rules, such as the Distinguished Encoding Rules (DER) or the Packed Encoding Rules (PER), can be used in conjunction with this standardized mapping, but produce encodings for Version 2 of the mapping that differ from (and are less verbose than) those produced by Version 1 for XSD constructs involving dates and times or wildcards.

The combination of this Recommendation | International Standard with ASN.1 Encoding Rules provides fully-standardized and vendor-independent compact and canonical binary encodings for data originally defined using an XSD Schema.

The ASN.1 schema provides a clear separation between the specification of the information content of messages (their abstract syntax) and the precise form of the XML document (for example, use of attributes instead of elements). This results in both a clearer and generally a less verbose schema than the original XSD Schema.

Annex A forms an integral part of this Recommendation | International Standard, and is an ASN.1 module containing a set of ASN.1 type assignments that correspond to each of the XSD built-in types for Version 1 of the mapping. Mappings of XSD Schemas into ASN.1 schemas either import the type reference names of those type assignments or include the type definitions in-line.

Annex B also forms an integral part of this Recommendation | International Standard and provides the ASN.1 module for Version 2 of the mapping.

Annex C does not form an integral part of this Recommendation | International Standard, and summarizes the object identifier, OID internationalized resource identifier and object descriptor values assigned in this Recommendation | International Standard.

Annex D does not form an integral part of this Recommendation | International Standard, and gives examples of the mapping of XSD Schemas into ASN.1 schemas.

Annex E does not form an integral part of this Recommendation | International Standard, and describes the use of the mapping defined in this Recommendation | International Standard, in conjunction with standardized ASN.1 Encoding Rules, to provide compact and canonical encodings for data defined using an XSD Schema.

**INTERNATIONAL STANDARD  
ITU-T RECOMMENDATION**

**Information technology – ASN.1 encoding rules:  
Mapping W3C XML schema definitions into ASN.1**

## **1 Scope**

This Recommendation | International Standard specifies two Versions of a mapping from any XSD Schema into an ASN.1 schema. The ASN.1 schema for both Versions support the same semantics and validate the same set of XML documents.

This Recommendation | International Standard specifies the final XER encoding instructions that are to be applied as part of the defined mapping to ASN.1 types, but does not specify which syntactic form is to be used for the specification of those final XER encoding instructions, or the order or manner of their assignment.

NOTE – Implementers of tools generating these mappings may choose any syntactic form or order of assignment that results in the specified final XER encoding instructions being applied. Examples in this Recommendation | International Standard generally use the type prefix form, but use of an XER Encoding Control Section may be preferred for the mapping of a complete XSD Schema, as a matter of style.

There are different ways (syntactically) of assigning XER encoding instructions for use in EXTENDED-XER encodings (for example, use of ASN.1 type prefix encoding instructions or use of an XER encoding control section). The choice of these syntactic forms is a matter of style and is outside the scope of this Recommendation | International Standard.

## **2 Normative references**

The following Recommendations | International Standards and W3C specifications contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations, International Standards and W3C specifications are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations, International Standards and W3C specifications listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations. The W3C maintains a list of currently valid W3C specifications. The reference to a document within this Recommendation | International Standard does not give it, as a stand-alone document, the status of a Recommendation or International Standard.

### **2.1 Identical Recommendations | International Standards**

NOTE – The complete set of ASN.1 Recommendations | International Standards are listed below, as they can all be applicable in particular uses of this Recommendation | International Standard. Where these are not directly referenced in the body of this Recommendation | International Standard, a † symbol is added to the reference.

- ITU-T Recommendation X.680 (2008) | ISO/IEC 8824-1:2008, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation*.
- ITU-T Recommendation X.681 (2008) | ISO/IEC 8824-2:2008, *Information technology – Abstract Syntax Notation One (ASN.1): Information object specification*. †
- ITU-T Recommendation X.682 (2008) | ISO/IEC 8824-3:2008, *Information technology – Abstract Syntax Notation One (ASN.1): Constraint specification*.
- ITU-T Recommendation X.683 (2008) | ISO/IEC 8824-4:2008, *Information technology – Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications*. †
- ITU-T Recommendation X.690 (2008) | ISO/IEC 8825-1:2008, *Information technology – ASN.1 encoding Rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER), and Distinguished Encoding Rules (DER)*.

- ITU-T Recommendation X.691 (2008) | ISO/IEC 8825-2:2008, *Information technology – ASN.1 encoding rules: Specification of Packed Encoding Rules (PER)*.
- ITU-T Recommendation X.692 (2008) | ISO/IEC 8825-3:2008, *Information technology – ASN.1 encoding rules: Specification of Encoding Control Notation (ECN)*. †
- ITU-T Recommendation X.693 (2008) | ISO/IEC 8825-4:2008, *Information technology – ASN.1 encoding rules: XML Encoding Rules (XER)*.
- ITU-T Recommendation X.891 (2005) | ISO/IEC 24824-1:2007, *Information technology – Generic Applications of ASN.1: Fast Infoset*.

## 2.2 Additional references

- ISO 8601:2004, *Data elements and interchange formats – Information interchange – Representation of dates and times*.
  - ISO/IEC 10646:2003, *Information technology – Universal Multiple-Octet Coded Character Set (UCS)*.
  - W3C XML 1.0:2000, *Extensible Markup Language (XML) 1.0 (Second Edition)*, W3C Recommendation, Copyright © [6 October 2000] World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University), <http://www.w3.org/TR/2000/REC-xml-20001006>.
  - W3C XML Namespaces:1999, *Namespaces in XML*, W3C Recommendation, Copyright © [14 January 1999] World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University), <http://www.w3.org/TR/1999/REC-xml-names-19990114>.
  - W3C XML Information Set:2001, *XML Information Set*, W3C Recommendation, Copyright © [24 October 2001] World Wide Web Consortium (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University), <http://www.w3.org/TR/2001/REC-xml-info-20011024>.
  - W3C XML Schema:2001, *XML Schema Part 1: Structures*, W3C Recommendation, Copyright © [2 May 2001] World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University), <http://www.w3.org/TR/2001/REC-xmlschema-1-20010502>.
  - W3C XML Schema:2001, *XML Schema Part 2: Datatypes*, W3C Recommendation, Copyright © [2 May 2001] World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University), <http://www.w3.org/TR/2001/REC-xmlschema-2-20010502>.
- NOTE – When the reference "W3C XML Schema" is used in this Recommendation | International Standard, it refers to W3C XML Schema Part 1 and W3C XML Schema Part 2.
- IETF RFC 2396 (1998), *Uniform Resource Identifiers (URI): Generic Syntax*.
  - IETF RFC 1766 (1995), *Tags for the Identification of Languages*.

## 3 Definitions

### 3.1 Imported definitions

**3.1.1** This Recommendation | International Standard uses the terms defined in ITU-T Rec. X.680 | ISO/IEC 8824-1 and in ITU-T Rec. X.693 | ISO/IEC 8825-4.

NOTE – In particular, the terms "final XER encoding instructions", "type prefix" and "XER encoding control section" are defined in the above-mentioned Recommendations | International Standards.

**3.1.2** This Recommendation | International Standard also uses the terms defined in W3C XML Schema and W3C XML Information Set.

NOTE 1 – It is believed that these terms do not conflict with the terms referenced in 3.1.1. If such a conflict occurs, the definition of the term in 3.1.1 applies.

NOTE 2 – In particular, the terms "schema component" and "property (of a schema component)" are defined in W3C XML Schema, and the terms "element information item" and "attribute information item" are defined in W3C XML Information Set.

NOTE 3 – The terms "top-level **simple type definition**" and "top-level **complex type definition**" do not include XSD built-in types, when used in this Recommendation | International Standard.

### 3.2 Additional definitions

For the purposes of this Recommendation | International Standard, the following additional definitions apply:

- 3.2.1 XSD namespace:** A namespace with a URI of "http://www.w3.org/2001/XMLSchema".
- 3.2.2 XSI namespace:** A namespace with a URI of "http://www.w3.org/2001/XMLSchema-instance".
- 3.2.3 XML namespace:** A namespace with a URI of "http://www.w3.org/XML/1998/namespace".

## 4 Abbreviations

For the purposes of this Recommendation | International Standard, the following abbreviations apply:

|       |                                      |
|-------|--------------------------------------|
| ASN.1 | Abstract Syntax Notation One         |
| BER   | (ASN.1) Basic Encoding Rules         |
| DER   | (ASN.1) Distinguished Encoding Rules |
| PER   | (ASN.1) Packed Encoding Rules        |
| URI   | (IETF) Uniform Resource Identifier   |
| XER   | (ASN.1) XML Encoding Rules           |
| XML   | (W3C) Extensible Markup Language     |
| XSD   | (W3C) XML Schema                     |

## 5 Notation

**5.1** This Recommendation | International Standard references the notation defined by ITU-T Rec. X.680 | ISO/IEC 8824-1, ITU-T Rec. X.682 | ISO/IEC 8824-3, W3C XML 1.0 and W3C XML Schema.

**5.2** When it is necessary in the body of this Recommendation | International Standard to specify, either formally or in examples, the assignment of XER encoding instructions, the type prefix notation is generally used (but see 6.3 and 6.4). In Annex A, an XER encoding control section is used.

**5.3** In this Recommendation | International Standard, **bold Courier** is used for ASN.1 notation and **bold Arial** is used for XSD notation and for XSD terms and concepts.

**5.4** The XSD Schemas used in the examples in this Recommendation | International Standard use the prefix **xsd:** to identify the XSD namespace.

## 6 Purpose and extent of standardization

**6.1** The mapping to ASN.1 that is specified in this Recommendation | International Standard ensures that:

- any resulting ASN.1 modules generated by tools conforming to this Recommendation | International Standard (from the same XSD Schema) define the same (structured) abstract values;
- all BASIC-XER, CXER, EXTENDED-XER, and binary encodings of that resulting ASN.1 specification will produce the same encodings (subject to encoder's options); and
- all XML documents that conform to the source XSD Schema are valid EXTENDED-XER encodings of abstract values of that ASN.1 specification.

**6.2** There are many aspects of an ASN.1 definition (such as the use of white-space, or of encoding control sections or type prefixes) that affect neither the abstract values being defined nor the XER or binary encodings of those values. Such aspects of the ASN.1 definition are generally not standardized in this Recommendation | International Standard.

**6.3** There are many different ways in ASN.1 of assigning an XER encoding instruction to a type, including:

- use of a type prefix for every encoding instruction to be assigned; or
- use of an encoding control section, with a separate encoding instruction for each required assignment; or
- use of an encoding control section, with a single encoding instruction making a global assignment, possibly supplemented by use of a negating encoding instruction for specific types.

**6.4** This Recommendation | International Standard specifies when a final XER encoding instruction shall be present, and uses the syntax of 6.3 a) in most of its examples. However, the use of the different options in 6.3 is not

standardized, and conforming implementations of the mapping may choose any syntactic form (or a mixture of syntactic forms) for the assignment of final XER encoding instructions.

NOTE – The choice among these options does not affect the final binary or XML encodings.

**6.5** A formal specification of the required mapping is not provided.

**6.6** This Recommendation | International Standard is concerned only with the mapping of XSD Schemas that conform to W3C XML Schema.

NOTE – Such conformance can be either by the provision of one or more W3C XSD schema documents or by other means as specified in W3C XML Schema.

## 7 Mapping XSD Schemas

**7.1** A mapping is based on a source XSD Schema, which is a set of schema components (see W3C XML Schema Part 1, 2.2). No particular representation of schema components or sets of schema components is required or assumed for the mapping, although it is expected that the source XSD Schema will usually be provided as one or more XML schema documents (see W3C XML Schema Part 1, 3.15.2).

NOTE 1 – The schema components represented in multiple XML schema documents become part of the same XSD Schema through the use of the **xsd:include**, **xsd:redefine**, and **xsd:import** element information items.

NOTE 2 – Since the mapping is defined in terms of schema components (and not in terms of their XML representation), it is not affected by details of the XML representation, such as the use of multiple schema documents, linked by **xsd:include** and **xsd:redefine** element information items, the placement of element information items in one or another schema documents, the order of **xsd:attribute** element information items within a **xsd:complexType** element information item, and so on.

NOTE 3 – Two sets of schema documents that differ in many aspects but represent the same set of schema components generate the same set of ASN.1 type assignments, with the same final encoding instructions assigned to them and to their components to any depth.

**7.2** The source XSD Schema shall meet all the constraints imposed by the XSD specification. If the source XSD Schema is represented (in part or all) as a set of XML schema documents, each schema document shall be valid according to the XSD Schema for Schemas (see W3C XML Schema Part 1, Appendix A).

**7.3** One or more ASN.1 modules shall be generated for a source XSD Schema. The number of ASN.1 modules generated is an implementation option. Each ASN.1 module shall contain zero or more type assignments corresponding to top-level schema components (see 7.6), and zero or more special ASN.1 type assignments (see clauses 29, 30, and 31). The physical order of type assignments within each ASN.1 module is an implementation option. When multiple ASN.1 modules are generated, the way the generated type assignments are distributed across those ASN.1 modules is also an implementation option.

NOTE 1 – The inclusion in the same ASN.1 module of type assignments generated from XSD schema components with different **target namespaces** is permitted by this subclause but not recommended. The preferred mapping is to generate one ASN.1 module per namespace whenever possible. It is also recommended that each special ASN.1 type assignment be inserted in the same ASN.1 module as its associated ASN.1 type assignment (see 29.5, 30.4, and 31.4).

NOTE 2 – The generation of ASN.1 type assignments (see 7.6 and 10.4) is not affected by the number of ASN.1 modules being generated (except for the possible use of "ExternalTypeReference" as specified in 10.2.2), nor by the way the generated type assignments are distributed across those modules, nor by the physical order of the type assignments within each module. In particular, the type reference names of those type assignments are the same whatever mapping style is used by the implementation.

NOTE 3 – A full description of the relationship between the namespace concept of W3C XML Namespaces and naming in ASN.1 is provided in ITU-T Rec. X.693 | ISO/IEC 8825-4, clause 16. Type reference names and identifiers defined in an ASN.1 module are assigned a namespace by means of a **NAMESPACE** encoding instruction, and otherwise do not have a namespace. The mapping generates **NAMESPACE** encoding instructions where needed.

**7.4** All ASN.1 modules generated by the mapping shall contain (in the XER encoding control section) a **GLOBAL-DEFAULTS MODIFIED-ENCODINGS** encoding instruction and a **GLOBAL-DEFAULTS CONTROL-NAMESPACE** encoding instruction specifying the XSI namespace.

**7.5** A source XSD Schema shall be processed as follows:

- a) for each top-level **element declaration**, an ASN.1 type assignment shall be generated by applying clause 14 to the **element declaration**;
- b) for each top-level **attribute declaration**, an ASN.1 type assignment shall be generated by applying clause 15 to the **attribute declaration**;
- c) for each top-level **simple type definition**, an ASN.1 type assignment shall be generated by applying clause 13 to the **simple type definition**;
- d) for each top-level **complex type definition**, an ASN.1 type assignment shall be generated by applying clause 20 to the **complex type definition**;

- e) for each **model group definition** whose **model group** has a **compositor** of **sequence** or **choice**, an ASN.1 type assignment shall be generated by applying clause 17 to the **model group definition**.

NOTE 1 – The remaining schema components of the source XSD schema will be processed as a result of mapping these schema components.

NOTE 2 – The order in which schema components are to be mapped is specified in 10.4. The order of the items of the list above has no significance for the mapping.

**7.6** Column 1 of Table 1 lists schema components. Column 2 gives the reference to the clause in W3C XML Schema that defines the schema component. Column 3 lists the clause that defines the mapping of those schema components into ASN.1.

**Table 1 – Mapping of XSD schema components**

| XSD schema component           | W3C XML Schema reference | Mapping defined by            |
|--------------------------------|--------------------------|-------------------------------|
| attribute declaration          | Part 1, 3.2              | Clause 15                     |
| element declaration            | Part 1, 3.3              | Clause 14                     |
| complex type definition        | Part 1, 3.4              | Clause 20                     |
| attribute use                  | Part 1, 3.5              | Clause 22                     |
| attribute group definition     | Part 1, 3.6              | <i>not mapped as such</i>     |
| model group definition         | Part 1, 3.7              | Clause 17                     |
| model group                    | Part 1, 3.8              | Clause 18                     |
| particle                       | Part 1, 3.9              | Clause 19                     |
| wildcard                       | Part 1, 3.10             | Clause 21                     |
| identity-constraint definition | Part 1, 3.11             | <i>ignored by the mapping</i> |
| notation declaration           | Part 1, 3.12             | <i>ignored by the mapping</i> |
| annotation                     | Part 1, 3.13             | <i>ignored by the mapping</i> |
| simple type definition         | Part 1, 3.14             | Clauses 11, 13                |
| schema                         | Part 1, 3.15             | Clause 9                      |
| ordered                        | Part 2, 4.2.2.1          | <i>ignored by the mapping</i> |
| bounded                        | Part 2, 4.2.3.1          | <i>ignored by the mapping</i> |
| cardinality                    | Part 2, 4.2.4.1          | <i>ignored by the mapping</i> |
| numeric                        | Part 2, 4.2.5.1          | <i>ignored by the mapping</i> |
| length                         | Part 2, 4.3.1.1          | Clause 12                     |
| minLength                      | Part 2, 4.3.2.1          | Clause 12                     |
| maxLength                      | Part 2, 4.3.3.1          | Clause 12                     |
| pattern                        | Part 2, 4.3.4.1          | Clause 12                     |
| enumeration                    | Part 2, 4.3.5.1          | Clause 12                     |
| whiteSpace                     | Part 2, 4.3.6.1          | Clause 12                     |
| maxInclusive                   | Part 2, 4.3.7.1          | Clause 12                     |
| maxExclusive                   | Part 2, 4.3.8.1          | Clause 12                     |
| minExclusive                   | Part 2, 4.3.9.1          | Clause 12                     |
| minInclusive                   | Part 2, 4.3.10.1         | Clause 12                     |
| totalDigits                    | Part 2, 4.3.11.1         | Clause 12                     |
| fractionDigits                 | Part 2, 4.3.12.1         | Clause 12                     |

## 8 Ignored schema components and properties

**8.1** The mapping shall ignore the schema components and properties that are listed in this clause.

**8.2** All **annotations** (see W3C XML Schema Part 1, 3.13) shall be ignored.

NOTE – All attribute information items in a schema document with names qualified with namespaces other than the XSD namespace (see W3C XML Schema Part 1, 3.13.1) are a property of **annotations**, and are ignored.

**8.3** All **identity-constraint definitions** (see W3C XML Schema Part 1, 3.11) shall be ignored.

NOTE – The **identity-constraint definition** provides mechanisms for specifying referential constraints that can be required in a valid instance. ASN.1 currently has no concept of such constraints, and such constraints cannot be mapped into a formal ASN.1 specification, but they may be included as normative comments that are binding on an application implementation.

- 8.4 All **notation declarations** (see W3C XML Schema Part 1, 3.12) shall be ignored.
- 8.5 All schema components that are the **fundamental facets** (**ordered**, **bounded**, **cardinality**, **numeric**) of **simple type definitions** (see W3C XML Schema Part 2, 4.2) shall be ignored.
- 8.6 The properties **identity-constraint definitions**, **substitution group exclusions** and **disallowed substitutions** of **element declarations** shall be ignored.
- 8.7 The properties **final**, **abstract**, and **prohibited substitutions** of **complex type definitions** shall be ignored.
- 8.8 The property **process contents** of **wildcards** shall be ignored.  
NOTE – There is no support in ASN.1 for any action other than **skip**.
- 8.9 The properties **fundamental facets** and **final** of **simple type definitions** shall be ignored.
- 8.10 All **value constraints** that are present on any **element declarations** or **attribute declarations** whose **type definition** is either **xsd:QName** or a **simple type definition** derived from **xsd:QName** or **xsd:NOTATION** shall be ignored.
- 8.11 All **attribute group definitions** shall be ignored.  
NOTE – The **attribute uses** in an **attribute group definition** become part of the **attribute uses** of the **complex type definitions** whose XML representation contains a reference to the **attribute group definition**.

## 9 ASN.1 modules

- 9.1 The mapping of an XSD Schema generates one or more ASN.1 modules (see 7.3).
- 9.2 The ASN.1 "ModuleIdentifier" (see ITU-T Rec. X.680 | ISO/IEC 8824-1, clause 13) to be generated by the mapping is not standardized. Where **IMPORTS** statements are used, the ASN.1 module names and module identifiers in the **IMPORTS** statements shall be those generated for the ASN.1 modules generated by the mapping.  
NOTE – The choice of "ModuleIdentifier" does not affect the encodings in any of the standard encoding rules.
- 9.3 The ASN.1 modules shall have a "TagDefault" of **AUTOMATIC TAGS**.
- 9.4 In each ASN.1 module generated by a Version 1 mapping, there shall be an ASN.1 **IMPORTS** statement importing the ASN.1 type reference names in the module named **XSD {joint-iso-itu-t asn1(1) specification(0) modules(0) xsd-module(2) version1(1)}** specified in Annex A that are referenced in the ASN.1 module.
- 9.5 In each ASN.1 module generated by a Version 2 mapping, there shall be an ASN.1 **IMPORTS** statement importing the ASN.1 type reference names in the module named **XSD {joint-iso-itu-t asn1(1) specification(0) modules(0) xsd-module(2) version2(2)}** specified in Annex B that are referenced in the generated ASN.1 module.  
NOTE – The term "XSD module" in this Recommendation | International Standard refers to the module defined in Annex A (Version 1 mapping) or in Annex B (Version 2 mapping), according to the version of the mapping.
- 9.6 The **IMPORTS** statement shall also import the ASN.1 type reference names of type assignments that have been placed (as a result of the mapping) in other ASN.1 modules but are referenced in this ASN.1 module.
- 9.7 There shall be no **EXPORTS** statement.  
NOTE – This means that all ASN.1 type reference names in the ASN.1 module can be imported into other modules.

## 10 Name conversion

### 10.1 General

- 10.1.1 This Recommendation | International Standard specifies the generation of:
  - a) ASN.1 type reference names corresponding to the **names** of **model group definitions**, top-level **element declarations**, top-level **attribute declarations**, top-level **complex type definitions**, and top-level **simple type definitions**;
  - b) ASN.1 identifiers corresponding to the **names** of top-level **element declarations**, top-level **attribute declarations**, local **element declarations**, and local **attribute declarations**;

- c) ASN.1 identifiers for the mapping of certain **simple type definitions** with an **enumeration** facet (see 12.4.1 and 12.4.2);
- d) ASN.1 type reference names of special type assignments (see clauses 29, 30, and 31); and
- e) ASN.1 identifiers of certain sequence components introduced by the mapping (see clause 20).

**10.1.2** All of these ASN.1 names are generated by applying 10.3 either to the **name** of the corresponding schema component, or to a member of the **value** of an **enumeration** facet, or to a specified character string, as specified in the relevant clauses of this Recommendation | International Standard.

## 10.2 Generating ASN.1 type definitions that are references to ASN.1 type assignments

**10.2.1** This subclause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ASN.1 type (a "DefinedType") definition that is a reference to an ASN.1 type assignment.

**10.2.2** If a "DefinedType" is to be inserted in an ASN.1 module (M, say) other than the ASN.1 module where the referenced ASN.1 type assignment is being inserted, then the "DefinedType" shall be either a "typereference" or an "ExternalTypeReference" for that type assignment, as an implementation option. Otherwise, it shall be a "typereference" for that type assignment.

NOTE – All ASN.1 "typereference"s created by the mapping are unique for any legal input schema, so a type defined in another ASN.1 module does not need to be an "ExternalTypeReference".

## 10.3 Generating identifiers and type reference names

**10.3.1** This subclause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ASN.1 type reference name or identifier.

**10.3.2** Names of **attribute declarations**, **element declarations**, **model group definitions**, top-level **simple type definitions**, and top-level **complex type definitions** can be identical to ASN.1 reserved words or can contain characters not allowed in ASN.1 identifiers or in ASN.1 type reference names. In addition, there are cases in which ASN.1 names are required to be distinct where the **names** of the corresponding XSD schema components (from which the ASN.1 names are mapped) are allowed to be identical.

**10.3.3** The following transformations shall be applied, in order, to each character string being mapped to an ASN.1 name, where each transformation (except the first) is applied to the result of the previous transformation:

- the characters " " (SPACE), "." (FULL STOP), and "\_" (LOW LINE) shall all be replaced by a "-" (HYPHEN-MINUS); and
- any character except "A" to "Z" (LATIN CAPITAL LETTER A to LATIN CAPITAL LETTER Z), "a" to "z" (LATIN SMALL LETTER A to LATIN SMALL LETTER Z), "0" to "9" (DIGIT ZERO to DIGIT NINE), and "-" (HYPHEN-MINUS) shall be removed; and
- a sequence of two or more HYPHEN-MINUS characters shall be replaced with a single HYPHEN-MINUS; and
- HYPHEN-MINUS characters occurring at the beginning or at the end of the name shall be removed; and
- if a character string that is to be used as a type reference name starts with a lower-case letter, the first letter shall be capitalized (converted to upper-case); if it starts with a digit (DIGIT ZERO to DIGIT NINE), it shall be prefixed with an "x" (LATIN CAPITAL LETTER X) character; and
- if a character string that is to be used as an identifier starts with an upper-case letter, the first letter shall be uncapitalized (converted to lower-case); if it starts with a digit (DIGIT ZERO to DIGIT NINE), it shall be prefixed with an "x" (LATIN SMALL LETTER X) character; and
- if a character string that is to be used as a type reference name is empty, it shall be replaced by "x" (LATIN CAPITAL LETTER X); and
- if a character string that is to be used as an identifier is empty, it shall be replaced by "x" (LATIN SMALL LETTER X).

**10.3.4** Depending on the kind of name being generated, one of the three following subclauses applies.

**10.3.4.1** If the name being generated is the type reference name of an ASN.1 type assignment and the character string generated by 10.3.3 is identical to:

- a) the type reference name of another ASN.1 type assignment previously (see 10.4) generated by the mapping (in any ASN.1 module); or
- b) the type reference name of a type assignment in the **xsd** module (see Annex A); or

- c) one of the reserved words specified in ITU-T Rec. X.680 | ISO/IEC 8824-1, 12.38,

then a suffix shall be appended to the character string generated by 10.3.3. The suffix shall consist of a HYPHEN-MINUS followed by the canonical lexical representation (see W3C XML Schema Part 2, 2.3.1) of an integer. This integer shall be the least positive integer such that the new name is different from the type reference name of any other ASN.1 type assignment previously generated (in any ASN.1 module).

NOTE – As a consequence of this rule, all type reference names defined in an ASN.1 specification generated from a source XSD schema (including the standardized type references defined in the **xsd** module) will be unique within that ASN.1 specification. This allows maximum flexibility in the way that the generated ASN.1 type assignments are distributed across multiple ASN.1 modules (see 7.3).

**10.3.4.2** If the name being generated is the identifier of a component of a sequence, set, or choice type, and the character string generated by 10.3.3 is identical to the identifier of a previously generated component of the same sequence, set, or choice type, then a suffix shall be appended to the character string generated by 10.3.3. The suffix shall consist of a HYPHEN-MINUS followed by the canonical lexical representation (see W3C XML Schema Part 2, 2.3.1) of an integer. This integer shall be the least positive integer such that the new identifier is different from the identifier of any previously generated component of that sequence, set, or choice type.

**10.3.4.3** If the name being generated is the "identifier" in an "EnumerationItem" of an enumerated type, and the character string generated by 10.3.3 is identical to the "identifier" in another "EnumerationItem" previously generated in the same enumerated type, then a suffix shall be appended to the character string generated by 10.3.3. The suffix shall consist of a HYPHEN-MINUS followed by the canonical lexical representation (see W3C XML Schema Part 2, 2.3.1) of an integer. This integer shall be the least positive integer such that the new identifier is different from the "identifier" in any other "EnumerationItem" already present in that ASN.1 enumerated type.

**10.3.5** For an ASN.1 type reference name (or identifier) that is generated by applying this subclause 10.3 to the **name** of an **element declaration**, **attribute declaration**, top-level **complex type definition** or top-level **simple type definition**, if the type reference name (or identifier) generated is different from the **name**, a final **NAME** encoding instruction shall be assigned to the ASN.1 type assignment with that type reference name (or to the component with that identifier) as specified in the three following subclauses.

**10.3.5.1** If the only difference is the case of the first letter (which is upper case in the type reference name and lower case in the **name**), then the "Keyword" in the **NAME** encoding instruction shall be **UNCAPITALIZED**.

**10.3.5.2** If the only difference is the case of the first letter (which is lower case in the identifier and upper case in the **name**), then the "Keyword" in the **NAME** encoding instruction shall be **CAPITALIZED**.

**10.3.5.3** Otherwise, the "NewName" in the **NAME** encoding instruction shall be the **name**.

EXAMPLE – The top-level **complex type definition**:

```
<xsd:complexType name="COMPONENTS">
  <xsd:sequence>
    <xsd:element name="Elem" type="xsd:boolean"/>
    <xsd:element name="elem" type="xsd:integer"/>
    <xsd:element name="Elem-1" type="xsd:boolean"/>
    <xsd:element name="elem-1" type="xsd:integer"/>
  </xsd:sequence>
</xsd:complexType>
```

is mapped to the ASN.1 type assignment:

```
COMPONENTS-1 ::= [NAME AS "COMPONENTS"] SEQUENCE {
  elem      [NAME AS CAPITALIZED] BOOLEAN,
  elem-1    [NAME AS "elem"] INTEGER,
  elem-1-1  [NAME AS "Elem-1"] BOOLEAN,
  elem-1-2  [NAME AS "elem-1"] INTEGER }
```

**10.3.6** For an ASN.1 type reference name (or identifier) that is generated by applying this subclause 10.3 to the **name** of an **element declaration**, **attribute declaration**, top-level **complex type definition** or user-defined top-level **simple type definition**, if the **target namespace** of the schema component is not **absent**, then a final **NAMESPACE** encoding instruction shall be assigned to the ASN.1 type assignment with that type reference name (or to the named type with that identifier) and shall specify the **target namespace** of the schema component.

**10.3.7** For an ASN.1 identifier that is generated by this subclause 10.3 for the mapping of a **simple type definition** with an **enumeration** facet where the identifier generated is different from the corresponding member of the **value** of the **enumeration** facet, a final **TEXT** encoding instruction shall be assigned to the ASN.1 enumerated type, with qualifying information specifying the "identifier" in the "EnumerationItem" of the enumerated type. One of the two following subclauses applies.

**10.3.7.1** If the only difference is the case of the first letter (which is lower case in the identifier and upper case in the member of the **value** of the **enumeration** facet), then the "Keyword" in the **TEXT** encoding instruction shall be **CAPITALIZED**.

**10.3.7.2** Otherwise, the "NewName" in the **TEXT** encoding instruction shall be the member of the **value** of the **enumeration** facet.

## 10.4 Order of the mapping

**10.4.1** An order is imposed on the top-level schema components of the source XSD Schema on which the mapping is performed. This applies to **model group definitions**, top-level **complex type definitions**, top-level **simple type definitions**, top-level **attribute declarations**, and top-level **element declarations**.

NOTE – Other top-level schema components are not mapped to ASN.1, and XSD built-in types are mapped in a special way.

**10.4.2** The order is specified in the three following subclauses.

**10.4.2.1** Top-level schema components shall first be ordered by their **target namespace**, with the **absent** namespace preceding all namespace names specified in the XSD schema in ascending lexicographical order.

**10.4.2.2** Within each target namespace, top-level schema components shall be divided into four sets ordered as follows:

- a) **element declarations**;
- b) **attribute declarations**;
- c) **complex type definitions** and **simple type definitions**;
- d) **model group definitions**.

**10.4.2.3** Within each set (see 10.4.2.2), schema components shall be ordered by **name** in ascending lexicographical order.

**10.4.3** Two sets of ASN.1 type assignments are generated by the mapping:

- a) one set of ASN.1 type assignments (generated by clauses 13, 14, 15, 17, and 20) correspond directly to top-level schema components, and their type reference names are derived from the name of the schema component with no suffix appended;
- b) another set of ASN.1 type assignments (generated by clauses 29, 30, and 31) correspond to special uses of top-level schema components, and their type reference names are generated from the name of the schema component followed by a suffix and (in some cases) by a post-suffix.

NOTE – For each top-level schema component in the source XSD Schema, at most one ASN.1 type assignment in the set in 10.4.3 a) can be generated, but multiple ASN.1 type assignments in the set in 10.4.3 b) can be generated.

**10.4.4** ASN.1 type assignments in the set in 10.4.3 a) shall be generated in the order of the corresponding XSD schema components (see 10.4.1), and shall all be generated before any type assignments in 10.4.3 b) are generated.

**10.4.5** ASN.1 type assignments in 10.4.3 b) shall be generated in the following order:

- a) given two top-level schema components SC1 and SC2, where SC1 precedes SC2 in the order specified in 10.4.1, all the ASN.1 type assignments corresponding to SC1 (if any) shall be generated before any type assignments corresponding to SC2 are generated;
- b) within each set of type assignments corresponding to any given schema component, type assignments shall be generated in an order based on the suffix specified in clauses 29 to 31, as follows:
  - 1) suffix "**-nillable**";
  - 2) suffix "**-nillable-default**";
  - 3) suffix "**-nillable-fixed**";
  - 4) suffix "**-derivations**";
  - 5) suffix "**-deriv-default**";
  - 6) suffix "**-deriv-fixed**";
  - 7) suffix "**-deriv-nillable**";
  - 8) suffix "**-deriv-nillable-default**";
  - 9) suffix "**-deriv-nillable-fixed**";
  - 10) suffix "**-group**";

- c) for items 2, 3, 5, 6, 8, and 9 of (b), within each set of type assignments corresponding to any given schema component and any given suffix, type assignments shall be generated in ascending lexicographical order of the post-suffix specified in clause 29 (if any).

## 11 Mapping uses of XSD built-in types

**11.1** This clause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ASN.1 type definition corresponding to the use of an XSD built-in type.

NOTE – All XSD built-in types are **simple type definitions** with the exception of `xsd:anyType`, which is a **complex type definition**.

**11.2** A use of an XSD built-in type shall be mapped to an ASN.1 type definition in accordance with Table 2. The table gives the ASN.1 type definition to be used. The notation "XSD.Name" indicates that the ASN.1 type definition shall be the ASN.1 type definition (a "DefinedType") generated by applying 10.2 to the corresponding ASN.1 type assignment present in the XSD {joint-iso-itu-t asn1(1) specification(0) modules(0) xsd-module(2) version1(1)} module (Version 1 mapping – see Annex A) or the XSD {joint-iso-itu-t asn1(1) specification(0) modules(0) xsd-module(2) version2(2)} module (Version 2 mapping – see Annex B).

Table 2 – ASN.1 type definitions corresponding to uses of XSD built-in types

| XSD built-in type | ASN.1 type definition                                | XSD built-in type  | ASN.1 type definition |
|-------------------|------------------------------------------------------|--------------------|-----------------------|
| anyURI            | XSD.AnyURI                                           | Int                | XSD.Int               |
| anySimpleType     | XSD.AnySimpleType                                    | Integer            | INTEGER               |
| anyType           | XSD.AnyType or<br>XSD.AnyType-nillable<br>(see 11.3) | language           | XSD.Language          |
| base64Binary      | [BASE64] OCTET STRING                                | long               | XSD.Long              |
| boolean           | BOOLEAN                                              | Name               | XSD.Name              |
| byte              | INTEGER (-128..127)                                  | NCName             | XSD.NCName            |
| date              | XSD.Date                                             | negativeInteger    | INTEGER (MIN..-1)     |
| dateTime          | XSD.DateTime                                         | NMTOKEN            | XSD.NMTOKEN           |
| decimal           | XSD.Decimal                                          | NMTOKENS           | XSD.NMTOKENS          |
| double            | XSD.Double                                           | nonNegativeInteger | INTEGER (0..MAX)      |
| duration          | XSD.Duration                                         | nonPositiveInteger | INTEGER (MIN..0)      |
| ENTITIES          | XSD.ENTITIES                                         | normalizedString   | XSD.NormalizedString  |
| ENTITY            | XSD.ENTITY                                           | NOTATION           | XSD.NOTATION          |
| float             | XSD.Float                                            | positiveInteger    | INTEGER (1..MAX)      |
| gDay              | XSD.GDay                                             | QName              | XSD.QName             |
| gMonth            | XSD.GMonth                                           | short              | XSD.Short             |
| gMonthDay         | XSD.GMonthDay                                        | string             | XSD.String            |
| gYear             | XSD.GYear                                            | time               | XSD.Time              |
| gYearMonth        | XSD.GYearMonth                                       | token              | XSD.Token             |
| hexBinary         | OCTET STRING                                         | unsignedByte       | INTEGER (0..255)      |
| ID                | XSD.ID                                               | unsignedInt        | XSD.UnsignedInt       |
| IDREF             | XSD.IDREF                                            | unsignedLong       | XSD.UnsignedLong      |
| IDREFS            | XSD.IDREFS                                           | unsignedShort      | XSD.UnsignedShort     |

**11.3** A use of `xsd:anyType` as the **type definition** of an **element declaration** that is not **nillable** shall be mapped to `XSD.AnyType`. A use of `xsd:anyType` as the **type definition** of an **element declaration** that is **nillable** shall be mapped to `XSD.AnyType-nillable`.

## 12 Mapping facets

This clause applies as explicitly invoked by other clauses of this Recommendation | International Standard to map a **facet** of a **simple type definition**. A **facet** of a **simple type definition** STD is mapped to an ASN.1 constraint applied to the ASN.1 type definition corresponding to the STD, unless the STD has an **enumeration** facet that is being mapped to an

ASN.1 "Enumeration" (see 12.4.1 and 12.4.2). In this case, no ASN.1 constraint is generated from the facet (see 12.1.2, 12.2.1, 12.3.1, and 12.5.1).

## 12.1 The length, minLength, and maxLength facets

**12.1.1** The **length**, **minLength**, and **maxLength** facets shall be ignored for the XSD built-in types **xsd:QName** and **xsd:NOTATION** and for any **simple type definition** derived from these by restriction.

**12.1.2** If a **length**, **minLength**, or **maxLength** facet belongs to a **simple type definition** that has also an **enumeration** facet being mapped to an ASN.1 "Enumeration" (see 12.4.1 and 12.4.2), then no "EnumerationItem"s shall be included in the "Enumeration" for the members (if any) of the **value** of the **enumeration** facet that do not satisfy the **length**, **minLength**, or **maxLength** facet.

**12.1.3** Otherwise, the **length**, **minLength**, and **maxLength** facets of the **simple type definition** shall be mapped to an ASN.1 size constraint according to Table 3.

Table 3 – ASN.1 size constraints corresponding to the length, minLength, and maxLength facets

| XSD facet                                                   | ASN.1 size constraint              |
|-------------------------------------------------------------|------------------------------------|
| <b>length</b> = <i>value</i>                                | (SIZE( <i>value</i> ))             |
| <b>minLength</b> = <i>min</i>                               | (SIZE( <i>min</i> .. MAX))         |
| <b>maxLength</b> = <i>max</i>                               | (SIZE(0 .. <i>max</i> ))           |
| <b>minLength</b> = <i>min</i> <b>maxLength</b> = <i>max</i> | (SIZE( <i>min</i> .. <i>max</i> )) |

## 12.2 The pattern facet

**12.2.1** If a **pattern** facet belongs to a **simple type definition** that has also an **enumeration** facet being mapped to an ASN.1 "Enumeration" (see 12.4.1 and 12.4.2), then no "EnumerationItem"s shall be included in the "Enumeration" for the members (if any) of the **value** of the **enumeration** facet that do not satisfy the **pattern** facet.

**12.2.2** Otherwise, the **pattern** facet shall be mapped to a user-defined constraint. One of the two following subclauses applies.

**12.2.2.1** If the **value** of the **pattern** facet is a single regular expression, the user-defined constraint shall be:

(CONSTRAINED BY {/\* XML representation of the XSD pattern "xyz" \*/})

where "xyz" is the XML representation of the **value** of the **pattern** facet, except that if the substring "\*" appears in the **value** of the **pattern** facet, it shall be replaced by the character string "&#x2F;".

**12.2.2.2** If the **value** of the **pattern** facet is a conjunction of unions of regular expressions (the general case), the user-defined constraint is not specified (but see 12.5.4).

## 12.3 The whiteSpace facet

**12.3.1** If a **whiteSpace** facet with a **value** of **replace** or **collapse** belongs to a **simple type definition** that has also an **enumeration** facet being mapped to an ASN.1 "Enumeration" (see 12.4.1 and 12.4.2), then the three following subclauses apply.

**12.3.1.1** No "EnumerationItem"s shall be included in the "Enumeration" for the members (if any) of the **value** of the **enumeration** facet that contain any of the characters HORIZONTAL TABULATION, NEWLINE or CARRIAGE RETURN, or (in the case of **collapse**) contain leading, trailing, or multiple consecutive SPACE characters.

**12.3.1.2** If the **value** of the **whiteSpace** facet is **replace** and a final **TEXT** encoding instruction with qualifying information is being assigned to the ASN.1 type definition, then a final **WHITESPACE REPLACE** encoding instruction shall also be assigned to it.

**12.3.1.3** If the **value** of the **whiteSpace** facet is **collapse** and a final **TEXT** encoding instruction with qualifying information is being assigned to the ASN.1 type definition, then a final **WHITESPACE COLLAPSE** encoding instruction shall also be assigned to it.

**12.3.2** Otherwise, at most one of the three following subclauses applies:

**12.3.2.1** If the **value** of the **whiteSpace** facet is **preserve**, then the **whiteSpace** facet shall be ignored.

**12.3.2.2** If the **value** of the **whiteSpace** facet is **replace** and the ASN.1 type definition corresponding to the **simple type definition** is an ASN.1 restricted character string type, then a permitted alphabet constraint shall be added to the ASN.1 type definition to remove HORIZONTAL TABULATION, NEWLINE, and CARRIAGE RETURN characters. A final **WHITESPACE REPLACE** encoding instruction shall be assigned to the ASN.1 type definition. The following or an equivalent permitted alphabet constraint shall be used:

```
(FROM ({0, 0, 0, 32} .. {0, 16, 255, 255}))
```

**12.3.2.3** If the **value** of the **whiteSpace** facet is **collapse** and the ASN.1 type definition corresponding to the **simple type definition** is an ASN.1 restricted character string type, then both a permitted alphabet constraint as specified in 12.3.2.2 and a pattern constraint that forbids leading, trailing, and multiple consecutive SPACE characters shall be added to the ASN.1 type definition. A final **WHITESPACE COLLAPSE** encoding instruction shall be assigned to the ASN.1 type definition. The following or an equivalent pattern constraint shall be used:

```
(PATTERN "([^\ ]|([^\ ]| [^\ ])*)?")
```

## 12.4 The enumeration facet

**12.4.1** An **enumeration** facet belonging to a **simple type definition** with a **variety** of **atomic** that is derived by restriction (directly or indirectly) from **xsd:string** shall not be mapped to an ASN.1 constraint. Instead, the facet shall be mapped to the "Enumeration" of the ASN.1 enumerated type corresponding to the **simple type definition** (see 13.4) as specified in the four following subclauses.

**12.4.1.1** For each member of the **value** of the **enumeration** facet, an "EnumerationItem" that is an "identifier" shall be added to the "Enumeration" (subject to 12.1.2, 12.2.1, 12.3.1, and 12.5.1).

**12.4.1.2** Each "identifier" shall be generated by applying 10.3 to the corresponding member of the **value** of the **enumeration** facet.

**12.4.1.3** The members of the **value** of the **enumeration** facet shall be mapped in ascending lexicographical order and any duplicate members shall be discarded.

**12.4.1.4** If the **simple type definition** has a **whiteSpace** facet with the **value** **preserve** or **replace**, then the enumerated type shall be assigned at least one final **TEXT** encoding instruction with qualifying information indicating one or more of the "EnumerationItem"s.

NOTE – An important example of this is a restriction of **xsd:string** with an **enumeration** facet, which has **whiteSpace preserve** by default.

**12.4.2** An **enumeration** facet belonging to a **simple type definition** with a **variety** of **atomic** that is derived by restriction (directly or indirectly) from **xsd:integer** shall not be mapped to an ASN.1 constraint. Instead, the facet shall be mapped to the "Enumeration" of the ASN.1 enumerated type corresponding to the **simple type definition** (see 13.5) as specified in the three following subclauses.

**12.4.2.1** For each member of the **value** of the **enumeration** facet, an "EnumerationItem" that is a "NamedNumber" shall be added to the "Enumeration" (subject to 12.1.2, 12.2.1, 12.3.1, and 12.5.1).

**12.4.2.2** The "identifier" in each "NamedNumber" shall be generated by concatenating the character string "int" with the canonical lexical representation (see W3C XML Schema Part 2, 2.3.1) of the corresponding member of the **value** of the **enumeration** facet. The "SignedNumber" in the "NamedNumber" shall be the ASN.1 value notation for the member (an integer number).

**12.4.2.3** The members of the **value** of the **enumeration** facet shall be mapped in ascending numerical order and any duplicate members shall be discarded.

**12.4.3** Any other **enumeration** facet shall be mapped to an ASN.1 constraint that is either a single value or a union of single values corresponding to the members of the **value** of the **enumeration**.

NOTE – The **enumeration** facet applies to the value space of the **base type definition**. Therefore, for an **enumeration** of the XSD built-in types **xsd:QName** or **xsd:NOTATION**, the value of the **uri** component of the [USE-QNAME] **SEQUENCE** produced as a single value ASN.1 constraint is determined, in the XML representation of an XSD Schema, by the namespace declarations whose scope includes the **xsd:QName** or **xsd:NOTATION**, and by the prefix (if any) of the **xsd:QName** or **xsd:NOTATION**.

EXAMPLE 1 – The following represents a top-level **simple type definition** that is a restriction of **xsd:string** with an **enumeration** facet:

```
<xsd:simpleType name="state">
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="off"/>
    <xsd:enumeration value="on"/>
  </xsd:restriction>
</xsd:simpleType>
```

It is mapped to the ASN.1 type assignment:

```
State ::= [NAME AS UNCAPITALIZED] ENUMERATED {off, on}
```

EXAMPLE 2 – The following represents a top-level **simple type definition** that is a restriction of **xsd:integer** with an **enumeration** facet:

```
<xsd:simpleType name="integer-0-5-10">
  <xsd:restriction base="xsd:integer">
    <xsd:enumeration value="0"/>
    <xsd:enumeration value="5"/>
    <xsd:enumeration value="10"/>
  </xsd:restriction>
</xsd:simpleType>
```

It is mapped to the ASN.1 type assignment:

```
Integer-0-5-10 ::= [NAME AS UNCAPITALIZED] [USE-NUMBER] ENUMERATED {int0(0),
int5(5), int10(10)}
```

EXAMPLE 3 – The following represents a top-level **simple type definition** that is a restriction of **xsd:integer** with a **minInclusive** and a **maxInclusive** facet:

```
<xsd:simpleType name="integer-1-10">
  <xsd:restriction base="xsd:integer">
    <xsd:minInclusive value="1"/>
    <xsd:maxInclusive value="10"/>
  </xsd:restriction>
</xsd:simpleType>
```

It is mapped to the ASN.1 type assignment:

```
Integer-1-10 ::= [NAME AS UNCAPITALIZED] INTEGER(1..10)
```

EXAMPLE 4 – The following represents a top-level **simple type definition** that is a restriction (with a **minExclusive** facet) of another **simple type definition**, derived by restriction from **xsd:integer** with the addition of a **minInclusive** and a **maxInclusive** facet:

```
<xsd:simpleType name="multiple-of-4">
  <xsd:restriction>
    <xsd:simpleType>
      <xsd:restriction base="xsd:integer">
        <xsd:minInclusive value="1"/>
        <xsd:maxInclusive value="10"/>
      </xsd:restriction>
    </xsd:simpleType>
    <xsd:minExclusive value="5"/>
  </xsd:restriction>
</xsd:simpleType>
```

It is mapped to the ASN.1 type assignment:

```
Multiple-of-4 ::= [NAME AS UNCAPITALIZED] INTEGER(5<..10)
```

EXAMPLE 5 – The following represents a top-level **simple type definition** that is a restriction (with a **minLength** and a **maxLength** facet) of another **simple type definition**, derived by restriction from **xsd:string** with the addition of an **enumeration** facet:

```
<xsd:simpleType name="color">
  <xsd:restriction>
    <xsd:simpleType>
      <xsd:restriction base="xsd:string">
        <xsd:enumeration value="white"/>
        <xsd:enumeration value="black"/>
        <xsd:enumeration value="red"/>
      </xsd:restriction>
    </xsd:simpleType>
    <xsd:minLength value="2"/>
    <xsd:maxLength value="4"/>
  </xsd:restriction>
</xsd:simpleType>
```

It is mapped to the ASN.1 type assignment:

```
Color ::= [NAME AS UNCAPITALIZED] ENUMERATED {red}
```

## 12.5 Other facets

**12.5.1** If a **totalDigits**, **fractionDigits**, **maxInclusive**, **maxExclusive**, **minExclusive**, or **minInclusive** facet belongs to a **simple type definition** that has also an **enumeration** facet being mapped to an ASN.1 "Enumeration" (see 12.4.1 and 12.4.2), then no "EnumerationItem"s shall be included in the "Enumeration" for the members (if any) of the **value** of the **enumeration** facet that do not satisfy the **totalDigits**, **fractionDigits**, **maxInclusive**, **maxExclusive**, **minExclusive**, or **minInclusive** facet.

**12.5.2** If a **maxInclusive**, **maxExclusive**, **minExclusive**, or **minInclusive** facet belongs to a **simple type definition** without an **enumeration** facet or with an **enumeration** facet which is not being mapped to an ASN.1 "Enumeration" (see 12.4.1 and 12.4.2), then one of the two following subclasses applies:

**12.5.2.1** If the **simple type definition** is derived by restriction (directly or indirectly) from an XSD built-in date or time type (**xsd:date**, **xsd:dateTime**, **xsd:duration**, **xsd:gDay**, **xsd:gMonth**, **xsd:gYear**, **xsd:gYearMonth**, **xsd:gMonthDay**, or **xsd:time**), then the **maxInclusive**, **maxExclusive**, **minExclusive**, and **minInclusive** facets of the **simple type definition** shall be mapped to an ASN.1 user-defined constraint (see 12.5.4).

**12.5.2.2** Otherwise, the **maxInclusive**, **maxExclusive**, **minExclusive** and **minInclusive** facets of the **simple type definition** shall be mapped to an ASN.1 value range or single value constraint in accordance with Table 4.

**Table 4 – ASN.1 constraints corresponding to the maxInclusive, maxExclusive, minExclusive, and minInclusive facets**

| XSD facet                              | ASN.1 constraint |
|----------------------------------------|------------------|
| <b>maxInclusive=ub</b>                 | (MIN .. ub)      |
| <b>maxExclusive=ub</b>                 | (MIN .. < ub)    |
| <b>minExclusive=lb</b>                 | (lb < .. MAX)    |
| <b>minInclusive=lb</b>                 | (lb .. MAX)      |
| <b>minInclusive=ub maxInclusive=lb</b> | (lb .. ub)       |
| <b>minInclusive=v maxInclusive=v</b>   | (v)              |
| <b>minInclusive=ub maxExclusive=lb</b> | (lb .. < ub)     |
| <b>minExclusive=ub maxInclusive=lb</b> | (lb < .. ub)     |
| <b>minExclusive=ub maxExclusive=lb</b> | (lb < .. < ub)   |

**12.5.3** If a **totalDigits** or **fractionDigits** facet belongs to a **simple type definition** without an **enumeration** facet or with an **enumeration** facet which is not mapped to an ASN.1 "Enumeration" (see 12.4.1 and 12.4.2), then the **totalDigits** and **fractionDigits** facets of the **simple type definition** shall be mapped to a user-defined constraint (see 12.5.4).

**12.5.4** When a facet is mapped to an ASN.1 user-defined constraint, it is recommended that the facet and its **value** appear in an ASN.1 comment in the user-defined constraint. The precise form of the user-defined constraint is not specified.

## 13 Mapping simple type definitions

**13.1** This clause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ASN.1 type assignment or ASN.1 type definition corresponding to a **simple type definition**.

NOTE – This clause is not invoked for **simple type definitions** that are XSD built-in types.

**13.2** A top-level **simple type definition** shall be mapped to an ASN.1 type assignment. The "typereference" in the "TypeAssignment" shall be generated by applying 10.3 to the **name** of the **simple type definition** and the "Type" in the "TypeAssignment" shall be an ASN.1 type definition as specified in subclauses 13.4 to 13.9.

**13.3** An anonymous **simple type definition** shall be mapped to an ASN.1 type definition as specified in subclauses 13.4 to 13.9.

**13.4** For a **simple type definition** with a **variety** of **atomic** with an **enumeration** facet that is derived by restriction (directly or indirectly) from **xsd:string**, the ASN.1 type definition shall be an ASN.1 enumerated type whose "Enumeration" shall be generated as specified in 12.4.1.

**13.5** For a **simple type definition** with a **variety** of **atomic** with an **enumeration** facet that is derived by restriction (directly or indirectly) from **xsd:integer**, the ASN.1 type definition shall be an ASN.1 enumerated type whose "Enumeration" shall be generated as specified in 12.4.2. A final **USE-NUMBER** encoding instruction shall be assigned to the ASN.1 enumerated type.

**13.6** For any other **simple type definition** (D, say) with any **variety** that is derived by restriction (directly or indirectly) from a top-level **simple type definition**, the ASN.1 type definition shall be generated by applying clause 23 to the top-level **simple type definition** (B, say) such that:

- a) D is derived by restriction (directly or indirectly) from B; and
- b) either B is the **base type definition** of D, or all intermediate derivation steps from B to D are anonymous **simple type definitions**.

Then, for each of the **facets** of D (if any), an ASN.1 constraint generated by applying clause 12 to the facet shall be added to the ASN.1 type definition.

**13.7** For any other **simple type definition** (D, say) with a **variety** of **atomic**, the ASN.1 type definition shall be generated by applying clause 23 to the XSD built-in type (B, say) such that:

- a) D is derived by restriction (directly or indirectly) from B; and
- b) either B is the **base type definition** of D, or all intermediate derivation steps from B to D are anonymous **simple type definitions**.

Then, for each of the **facets** of D, an ASN.1 constraint generated by applying clause 12 to the facet shall be added to the ASN.1 type definition.

**13.8** For any other **simple type definition** (D, say) with a **variety** of **list**, the five following subclauses apply.

**13.8.1** The ASN.1 type definition shall be an ASN.1 sequence-of type whose component shall be a "Type" generated by applying clause 23 to the **item type definition**.

**13.8.2** For each of the **facets** of D, an ASN.1 constraint generated by applying clause 12 to the facet shall be added to the ASN.1 sequence-of type.

**13.8.3** If the **item type definition** of the list is **xsd:string** or a restriction of **xsd:string** and is mapped to an ASN.1 character string type, then the permitted alphabet constraint (**FROM((0, 0, 0, 33) .. (0, 16, 255, 253))**) shall be applied to the ASN.1 character string type.

**13.8.4** If the **item type definition** of the list is a **union** type, then the subtype constraint specified in 13.8.3 shall be applied to each alternative of the ASN.1 choice type that is a character string type by using an inner subtype constraint applied to the choice type.

**13.8.5** A final **LIST** encoding instruction shall be assigned to the ASN.1 sequence-of type.

EXAMPLE – The following represents a top-level **simple type definition** that is a **list** of **xsd:float**:

```
<xsd:simpleType name="list-of-float">
  <xsd:list itemType="xsd:float"/>
</xsd:simpleType>
```

It is mapped to the ASN.1 type assignment:

```
List-of-float ::= [LIST] [NAME AS UNCAPITALIZED] SEQUENCE OF XSD.Float
```

**13.9** For any other **simple type definition** (D, say) with a **variety** of **union**, the five following subclauses apply.

**13.9.1** The ASN.1 type definition shall be an ASN.1 choice type with one alternative for each member of the **member type definitions**.

**13.9.2** For each member of the **member type definitions**, the "identifier" in the "NamedType" of the corresponding alternative shall be generated by applying 10.3 either to the **name** of the member (if the member is an XSD built-in type or a top-level **simple type definition**) or to the character string "alt" (if the member is an anonymous **simple type definition**), and the "Type" in the "NamedType" shall be the ASN.1 type definition generated by applying clause 23 to the member of the **member type definitions**.

**13.9.3** For each member of the **member type definitions** that is an anonymous **simple type definition**, the corresponding "NamedType" shall have a final **NAME AS ""** encoding instruction.

**13.9.4** For each of the **facets** of D, an ASN.1 constraint generated by applying clause 12 to the facet shall be added to the ASN.1 choice type.

**13.9.5** A final **USE-UNION** encoding instruction shall be assigned to the ASN.1 choice type.

EXAMPLE – The following represents a top-level **simple type definition** that is a **union** of two anonymous **simple type definitions**:

```
<xsd:simpleType name="decimalOrBinary">
  <xsd:union>
    <xsd:simpleType>
      <xsd:restriction base="xsd:decimal"/>
    </xsd:simpleType>
    <xsd:simpleType>
      <xsd:restriction base="xsd:float"/>
    </xsd:simpleType>
  </xsd:union>
</xsd:simpleType>
```

It is mapped to the ASN.1 type assignment:

```
DecimalOrBinary ::= [NAME AS UNCAPITALIZED] [USE-UNION] CHOICE {
    alt          [NAME AS ""] XSD.Decimal,
    alt-1        [NAME AS ""] XSD.Float }
```

## 14 Mapping element declarations

**14.1** This clause applies as explicitly invoked by other clauses of this Recommendation / International Standard to generate an ASN.1 type assignment or ASN.1 type definition corresponding to an **element declaration**.

NOTE – The presence of a **value constraint** on an **element declaration** normally affects the mapping. However, 8.10 implies that an **element declaration** that has a **value constraint** and whose **type definition** is **xsd:QName** or **xsd:NOTATION** or a restriction of these XSD built-in types is mapped as if it had no **value constraint**.

**14.2** A top-level **element declaration** that is **abstract** shall be ignored.

**14.3** A top-level **element declaration** that is not **abstract** shall be mapped to an ASN.1 type assignment. The "typereference" in the "TypeAssignment" shall be generated by applying 10.3 to the **name** of the **element declaration** and the "Type" in the "TypeAssignment" shall be an ASN.1 type definition as specified in 14.5.

**14.4** A local **element declaration** shall be mapped to an ASN.1 type definition as specified in 14.5.

**14.5** The ASN.1 type definition shall be generated either by applying clause 23, clause 26, or clause 27 (see 14.6) to the **simple** or **complex type definition** that is the **type definition** of the **element declaration**, or by applying 10.2 to the ASN.1 type assignment generated by applying clause 29 to the **type definition**. In both cases, the **value constraint** in the **element declaration** (if any) shall be provided to the applicable clause (23, 26, 27, or 29) and shall be used when generating the ASN.1 type definition as specified in that clause.

**14.6** The applicable clause number shall be obtained from the last column of Table 5 after selecting a row of the table based on the following conditions:

- whether the **element declaration** has a substitutable or a non-substitutable **type definition** (see 14.7);
- whether the **element declaration** is **nillable** or non-nillable;
- whether the **type definition** is a **simple type definition** or a **complex type definition**; and
- whether the **type definition** is an XSD built-in, anonymous, or top-level type definition.

Table 5 – Applicable clause numbers for the mapping of element declarations

| substitutable | nillable  | simple / complex                | type definition                       | applicable clause number |
|---------------|-----------|---------------------------------|---------------------------------------|--------------------------|
| No            | no        | <b>simple</b> or <b>complex</b> | XSD built-in, anonymous, or top-level | 23                       |
| No            | yes       | <b>simple</b>                   | XSD built-in or anonymous             | 26                       |
| no            | yes       | <b>simple</b>                   | top-level                             | 29                       |
| no            | yes       | <b>complex</b>                  | XSD built-in or anonymous             | 27                       |
| no            | yes       | <b>complex</b>                  | top-level                             | 29                       |
| yes           | yes or no | <b>simple</b> or <b>complex</b> | XSD built-in, anonymous, or top-level | 29                       |

**14.7** The phrase "has a substitutable **type definition**", applied to an **element declaration**, means that the **type definition** of the **element declaration** is a top-level **simple type definition** or **complex type definition** that occurs as the **base type definition** of another top-level **simple type definition** or **complex type definition**.

NOTE – According to this definition, **element declarations** whose **type definition** is the XSD built-in type **xsd:anyType** do not have a substitutable **type definition**.

## 15 Mapping attribute declarations

**15.1** This clause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ASN.1 type assignment or ASN.1 type definition corresponding to an **attribute declaration**.

**15.2** A top-level **attribute declaration** shall be mapped to an ASN.1 type assignment. The "typerefence" in the "TypeAssignment" shall be generated by applying 10.3 to the **name** of the **attribute declaration**, and the "Type" in the "TypeAssignment" shall be an ASN.1 type definition as specified in 15.4. A final **ATTRIBUTE** encoding instruction shall be assigned to the ASN.1 type assignment.

**15.3** A local **attribute declaration** shall be mapped to an ASN.1 type definition as specified in 15.4.

**15.4** The ASN.1 type definition shall be generated by applying clause 23 to the **type definition** of the **attribute declaration**.

## 16 Mapping values of simple type definitions

**16.1** This clause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ASN.1 "Value" corresponding to a value in the value space of a **simple type definition**.

**16.2** Given a value V in the value space of a **simple type definition**, and:

- a) the ASN.1 type definition mapped from this **simple type definition**; and
- b) the canonical lexical representation (see W3C XML Schema Part 2, 2.3.1) of V,

V shall be mapped to an ASN.1 basic value notation for the abstract value of the ASN.1 type definition for which, in EXTENDED-XER, the canonical lexical representation is a valid "ExtendedXMLValue" encoding.

## 17 Mapping model group definitions

**17.1** This clause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ASN.1 type assignment corresponding to a **model group definition**.

**17.2** A **model group definition** whose **model group** has a **compositor** of **sequence** or **choice** shall be mapped to an ASN.1 type assignment. The "typerefence" in the "TypeAssignment" shall be generated by applying 10.3 to the **name** of the **model group definition** and the "Type" in the "TypeAssignment" shall be generated by applying clause 18 to the **model group** of the **model group definition**.

NOTE – **Model group definitions** whose **model group** has a **compositor** of **all** are not mapped to ASN.1.

## 18 Mapping model groups

**18.1** This clause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ASN.1 type definition corresponding to a **model group**.

NOTE – This clause is not invoked for every **model group**. For example, a **model group** with a **compositor** of **all** is not mapped to ASN.1, but its **particles** are mapped as specified in 20.9.

**18.2** A **model group** with a **compositor** of **sequence** shall be mapped to an ASN.1 sequence type. For each **particle** in the **model group** in order, an ordered list of zero or more ASN.1 "NamedType"s shall be generated by applying clause 19 to the **particle**, and those "NamedType"s shall be added to the sequence type in the same order. A final **UNTAGGED** encoding instruction shall be assigned to the sequence type.

**18.3** A **model group** with a **compositor** of **choice** having at least one **particle** shall be mapped to an ASN.1 choice type. For each **particle** in the **model group** in order, a "NamedType" shall be generated by applying clause 19 to the **particle**, and that "NamedType" shall be added to the choice type as one of its alternatives. A final **UNTAGGED** encoding instruction shall be assigned to the choice type.

**18.4** A **model group** with a **compositor** of **choice** having no **particles** shall be mapped to the ASN.1 built-in type **NULL**.

## 19 Mapping particles

**19.1** This clause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ordered list of zero or more ASN.1 "NamedType"s corresponding to a **particle**.

NOTE 1 – This clause is not invoked for all **particles**. For example, the (topmost) **particle** of the **content type** of a **complex type definition** is mapped in a special way if its **term** is a **model group** with a **compositor** of **sequence** or **all** (see 20.8).

NOTE 2 – In most cases, this clause generates a single "NamedType". It can generate zero "NamedType"s or two or more "NamedType"s only when a sequence model group particle contains another sequence model group particle with both **min occurs** and **max occurs** equal to one, in which case the particles of the inner sequence model group are mapped to ASN.1 as though they were particles of the outer sequence model group.

**19.2** The three following subclauses define terms that are used in the remainder of this clause 19.

**19.2.1** If both **min occurs** and **max occurs** of a **particle** are one, then:

- a) if the **term** of the **particle** is a **model group** with a **compositor** of **sequence** unrelated to a **model group definition** and the **particle** itself belongs to a **model group** with a **compositor** of **sequence**, the **particle** is called a "pointless sequence particle";
- b) otherwise, the **particle** is called a "mandatory presence particle".

**19.2.2** If **min occurs** is zero and **max occurs** is one, then:

- a) if the mapping of the **particle** is to generate a component of an ASN.1 sequence type, the **particle** is called an "optional presence particle";
- b) otherwise, the **particle** is called an "optional single-occurrence particle".

**19.2.3** If **max occurs** is two or more, the **particle** is called a "multiple-occurrence particle".

**19.3** A "pointless sequence particle" shall be mapped to an ordered list (L, say) of zero or more "NamedType"s as follows. The list L shall be initially empty. For each **particle** (P, say) in the **model group** that is the **term** of the **particle** in order, an ordered list of zero or more "NamedType"s shall be generated by recursively applying clause 19 to the **particle** P, and those "NamedType"s shall be added to the list L in the same order.

**19.4** A "mandatory presence particle" or "optional presence particle" shall be mapped to a "NamedType" as specified in the two following subclauses.

**19.4.1** The "identifier" in the "NamedType" shall be generated by applying 10.3 to the character string specified in 19.6 and the "Type" in the "NamedType" shall be generated by applying 19.7 to the **term** of the **particle**.

**19.4.2** If the **particle** is an "optional presence particle", the "NamedType" shall be followed by the **OPTIONAL** keyword.

**19.5** An "optional single-occurrence particle" or a "multiple-occurrence particle" shall be mapped to a "NamedType" as specified in the six following subclauses.

**19.5.1** The "identifier" in the "NamedType" shall be generated by applying 10.3 to the character string obtained by appending the suffix **"-list"** to the character string specified in 19.6. The "Type" in the "NamedType" shall be a sequence-of type.

**19.5.2** Unless **min occurs** is zero and **max occurs** is **unbounded**, a size constraint shall be added to the sequence-of type in accordance with Table 6.

**Table 6 – ASN.1 size constraint corresponding to min occurs and max occurs**

| min occurs and max occurs                                                                     | ASN.1 size constraint             |
|-----------------------------------------------------------------------------------------------|-----------------------------------|
| min occurs = <i>n</i> max occurs = <i>n</i><br><i>n</i> ≥ 2                                   | SIZE ( <i>n</i> )                 |
| min occurs = <i>min</i> max occurs = <i>max</i><br><i>max</i> > <i>min</i> and <i>max</i> ≥ 2 | SIZE ( <i>min</i> .. <i>max</i> ) |
| min occurs = 0 max occurs = 1                                                                 | SIZE (0 .. 1)                     |
| min occurs = <i>min</i> max occurs = <b>unbounded</b><br><i>min</i> ≥ 1                       | SIZE ( <i>min</i> .. <b>MAX</b> ) |

**19.5.3** If the **term** of the **particle** is an **element declaration**, then the component of the sequence-of type shall be a "NamedType". The "identifier" in this "NamedType" shall be generated by applying 10.3 to the **name** of the **element declaration** and the "Type" in this "NamedType" shall be generated by applying 19.7 to the **term** of the **particle**.

**19.5.4** If the **term** of the **particle** is a **wildcard**, then the component of the sequence-of type shall be a "NamedType". The "identifier" in this "NamedType" shall be **elem** and the "Type" in this "NamedType" shall be generated by applying 19.7 to the **term** of the **particle**.

**19.5.5** If the **term** of the **particle** is a **model group**, then the component of the sequence-of type shall be a "Type" and shall be generated by applying 19.7 to the **term** of the **particle**.

**19.5.6** A final **UNTAGGED** encoding instruction shall be assigned to the sequence-of type.

**19.6** The character string used in the generation of the "identifier" in the "NamedType" corresponding to the **particle** shall be:

- a) if the **term** of the **particle** is an **element declaration**, the **name** of the **element declaration**;
- b) if the **term** of the **particle** is the **model group** of a **model group definition**, the **name** of the **model group definition**;
- c) if the **term** of the **particle** is a **model group** with a **compositor** of **sequence** unrelated to a **model group definition**, the character string "**sequence**";
- d) if the **term** of the **particle** is a **model group** with a **compositor** of **choice** unrelated to a **model group definition**, the character string "**choice**";
- e) if the **term** of the **particle** is a **wildcard**, the character string "**elem**".

**19.7** The "Type" in the "NamedType" corresponding to the **particle** (see 19.4) or the "Type" in the "NamedType" in the "SequenceOfType" corresponding to the **particle** (see 19.5) shall be:

- a) if the **term** of the **particle** is a top-level **element declaration** which is the head of an element substitution group containing only the head itself, the ASN.1 type definition (a "DefinedType") generated by applying 10.2 to the ASN.1 type assignment generated by applying clause 14 to the **element declaration**;

NOTE 1 – This includes the frequent case in which there is no **element declaration** that references this **element declaration** as its **substitution group affiliation**.

- b) if the **term** of the **particle** is a top-level **element declaration** which is the head of an element substitution group containing at least one member other than the head, the ASN.1 type definition (a "DefinedType") generated by applying 10.2 to the ASN.1 type assignment generated by applying clause 31 to the **element declaration**;

NOTE 2 – If the head is an **element declaration** that is **abstract**, it is not itself a member of the substitution group. If, in this case, the substitution group has at least one member, then this item (b) applies, and if the number of members is exactly one, then the substitution group will be mapped to an ASN.1 choice with a single alternative.

- c) if the **term** of the **particle** is an **abstract** top-level **element declaration** which is the head of an empty element substitution group, the ASN.1 built-in type **NULL**;
- d) if the **term** of the **particle** is a local **element declaration**, the ASN.1 type definition generated by applying clause 14 to the **element declaration**;
- e) if the **term** of the **particle** is the **model group** of a **model group definition**, the ASN.1 type definition (a "DefinedType") generated by applying 10.2 to the ASN.1 type assignment generated by applying clause 17 to the **model group definition**;
- f) if the **term** of the **particle** is a **model group** unrelated to a **model group definition**, the ASN.1 type definition generated by applying clause 18 to the **model group**;

NOTE 3 – This includes the case in which a **model group definition** within a **redefine** contains a self-reference. The **model group** of the original **model group definition**, copied into the new schema, is here considered unrelated to a **model group definition** because the original **model group definition** itself is not copied into the new schema (the new **model group definition** will have a different **model group**, which will contain a copy of the original **model group**).

- g) if the **term** of the **particle** is a **wildcard**, the ASN.1 type definition generated by applying clause 21 to the **wildcard**.

## 20 Mapping complex type definitions

**20.1** This clause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ASN.1 type assignment or ASN.1 type definition corresponding to a **complex type definition**.

NOTE – This clause is not invoked for **complex type definitions** that are XSD built-in types.

**20.2** A top-level **complex type definition** shall be mapped to an ASN.1 type assignment. The "typereference" in the "TypeAssignment" shall be generated by applying 10.3 to the **name** of the **complex type definition** and the "Type" in the "TypeAssignment" shall be an ASN.1 type definition as specified in subclauses 20.4 to 20.11.

**20.3** An anonymous **complex type definition** shall be mapped to an ASN.1 type definition as specified in subclauses 20.4 to 20.11.

**20.4** The ASN.1 type definition shall be an ASN.1 sequence type, and zero or more components shall be added to it as specified in the following subclauses 20.5 to 20.11, in the specified order.

**20.5** If the **content type** of the **complex type definition** is a **mixed** content model, then a component shall be added to the ASN.1 sequence type. The "identifier" in the "NamedType" of this component shall be **embed-values** and the "Type" in the "NamedType" shall be a sequence-of type whose component shall be a "Type" generated by applying clause 23 to the XSD built-in type **xsd:string**. A final **EMBED-VALUES** encoding instruction shall be assigned to the ASN.1 sequence type.

**20.6** If the **content type** of the **complex type definition** is a **particle** whose **term** is a **model group** with a **compositor** of **all**, then a component shall be added to the ASN.1 sequence type. The "identifier" in the "NamedType" of the component shall be **order** and the "Type" in the "NamedType" shall be a sequence-of type whose component shall be an "EnumeratedType". For each **particle** of the **model group** (whose **term** is always an **element declaration**), an "EnumerationItem" that is an "identifier" identical to the "identifier" in the "NamedType" corresponding to each **particle** shall be added to the "Enumeration" in order. A final **USE-ORDER** encoding instruction shall be assigned to the ASN.1 sequence type.

NOTE – The "identifier"s in the "NamedType"s being mapped from the **particles** are generated (applying 10.3) as each component is added to the sequence type. Therefore, even though the **order** component is placed in a position that textually precedes the positions of those components within the ASN.1 sequence type, the generation of the **order** component can only be completed after all the **particles** have been mapped to sequence components.

**20.7** If the **complex type definition** has **attribute uses**, then components generated by applying clause 22 to the **attribute uses** shall be added to the ASN.1 sequence type in an order based on the **target namespace** and **name** of the **attribute declaration** of each **attribute use**. The **attribute uses** shall first be ordered by **target namespace** of the **attribute declaration** (with the keyword **absent** preceding all namespace names sorted in ascending lexicographical order) and then by **name** of the **attribute declaration** within each **target namespace** (also in ascending lexicographical order).

**20.8** If the **complex type definition** has an **attribute wildcard**, then a component generated from the **attribute wildcard** as specified in clause 21 shall be added to the ASN.1 sequence type.

**20.9** If the **content type** of the **complex type definition** is a **particle**, then one of the four following subclauses applies.

**20.9.1** If the **term** of the **particle** is a **model group** with a **compositor** of **sequence** whose **min occurs** and **max occurs** are both one, then, for each **particle** of the **model group** in order, an ordered list of zero or more ASN.1 "NamedType"s shall be generated by applying clause 19 to the **particle** in the **model group**, and those "NamedType"s shall be added to the ASN.1 sequence type in the same order.

**20.9.2** If the **term** of the **particle** is a **model group** with a **compositor** of **sequence** whose **min occurs** and **max occurs** are not both one, then a component generated by applying clause 19 to the **particle** in the **content type** shall be added to the ASN.1 sequence type.

**20.9.3** If the **term** of the **particle** is a **model group** with a **compositor** of **all**, then, for each **particle** of the **model group** in order, a component generated by applying clause 19 to the **particle** of the **model group** shall be added to the ASN.1 sequence type. If the **particle** in the **content type** of the **complex type definition** has **min occurs** zero, each of the **particles** of the **model group** with **min occurs** one shall be mapped as if it had **min occurs** zero.

**20.9.4** If the **term** of the **particle** is a **model group** with a **compositor** of **choice**, then a component generated by applying clause 19 to the **particle** in the **content type** shall be added to the ASN.1 sequence type.

**20.10** If the **content type** of the **complex type definition** is a **simple type definition**, then a component shall be added to the ASN.1 sequence type. The "identifier" in the "NamedType" of the component shall be generated by applying 10.3 to the character string **"base"** and the "Type" in the "NamedType" shall be the ASN.1 type definition generated by applying clause 23 to the **content type**. A final **UNTAGGED** encoding instruction shall be assigned to the component.

**20.11** If the **content type** of the **complex type definition** is **empty**, then no further components shall be added to the ASN.1 sequence type.

## 21 Mapping wildcards

**21.1** This clause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ASN.1 type definition or a "NamedType" corresponding to a **wildcard**.

21.2 For a Version 1 mapping, 21.3 shall be applied. For a Version 2 mapping, 21.4 shall be applied.

21.3 A **wildcard** that is the **term** of a **particle** shall be mapped to the ASN.1 type definition generated by applying clause 23 to the XSD built-in type **xsd:string**. A final **ANY-ELEMENT** encoding instruction shall be assigned to the ASN.1 type definition.

21.4 A **wildcard** that is the **term** of a **particle** shall be mapped as specified in the following subclauses 21.4.1 to 21.4.7.

21.4.1 The phrase "wildcard mapping attribute" (used only in this clause) designates an attribute information item with a **[namespace name]** property of "urn:oid:2.1.5.2.0.1" and a **[local name]** property of "wildcard-mapping", which is a member of the **attributes** of an **annotation** present in a **wildcard**. The phrase "value of a wildcard mapping attribute" (used only in this clause) designates the **[normalized value]** property of a wildcard mapping attribute.

NOTE – The namespace name specified in this subclause is the ASN.1 namespace name defined in ITU-T Rec. X.693 | ISO/IEC 8825-4, 16.9.

21.4.2 A wildcard mapping attribute shall have one of the following values: "CHOICE-FI", "CHOICE-UTF-8", "FI", and "UTF-8".

EXAMPLE – The following is an example of a wildcard mapping attribute:

```
<xsd:any>
  <xsd:annotation
    a:wildcard-mapping="FI"
    xmlns:a="urn:oid:2.1.5.2.0.1"/>
</xsd:any>
```

21.4.3 A **wildcard** without a wildcard mapping attribute shall be treated as though it has a wildcard mapping attribute with the value "CHOICE-FI" (if **process contents** is **strict** or **lax**) or "FI" (if **process contents** is **skip**).

21.4.4 A **wildcard** whose **process contents** is **skip** shall not have a wildcard mapping attribute with the value "CHOICE-FI" or "CHOICE-UTF-8".

21.4.5 A **wildcard** whose wildcard mapping attribute has the value "UTF-8" shall be mapped to the ASN.1 built-in type **UTF8String** with the following user-defined constraint:

```
(CONSTRAINED BY
  { /* Every character string abstract value shall be a well-formed XML document
    encoded in UTF-8. */ })
```

and with a final **ANY-ELEMENT** encoding instruction.

21.4.6 A **wildcard** whose wildcard mapping attribute has the value "FI" shall be mapped to the ASN.1 built-in type **OCTET STRING** with the following user-defined constraint:

```
(CONSTRAINED BY
  { /* Every octet string abstract value shall be a well-formed fast infoset
    document (see ITU-T Rec. X.891 | ISO/IEC 24824-1). */ })
```

and with a final **ANY-ELEMENT** encoding instruction.

21.4.7 A **wildcard** whose wildcard mapping attribute has the value "CHOICE-FI" or "CHOICE-UTF-8" shall be mapped to an ASN.1 choice type constructed as follows:

- one alternative shall be added to the choice type for each top-level **element declaration** in the source XSD Schema which is not **abstract** and whose **target namespace** is a namespace name (or the **absent** namespace) allowed by the **namespace constraint** of the **wildcard**;
- for each alternative, the "identifier" in the "NamedType" shall be generated by applying 10.3 to the **name** of the top-level **element declaration** corresponding to the alternative, and the "Type" in the "NamedType" shall be the ASN.1 type definition (a "DefinedType") generated by applying 10.2 to the ASN.1 type assignment generated by applying clause 14 to the top-level **element declaration**;
- these alternatives shall be added to the choice type in an order based on the **target namespace** and **name** of the top-level **element declarations**; the **element declarations** shall first be ordered by **target namespace** (with the **absent** namespace preceding all namespace names sorted in ascending lexicographical order) and then by **name** (also in ascending lexicographical order) within each **target namespace**;
- if the wildcard mapping attribute has the value "CHOICE-UTF-8", another alternative shall be added to the end of the choice type; the "identifier" in the "NamedType" shall be generated by applying 10.3 to the character string "elem", and the "Type" in the "NamedType" shall be the ASN.1 type specified in 21.4.5;

- e) if the wildcard mapping attribute has the value "**CHOICE-FI**", another alternative shall be added to the end of the choice type; the "identifier" in the "NamedType" shall be generated by applying 10.3 to the character string "**elem**", and the "Type" in the "NamedType" shall be the ASN.1 type specified in 21.4.6;
- f) if **process contents** is **strict**, then the following user-defined constraint shall be applied to the choice type:

(CONSTRAINED BY  
 { /\* The last alternative shall be used if and only if xsi:type is present \*/ })

- g) if **process contents** is **lax**, then the following user-defined constraint shall be applied to the choice type:

(CONSTRAINED BY  
 { /\* The last alternative shall be used when xsi:type is present, and shall not be used when xsi:type is not present and one of the other alternatives can be used. \*/ })

- h) a final **UNTAGGED** encoding instruction shall be assigned to the choice type.

**21.5** A **wildcard** that is the **attribute wildcard** of a **complex type** shall be mapped to a "NamedType". The "identifier" in the "NamedType" shall be generated by applying 10.3 to the character string "**attr**" and the "Type" in the "NamedType" shall be a sequence-of type. The component of the sequence-of type shall be a "Type" generated by applying clause 23 to the XSD built-in type **xsd:string**. The following user-defined constraint shall be applied to the sequence-of type:

(CONSTRAINED BY  
 { /\* Each item shall conform to the "AnyAttributeFormat" specified in ITU-T Rec. X.693 | ISO/IEC 8825-4, clause 18 \*/ })

A final **ANY-ATTRIBUTES** encoding instruction shall be assigned to the sequence-of type.

**21.6** If the **wildcard** has a **namespace constraint**, this shall be mapped to a "NameSpaceRestriction" in the **ANY-ELEMENT** or **ANY-ATTRIBUTES** encoding instruction.

## 22 Mapping attribute uses

**22.1** This clause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ASN.1 "NamedType" corresponding to an **attribute use**.

**22.2** An **attribute use** shall be mapped to a "NamedType".

**22.3** The "identifier" in the "NamedType" shall be generated by applying 10.3 to the **name** of the **attribute declaration** of the **attribute use**, and the "Type" in the "NamedType" shall be:

- a) if the **attribute use** has a top-level **attribute declaration**, the ASN.1 type definition (a "DefinedType") generated by applying 10.2 to the ASN.1 type assignment generated by applying clause 15 to the **attribute declaration**;
- b) if the **attribute use** has a local **attribute declaration**, the ASN.1 type definition generated by applying clause 15 to the **attribute declaration**.

**22.4** If either the **attribute use** or its **attribute declaration** has a **value constraint** and the **attribute use** is not **required**, the "NamedType" shall be followed by the keyword **DEFAULT** and by a "Value" generated by applying clause 16 either to the value in the **value constraint** of the **attribute use** (if the **attribute use** has a **value constraint**), or to the value in the **value constraint** of its **attribute declaration** (otherwise).

**22.5** If either the **attribute use** or its **attribute declaration** has a **value constraint** that is a **fixed** value, then an ASN.1 single value constraint shall be added to the "NamedType". The "Value" in the ASN.1 single value constraint shall be generated by applying clause 16 either to the value in the **value constraint** of the **attribute use** (if the **attribute use** has a **value constraint**), or to the value in the **value constraint** of its **attribute declaration** (otherwise).

**22.6** If the **attribute use** is not **required** and neither the **attribute use** nor its **attribute declaration** has a **value constraint**, the "NamedType" shall be followed by the keyword **OPTIONAL**.

**22.7** A final **ATTRIBUTE** encoding instruction shall be assigned to the "Type" in the "NamedType".

## 23 Mapping uses of simple and complex type definitions (general case)

**23.1** This clause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ASN.1 type definition corresponding to one of the following uses of a top-level, anonymous, or XSD built-in **simple type definition** or **complex type definition**:

- a) a **simple type definition** used as the **base type** of another **simple type definition**;
- b) a **simple type definition** used as the **item type** of a list type;
- c) a **simple type definition** used as the **member type** of a union type;
- d) a **simple** or **complex type definition** used as the **type definition** of **element declarations** that do not have a substitutable **type definition** (see 14.7) and are not **nillable**;
- e) a **simple type definition** used as the **type definition** of an **attribute declaration**;
- f) a **simple type definition** used as the **content type** of a **complex type definition**; and
- g) a **simple type definition** used as the **type definition** of an **element declaration** that does not have a substitutable **type definition** (see 14.7) and is **nillable**.

**23.2** A use of an XSD built-in type **simple type definition** or **complex type definition** shall be mapped to an ASN.1 type definition (a "DefinedType") as specified in clause 11.

**23.3** A use of a top-level **simple type definition** shall be mapped to the ASN.1 type definition (a "DefinedType") generated by applying 10.2 to the ASN.1 type assignment generated by applying clause 13 to the **simple type definition**.

**23.4** A use of a top-level **complex type definition** shall be mapped to the ASN.1 type definition (a "DefinedType") generated by applying 10.2 to the ASN.1 type assignment generated by applying clause 20 to the **complex type definition**.

**23.5** A use of an anonymous **simple type definition** is not distinguished from the **simple type definition** itself, and shall be mapped as specified in clause 13 for the **simple type definition**.

**23.6** A use of an anonymous **complex type definition** is not distinguished from the **complex type definition** itself, and shall be mapped as specified in clause 20 for the **complex type definition**.

**23.7** If a **value constraint** has been provided in the invocation of this clause, then a final **DEFAULT-FOR-EMPTY** encoding instruction shall be assigned to the ASN.1 type definition, and one of the three following subclauses applies.

**23.7.1** For a **simple type definition**, the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction shall be generated by applying clause 16 to the value in the **value constraint** considered as a value in the value space of the **simple type definition**.

**23.7.2** For a **complex type definition** whose **content type** is a **simple type definition**, the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction shall be generated by applying clause 16 to the value in the **value constraint** considered as a value in the value space of the **simple type definition**.

**23.7.3** For a **complex type definition** with a **mixed** content type, the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction shall be generated by applying clause 16 to the value in the **value constraint** considered as a value in the value space of **xsd:string** with **whiteSpace preserve**.

**23.8** If a **value constraint** has been provided in the invocation of this clause and the value in the **value constraint** is a **fixed** value, then one of the three following subclauses applies.

**23.8.1** For a **simple type definition**, an ASN.1 single value constraint with a "Value" identical to the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction shall be added to the ASN.1 definition.

**23.8.2** For a **complex type definition** whose **content type** is a **simple type definition**, an ASN.1 inner subtype constraint shall be added to the ASN.1 definition and shall apply to the **base** component a single value constraint with a "Value" identical to the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction.

**23.8.3** For a **complex type definition** with a **mixed** content type, an ASN.1 inner subtype constraint shall be added to the ASN.1 definition and shall apply to the **embed-values** component an ASN.1 single value constraint with a "Value" consisting in a single occurrence of a "Value" identical to the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction.

## 24 Mapping special uses of simple and complex type definitions (substitutable)

**24.1** This clause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ASN.1 type definition corresponding to a top-level **simple type definition** or **complex type definition** used as the **type definition** of **element declarations** that have a substitutable **type definition** (see 14.7) and are not **nillable**.

**24.2** A use of a **simple type definition** (STD, say) or **complex type definition** (CTD, say) shall be mapped to an ASN.1 choice type.

**24.3** One alternative shall be added to the ASN.1 choice type for STD or CTD itself and one alternative shall be added for each top-level **simple type definition** and **complex type definition** in the source XSD Schema that is derived by restriction or extension (directly or indirectly) from STD or CTD.

**24.4** For each alternative, the "identifier" in the "NamedType" shall be generated by applying 10.3 to the **name** of the **simple type definition** or **complex type definition** corresponding to the alternative, and the "Type" in the "NamedType" shall be the ASN.1 type definition generated by applying clause 23 to the **simple type definition** or **complex type definition**.

**24.5** The first alternative added to the choice type shall be the one corresponding to STD or CTD itself. The subsequent alternatives shall be added to the choice type in an order based on the **target namespace** and **name** of the **simple type definitions** and **complex type definitions**. Type definitions shall first be ordered by **target namespace** (with the **absent** namespace preceding all namespace names sorted in ascending lexicographical order) and then by **name** (also in ascending lexicographical order) within each **target namespace**.

**24.6** A final **USE-TYPE** encoding instruction shall be assigned to the ASN.1 choice type.

**24.7** If a **value constraint** has been provided in the invocation of this clause, then a final **DEFAULT-FOR-EMPTY** encoding instruction shall be assigned to each alternative of the ASN.1 choice type corresponding to a **simple** or **complex type definition** that would validate a hypothetical element containing the canonical lexical representation of the value in the **value constraint**, but not to the other alternatives (if any). One of the three following subclauses applies.

**24.7.1** If the alternative corresponds to a **simple type definition**, the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction shall be generated by applying clause 16 to the value in the **value constraint** considered as a value in the value space of the **simple type definition**.

**24.7.2** If the alternative corresponds to a **complex type definition** whose **content type** is a **simple type definition**, the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction shall be generated by applying clause 16 to the value in the **value constraint** considered as a value in the value space of the **simple type definition**.

**24.7.3** If the alternative corresponds to a **complex type definition** with a **mixed** content type, the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction shall be generated by applying clause 16 to the value in the **value constraint** considered as a value in the value space of **xsd:string** with **whiteSpace preserve**.

**24.8** If a **value constraint** has been provided in the invocation of this clause and the value in the **value constraint** is a **fixed** value, then an ASN.1 inner subtype constraint shall be added to the ASN.1 choice type. One of the four following subclauses applies to each alternative of the choice type.

**24.8.1** If the alternative has been assigned a final **DEFAULT-FOR-EMPTY** encoding instruction in 24.7 and corresponds to a **simple type definition**, the inner subtype constraint shall apply to the alternative an ASN.1 single value constraint with a "Value" identical to the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction.

**24.8.2** If the alternative has been assigned a final **DEFAULT-FOR-EMPTY** encoding instruction in 24.7 and corresponds to a **complex type definition** whose **content type** is a **simple type definition**, the inner subtype constraint shall apply to the alternative another ASN.1 inner subtype constraint that applies to the **base** component a single value constraint with a "Value" identical to the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction.

**24.8.3** If the alternative has been assigned a final **DEFAULT-FOR-EMPTY** encoding instruction in 24.7 and corresponds to a **complex type definition** with a **mixed** content type, the inner subtype constraint shall apply to the alternative another ASN.1 inner subtype constraint, which in turn shall apply to the **embed-values** component an ASN.1 single value constraint with a "Value" consisting in a single occurrence of a "Value" identical to the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction.

**24.8.4** If the alternative has not been assigned a final **DEFAULT-FOR-EMPTY** encoding instruction in 24.7, the inner subtype constraint shall apply a presence constraint of **ABSENT** to the alternative.

## 25 Mapping special uses of simple and complex type definitions (substitutable, nillable)

**25.1** This clause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ASN.1 type definition corresponding to a top-level **simple type definition** or **complex type definition** used as the **type definition** of **element declarations** that have a substitutable **type definition** (see 14.7) and are **nillable**.

**25.2** A use of a **simple type definition** (STD, say) or **complex type definition** (CTD, say) shall be mapped to an ASN.1 choice type.

**25.3** One alternative shall be added to the ASN.1 choice type for STD or CTD itself and one alternative shall be added for each top-level **simple type definition** and **complex type definition** in the source XSD Schema that is derived by restriction or extension (directly or indirectly) from STD or CTD.

**25.4** For each alternative, the "identifier" in the "NamedType" shall be generated by applying 10.3 to the **name** of the **simple type definition** or **complex type definition** corresponding to the alternative, and the "Type" in the "NamedType" shall be the ASN.1 type definition (a "DefinedType") generated by applying 10.2 to the ASN.1 type assignment generated by applying clause 30 to the **simple type definition** or **complex type definition**.

**25.5** The first alternative added to the choice type shall be the one corresponding to STD or CTD itself. The subsequent alternatives shall be added to the choice type in an order based on the **target namespace** and **name** of the **simple type definitions** and **complex type definitions**. Type definitions shall first be ordered by **target namespace** (with the **absent** namespace preceding all namespace names sorted in ascending lexicographical order) and then by **name** (also in ascending lexicographical order) within each **target namespace**.

**25.6** A final **USE-TYPE** encoding instruction shall be assigned to the ASN.1 choice type.

**25.7** If a **value constraint** has been provided in the invocation of this clause, then a final **DEFAULT-FOR-EMPTY** encoding instruction shall be assigned to each alternative of the ASN.1 choice type corresponding to a **simple** or **complex type definition** that would validate a hypothetical element containing the canonical lexical representation of the value in the **value constraint**, but not to the other alternatives (if any). One of the three following subclauses applies:

**25.7.1** If the alternative corresponds to a **simple type definition**, the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction shall be generated by applying clause 16 to the value in the **value constraint** considered as a value in the value space of the **simple type definition**.

**25.7.2** If the alternative corresponds to a **complex type definition** whose **content type** is a **simple type definition**, the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction shall be generated by applying clause 16 to the value in the **value constraint** considered as a value in the value space of the **simple type definition**.

**25.7.3** If the alternative corresponds to a **complex type definition** with a **mixed** content type, the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction shall be generated by applying clause 16 to the value in the **value constraint** considered as a value in the value space of **xsd:string** with **whiteSpace preserve**.

**25.8** If a **value constraint** has been provided in the invocation of this clause and the value in the **value constraint** is a **fixed** value, then an ASN.1 inner subtype constraint shall be added to the ASN.1 choice type. One of the four following subclauses applies to each alternative of the choice type.

**25.8.1** If the alternative has been assigned a final **DEFAULT-FOR-EMPTY** encoding instruction in 25.7 and corresponds to a **simple type definition**, the inner subtype constraint shall apply to the alternative (which is an ASN.1 sequence type with a final **USE-NIL** encoding instruction) another ASN.1 inner subtype constraint which in turn shall apply to the **content** component the keyword **PRESENT** and an ASN.1 single value constraint with a "Value" identical to the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction.

**25.8.2** If the alternative has been assigned a final **DEFAULT-FOR-EMPTY** encoding instruction in 25.7 and corresponds to a **complex type definition** whose **content type** is a **simple type definition**, the inner subtype constraint shall apply to the alternative (which is an ASN.1 sequence type with a final **USE-NIL** encoding instruction) another ASN.1 inner subtype constraint that applies to the **content** component the keyword **PRESENT** and an ASN.1 single value constraint with a "Value" identical to the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction.

**25.8.3** If the alternative has been assigned a final **DEFAULT-FOR-EMPTY** encoding instruction in 25.7 and corresponds to a **complex type definition** with a **mixed** content type, the inner subtype constraint shall apply to the alternative (which is an ASN.1 sequence type with a final **USE-NIL** encoding instruction) another ASN.1 inner subtype constraint that applies:

- a) to the **embed-values** component, an ASN.1 single value constraint with a "Value" consisting in a single occurrence of a "Value" identical to the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction; and
- b) to the **content** component, the keyword **PRESENT**.

**25.8.4** If the alternative has not been assigned a final **DEFAULT-FOR-EMPTY** encoding instruction in 25.7, the inner subtype constraint shall apply a presence constraint of **ABSENT** to the alternative.

## 26 Mapping special uses of simple type definitions (nillable)

**26.1** This clause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ASN.1 type definition corresponding to either:

- a) a top-level, anonymous, or XSD built-in **simple type definition** used as the **type definition** of **element declarations** that do not have a substitutable **type definition** (see 14.7) and are **nillable**; or

- b) a top-level **simple type definition** that is a member of the derivation hierarchy of the **type definition** of **element declarations** that have a substitutable **type definition** (see 14.7) and are **nullable**.

**26.2** A use of a **simple type definition** shall be mapped to an ASN.1 sequence type with one **OPTIONAL** component.

**26.3** The "identifier" in the "NamedType" of the component shall be **content** and the "Type" in the "NamedType" shall be the ASN.1 type definition generated by applying clause 23 to the **simple type definition**.

**26.4** A final **USE-NIL** encoding instruction shall be assigned to the ASN.1 sequence type.

**26.5** If a **value constraint** has been provided in the invocation of this clause, then a final **DEFAULT-FOR-EMPTY** encoding instruction shall be assigned to the ASN.1 sequence type. The "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction shall be generated by applying clause 16 to the value in the **value constraint**.

**26.6** If a **value constraint** has been provided in the invocation of this clause and the value in the **value constraint** is a **fixed** value, then an ASN.1 inner subtype constraint shall be added to the ASN.1 sequence type. The inner subtype constraint shall apply to the **content** component an ASN.1 single value constraint with a "Value" identical to the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction. The inner subtype constraint shall also apply the keyword **PRESENT** to the **content** component.

## 27 Mapping special uses of complex type definitions (nullable)

**27.1** This clause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ASN.1 type definition corresponding to either:

- a) a top-level, anonymous, or XSD built-in **complex type definition** used as the **type definition** of **element declarations** that do not have a substitutable **type definition** (see 14.7) and are **nullable**; or
- b) a top-level **complex type definition** that is a member of the derivation hierarchy of the **type definition** of **element declarations** that have a substitutable **type definition** (see 14.7) and are **nullable**.

**27.2** A use of an XSD built-in **complex type definition** shall be mapped to an ASN.1 type definition (a "DefinedType") as specified in clause 11.

**27.3** A use of a top-level or anonymous **complex type definition** shall be mapped to an ASN.1 type definition as specified in subclauses 27.4 to 27.12.

**27.4** The ASN.1 type definition shall be an ASN.1 sequence type and one or more components shall be added to it as specified in the following subclauses 27.5 to 27.11, in the specified order.

**27.5** If the **content type** of the **complex type definition** is a **mixed** content model, then an **embed-values** component shall be added to the ASN.1 sequence type as specified in 20.5.

**27.6** If the **content type** of the **complex type definition** is a **particle** whose **term** is a **model group** with a **compositor** of **all**, then an **order** component shall be added to the ASN.1 sequence type as specified in 20.6.

**27.7** If the **complex type definition** has **attribute uses**, components mapped from the **attribute uses** shall be added to the ASN.1 sequence type as specified in 20.7.

**27.8** If the **complex type definition** has an **attribute wildcard**, then a component generated from the **attribute wildcard** shall be added to the ASN.1 sequence type as specified in 20.8.

**27.9** If the **content type** of the **complex type definition** is a **particle**, then one of the three following subclauses applies.

**27.9.1** If the **term** of the **particle** is a **model group** with a **compositor** of **sequence** whose **min occurs** and **max occurs** are both one, then an **OPTIONAL** component shall be added to the ASN.1 sequence type. The "identifier" in the "NamedType" of the component shall be generated by applying 10.3 to the character string "**content**" and the "Type" in the "NamedType" shall be an ASN.1 sequence type generated as follows. For each **particle** of the **model group** in order, an ordered list of zero or more "NamedType"s shall be generated by applying clause 19 to the **particle** in the **model group**, and those "NamedType"s shall be added to the inner ASN.1 sequence type in the same order.

**27.9.2** If the **term** of the **particle** is a **model group** with a **compositor** of **sequence** whose **min occurs** and **max occurs** are not both one, or a **model group** with a **compositor** of **choice**, then an **OPTIONAL** component shall be added to the ASN.1 sequence type. The "identifier" in the "NamedType" of the component shall be generated by applying 10.3 to the character string "**content**" and the "Type" in the "NamedType" shall be an ASN.1 sequence type with a single component, which shall be generated by applying clause 19 to the **particle** in the **content type**.

**27.9.3** If the **term** of the **particle** is a **model group** with a **compositor** of **all**, then an **OPTIONAL** component shall be added to the ASN.1 sequence type. The "identifier" in the "NamedType" of the component shall be generated by applying 10.3 to the character string "**content**" and the "Type" in the "NamedType" shall be an ASN.1 sequence type. For each **particle** of the **model group** in order, a component generated by applying clause 19 to the **particle** of the **model group** shall be added to the inner ASN.1 sequence type. If the **particle** in the **content type** of the **complex type definition** has **min occurs** zero, each of the **particles** of the **model group** with **min occurs** one shall be mapped as if it had **min occurs** zero.

**27.10** If the **content type** of the **complex type definition** is a **simple type definition**, then an **OPTIONAL** component shall be added to the ASN.1 sequence type. The "identifier" in the "NamedType" of the component shall be generated by applying 10.3 to the character string "**content**" and the "Type" in the "NamedType" shall be the ASN.1 type definition generated by applying clause 23 to the **content type**.

**27.11** If the **content type** of the **complex type definition** is **empty**, then an **OPTIONAL** component shall be added to the ASN.1 sequence type. The "identifier" in the "NamedType" of the component shall be generated by applying 10.3 to the character string "**content**" and the "Type" in the "NamedType" shall be the ASN.1 built-in type **NULL**.

**27.12** A final **USE-NIL** encoding instruction shall be assigned to the ASN.1 sequence type.

**27.13** If a **value constraint** has been provided in the invocation of this clause, then a final **DEFAULT-FOR-EMPTY** encoding instruction shall be assigned to the ASN.1 sequence type. One of the two following subclauses applies.

**27.13.1** If the **content type** of the **complex type definition** is a **simple type definition**, the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction shall be generated by applying clause 16 to the value in the **value constraint** considered as a value in the value space of the **simple type definition**.

**27.13.2** If the **content type** of the **complex type definition** is a **mixed** content type, the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction shall be generated by applying clause 16 to the value in the **value constraint** considered as a value in the value space of **xsd:string** with **whiteSpace preserve**.

**27.14** If a **value constraint** has been provided in the invocation of this clause and the value in the **value constraint** is a **fixed** value, then an ASN.1 inner subtype constraint shall be added to the ASN.1 sequence type. The inner subtype constraint shall apply the keyword **PRESENT** to the **content** component. One of the two following subclauses applies.

**27.14.1** If the **content type** of the **complex type definition** is a **simple type definition**, the inner subtype constraint shall apply to the **content** component an ASN.1 single value constraint with a "Value" identical to the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction.

**27.14.2** If the **content type** of the **complex type definition** is a **mixed** content type, the inner subtype constraint shall apply:

- a) to the **embed-values** component, an ASN.1 single value constraint with a "Value" consisting in a single occurrence of a "Value" identical to the "Value" in the final **DEFAULT-FOR-EMPTY** encoding instruction; and
- b) to the **content** component, the keyword **PRESENT**.

## **28 Mapping special uses of element declarations (head of element substitution group)**

**28.1** This clause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ASN.1 type definition corresponding to a top-level **element declaration** that is the head of an element substitution group and is used as the **term** of **particles**.

**28.2** A use of a top-level **element declaration** (H, say) shall be mapped to an ASN.1 choice type.

**28.3** One alternative shall be added to the ASN.1 choice type for each top-level **element declaration** (including H itself) in the source XSD Schema which is not **abstract** and is a member of the substitution group headed by H.

NOTE – In XSD, substitution group membership is transitive, i.e., the members of a substitution group ESG1 whose head is a member of another substitution group ESG2 are all also members of ESG2.

**28.4** For each alternative, the "identifier" in the "NamedType" shall be generated by applying 10.3 to the **name** of the top-level **element declaration** corresponding to the alternative, and the "Type" in the "NamedType" shall be the ASN.1 type definition (a "DefinedType") generated by applying 10.2 to the ASN.1 type assignment generated by applying clause 14 to the top-level **element declaration**.

**28.5** Alternatives shall be added to the choice type in an order based on the **target namespace** and **name** of the top-level **element declarations**. The **element declarations** shall first be ordered by **target namespace** (with the **absent** namespace preceding all namespace names sorted in ascending lexicographical order) and then by **name** (also in ascending lexicographical order) within each **target namespace**.

NOTE – The **element declaration** that is the head of the element substitution group is ordered together with the other **element declarations** that belong to the element substitution group.

**28.6** A final **UNTAGGED** encoding instruction shall be assigned to the choice type.

## 29 Generating special ASN.1 type assignments for types used in element declarations

**29.1** This clause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ASN.1 type assignment corresponding to a top-level **simple type definition** or **complex type definition** used as the **type definition** of **element declarations** that have a substitutable **type definition** (see 14.7) or are **nillable**.

**29.2** This clause generates a special ASN.1 type assignment for a given combination of the following conditions and data provided in the invocation of this clause:

- whether the **element declaration** has a substitutable or a non-substitutable **type definition** (see 14.7);
- whether the **element declaration** is **nillable** or non-**nillable**;
- whether the **type definition** is a **simple type definition** or a **complex type definition**;
- whether the **element declaration** has a **value constraint**, and if it does, whether the value in the **value constraint** is a **default** value or a **fixed** value;
- the name of the **type definition**; and
- the value in the **value constraint** (if any).

**29.3** One and only one special ASN.1 type assignment shall be generated for each different combination of the above items that actually occurs in one or more invocations of this clause over the mapping of a source XSD Schema (but see 29.4).

NOTE – For example, if two **element declarations** in a large XSD Schema have identical **type definitions**, are both **nillable**, and both have a **value constraint** that is a **default** value and is the same value, then a single special ASN.1 type assignment is generated. The type reference name of this type assignment will occur in the "Type" in the "TypeAssignment"s corresponding to both **element declarations**.

**29.4** When this clause is invoked for a **simple type definition** or **complex type definition** used as the **type definition** of an **element declaration** that is **nillable** and does not have a substitutable **type definition**, it produces an ASN.1 type assignment (using the suffix "-**nillable**") which could also be produced by an invocation of clause 30 for the same **simple type definition** or **complex type definition**. In such cases, there shall be only one such ASN.1 type assignment generated either by this clause or by clause 30, whichever is invoked first.

**29.5** The term "associated ASN.1 type assignment" designates the ASN.1 type assignment being mapped from the **simple type definition** or **complex type definition** that is the **type definition** of the **element declaration** for which a special ASN.1 type assignment is generated, by applying clause 13 or clause 20, respectively.

NOTE – Any special ASN.1 type assignment has an associated ASN.1 type assignment, as this clause applies only when the **type definition** of an **element declaration** is a top-level **simple type definition** or **complex type definition**. All such **simple type definitions** and **complex type definitions** are mapped to ASN.1 type assignments.

**29.6** For a given **element declaration**, the "typereference" in the "TypeAssignment" for a special ASN.1 type assignment shall be constructed by appending a suffix (see 29.7) and a post-suffix (see 29.7) to the type reference name of the associated ASN.1 type assignment and applying 10.3 to the resulting character string, and the "Type" in the "TypeAssignment" shall be the ASN.1 type definition generated by one of the clauses 24, 25, 26, and 27 (see 29.7) to the **simple type definition** or **complex type definition** that is the **type definition** of the **element declaration**. The **value constraint** in the **element declaration** (if any) shall be provided to the applicable clause (24, 25, 26 or 27) and shall be used when generating the ASN.1 type definition as specified in that clause.

29.7 The suffix and the applicable clause number shall be obtained from the last two columns of Table 7 after selecting a row of the table based on the conditions listed in 29.2 a) to d). If there is a **value constraint**, the post-suffix shall be the canonical lexical representation (see W3C XML Schema Part 2, 2.3.1) of the value in the **value constraint**, otherwise it shall be an empty string.

Table 7 – Suffixes and applicable clause numbers for the generation of special ASN.1 type assignments

| Substitutable | nillable | simple / complex  | value constraint | Suffix                   | Applicable clause number |
|---------------|----------|-------------------|------------------|--------------------------|--------------------------|
| no            | yes      | simple            | none             | -nillable                | 26                       |
| no            | yes      | simple            | default          | -nillable-default-       | 26                       |
| no            | yes      | simple            | fixed            | -nillable-fixed-         | 26                       |
| no            | yes      | complex           | none             | -nillable                | 27                       |
| no            | yes      | complex           | default          | -nillable-default-       | 27                       |
| no            | yes      | complex           | fixed            | -nillable-fixed-         | 27                       |
| yes           | no       | simple or complex | none             | -derivations             | 24                       |
| yes           | no       | simple or complex | default          | -deriv-default-          | 24                       |
| yes           | no       | simple or complex | fixed            | -deriv-fixed-            | 24                       |
| yes           | yes      | simple or complex | none             | -deriv-nillable          | 25                       |
| yes           | yes      | simple or complex | default          | -deriv-nillable-default- | 25                       |
| yes           | yes      | simple or complex | fixed            | -deriv-nillable-fixed-   | 25                       |

### 30 Generating special ASN.1 type assignments for types belonging to a derivation hierarchy

30.1 This clause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ASN.1 type assignment corresponding to a top-level **simple type definition** or **complex type definition** that belongs to the derivation hierarchy of the **type definition** of **element declarations** that have a substitutable **type definition** (see 14.7) and are **nillable**.

30.2 This clause generates a special ASN.1 type assignment for a **simple type definition** or **complex type definition** provided in the invocation of this clause.

30.3 One and only one special ASN.1 type assignment shall be generated for each **simple type definition** or **complex type definition** that actually occurs in one or more invocations of this clause over the mapping of a source XSD Schema (but see 29.4).

30.4 The term "associated ASN.1 type assignment" designates the ASN.1 type assignment being mapped from the **simple type definition** or **complex type definition** by applying clause 13 or clause 20, respectively.

30.5 The "typereference" in the "TypeAssignment" for a special ASN.1 type assignment shall be constructed by appending the suffix "-nillable" to the type reference name of the associated ASN.1 type assignment and applying 10.3 to the resulting character string, and the "Type" in the "TypeAssignment" shall be the ASN.1 type definition generated by applying either clause 26 or clause 27 to the **simple type definition** or **complex type definition**, respectively.

NOTE – This clause specifies only the suffix "-nillable" (and not the suffixes "-nillable-default-" and "-nillable-fixed-"), because even if the **element declaration** has a **value constraint**, that **value constraint** is not visible to clauses 26 and 27 when invoked by this clause.

### 31 Generating special ASN.1 type assignments for element substitution groups

31.1 This clause applies as explicitly invoked by other clauses of this Recommendation | International Standard to generate an ASN.1 type assignment corresponding to a **particle** whose **term** is a top-level **element declaration** that is the head of an element substitution group.

31.2 This clause generates a special ASN.1 type assignment for a top-level **element declaration** provided in the invocation of this clause.

**31.3** One and only one special ASN.1 type assignment shall be generated for each top-level **element declaration** that actually occurs in one or more invocations of this clause over the mapping of a source XSD Schema.

**31.4** The term "associated ASN.1 type assignment" designates the ASN.1 type assignment being mapped from the top-level **element declaration** by applying clause 14.

**31.5** The "typereference" in the "TypeAssignment" for a special ASN.1 type assignment shall be constructed by appending the suffix "-**group**" to the type reference name of the associated ASN.1 type assignment and applying 10.3 to the resulting character string, and the "Type" in the "TypeAssignment" shall be the ASN.1 type definition generated by applying clause 28 to the top-level **element declaration**.

IECNORM.COM : Click to view the full PDF of ISO/IEC 8825-5:2008

## Annex A

## ASN.1 type definitions corresponding to XSD built-in types for the Version 1 mapping

(This annex forms an integral part of this Recommendation | International Standard)

**A.1** This annex specifies a module that defines the ASN.1 types that correspond to the XSD built-in types and that are used for the mapping from W3C XML Schema to ASN.1 for the Version 1 mapping.

**A.2** W3C XML Schema defines many built-in date and time types to represent durations, instants or recurring instants. Although they are all derived from ISO 8601, there are some extensions and restrictions. The XSD built-in date and time types are mapped to **VisibleString** with a user-defined constraint referencing the applicable XSD clause. A permitted alphabet constraint is added to provide a more efficient encoding with the Packed Encoding Rules (PER), since user-defined constraints are not PER-visible (and hence are not used in optimizing encodings).

**A.3** The **xsd** module for the Version 1 mapping is:

```
XSD {joint-iso-itu-t asn1(1) specification(0) modules(0) xsd-module(2) version1(1)}
"/ASN.1/Specification/Modules/XSD-Module/Version1"
DEFINITIONS
AUTOMATIC TAGS ::=
BEGIN

/* xsd:anySimpleType */

AnySimpleType ::= XMLCompatibleString

/* xsd:anyType */

AnyType ::= SEQUENCE {
    embed-values SEQUENCE OF String,
    attr SEQUENCE
        (CONSTRAINED BY {
            /* Each item shall conform to the "AnyAttributeFormat" specified
             in ITU-T Rec. X.693 | ISO/IEC 8825-4, clause 18 */ } ) OF String,
    elem-list SEQUENCE OF elem String
        (CONSTRAINED BY {
            /* Shall conform to the "AnyElementFormat" specified
             in ITU-T Rec. X.693 | ISO/IEC 8825-4, clause 19 */ } ) }
        (CONSTRAINED BY {
            /* Shall conform to ITU-T Rec. X.693 | ISO/IEC 8825-4, clause 25 */ } )

AnyType-nillable ::= SEQUENCE {
    embed-values SEQUENCE OF String,
    attr SEQUENCE
        (CONSTRAINED BY {
            /* Each item shall conform to the "AnyAttributeFormat" specified
             in ITU-T Rec. X.693 | ISO/IEC 8825-4, clause 18 */ } ) OF String,
    content SEQUENCE {
        elem-list SEQUENCE OF elem String
            (CONSTRAINED BY {
                /* Shall conform to the "AnyElementFormat" specified
                 in ITU-T Rec. X.693 | ISO/IEC 8825-4, clause 19 */ } )
        } OPTIONAL }
        (CONSTRAINED BY {
            /* Shall conform to ITU-T Rec. X.693 | ISO/IEC 8825-4, clause 25 */ } )

/* xsd:anyUri */

AnyURI ::= XMLStringWithNoCRLFHT
        (CONSTRAINED BY {
            /* The XMLStringWithNoCRLFHT shall be a valid URI as defined in IETF RFC
             2396. Note that 2396 allows any valid IRI format without escaping
             non-ASCII characters. Use of the IANA oid: URI/IRI scheme should be
             considered. */ } )

/* xsd:date */

Date ::= DateTimeType (DateOnly)
```

```

/* xsd:dateTime */
DateTime ::= DateTimeType

/* xsd:decimal */
Decimal ::= REAL (WITH COMPONENTS {..., base(10)})
              (ALL EXCEPT(-0 | MINUS-INFINITY | PLUS-INFINITY | NOT-A-NUMBER))

/* xsd:double */
Double ::= REAL (WITH COMPONENTS {
              mantissa(-9007199254740991..9007199254740991),
              base(2),
              exponent(-1075..970)})

/* xsd:duration */
Duration ::= DurationType

/* xsd:ENTITIES */
ENTITIES ::= SEQUENCE (SIZE(1..MAX)) OF ENTITY

/* xsd:ENTITY */
ENTITY ::= NCName

/* xsd:float */
Float ::= REAL (WITH COMPONENTS {
              mantissa(-16777215..16777215),
              base(2),
              exponent(-149..104)})

/* xsd:gDay */
GDay ::= DateTimeType (Day)

/* xsd:gMonth */
GMonth ::= DateTimeType (Month)

/* xsd:gMonthDay */
GMonthDay ::= DateTimeType (MonthDay)

/* xsd:gYear */
GYear ::= DateTimeType (Year)

/* xsd:gYearMonth */
GYearMonth ::= DateTimeType (YearMonth)

/* xsd:ID */
ID ::= NCName

/* xsd:IDREF */
IDREF ::= NCName

/* xsd:IDREFS */
IDREFS ::= SEQUENCE (SIZE(1..MAX)) OF IDREF

/* xsd:int */
Int ::= INTEGER (-2147483648..2147483647)

/* xsd:language */
Language ::= VisibleString (FROM ("a".."z" | "A".."Z" | "-" | "0".."9"))
              (PATTERN
               "[a-zA-Z](1,8)(-[a-zA-Z0-9](1,8))*")

              /* The semantics of Language is specified in IETF RFC 3066 */

/* xsd:long */
Long ::= INTEGER (-9223372036854775808..9223372036854775807)

```

```

/* xsd:name */
Name ::= Token (XMLStringWithNoWhitespace)
        (CONSTRAINED BY {
            /* The Token shall be a Name as defined in W3C XML 1.0, 2.3 */ } )

/* xsd:NCName */
NCName ::= Name
        (CONSTRAINED BY {
            /* The Name shall be an NCName as defined in W3C XML Namespaces, 2 */ } )

/* xsd:NMTOKEN */
NMTOKEN ::= Token (XMLStringWithNoWhitespace)
        (CONSTRAINED BY {
            /* The Token shall be an NMTOKEN as defined in W3C XML 1.0, 2.3 */ } )

/* xsd:NMTOKENS */
NMTOKENS ::= SEQUENCE (SIZE(1..MAX)) OF NMTOKEN

/* xsd:normalizedString */
NormalizedString ::= String (XMLStringWithNoCRLFHT)
        (CONSTRAINED BY {
            /* The String shall be a normalizedString as defined in W3C XML Schema
               Part 2, 3.3.1 */ })

/* xsd:NOTATION */
NOTATION ::= QName

/* xsd:QName */
QName ::= SEQUENCE {
    uri    AnyURI OPTIONAL,
    name   NCName }

/* xsd:short */
Short ::= INTEGER (-32768..32767)

/* xsd:string */
String ::= XMLCompatibleString

/* xsd:time */
Time ::= DateTimeType (TimeOnly)

/* xsd:token */
Token ::= NormalizedString (CONSTRAINED BY {
    /* The NormalizedString shall be a token as defined in W3C XML Schema Part 2,
       3.3.2 */ })

/* xsd:unsignedInt */
UnsignedInt ::= INTEGER (0..4294967295)

/* xsd:unsignedLong */
UnsignedLong ::= INTEGER (0..18446744073709551615)

/* xsd:unsignedShort */
UnsignedShort ::= INTEGER (0..65535)

/* ASN.1 type definitions supporting the mapping of W3C XML Schema built-in types
*/
XMLCompatibleString ::= UTF8String (FROM(
    {0, 0, 0, 9} |
    {0, 0, 0, 10} |
    {0, 0, 0, 13} |
    {0, 0, 0, 32} .. {0, 0, 215, 255} |
    {0, 0, 224, 0} .. {0, 0, 255, 253} |
    {0, 1, 0, 0} .. {0, 16, 255, 253}))

```

```

XMLStringWithNoWhitespace ::= UTF8String (FROM(
    {0, 0, 0, 33} .. {0, 0, 215, 255} |
    {0, 0, 224, 0} .. {0, 0, 255, 253} |
    {0, 1, 0, 0} .. {0, 16, 255, 253}))

XMLStringWithNoCRLFHT ::= UTF8String (FROM(
    {0, 0, 0, 32} .. {0, 0, 215, 255} |
    {0, 0, 224, 0} .. {0, 0, 255, 253} |
    {0, 1, 0, 0} .. {0, 16, 255, 253}))

/* ASN.1 type definitions supporting the mapping of W3C XML Schema built-in date
and time types */

DurationType ::= VisibleString      (FROM ("0".."9" | "DHMPSTY:.-"))
                                     (CONSTRAINED BY { /* W3C XML Schema Part 2, 3.2.6 */ })

DateTimeType ::= VisibleString      (FROM ("0".."9" | "TZ:.-"))
                                     (CONSTRAINED BY { /* W3C XML Schema Part 2, 3.2.7 */ })

DateOnly ::= DateTimeType           (FROM ("0".."9" | "Z:.-"))
                                     (CONSTRAINED BY { /* W3C XML Schema Part 2, 3.2.9 */ })

Day ::= DateTimeType                (FROM ("0".."9" | "Z:.-"))
                                     (CONSTRAINED BY { /* W3C XML Schema Part 2, 3.2.13 */ })

Month ::= DateTimeType               (FROM ("0".."9" | "Z:.-"))
                                     (CONSTRAINED BY { /* W3C XML Schema Part 2, 3.2.14 */ })

MonthDay ::= DateTimeType            (FROM ("0".."9" | "Z:.-"))
                                     (CONSTRAINED BY { /* W3C XML Schema Part 2, 3.2.12 */ })

Year ::= DateTimeType                (FROM ("0".."9" | "Z:.-"))
                                     (CONSTRAINED BY { /* W3C XML Schema Part 2, 3.2.11 */ })

YearMonth ::= DateTimeType           (FROM ("0".."9" | "Z:.-"))
                                     (CONSTRAINED BY { /* W3C XML Schema Part 2, 3.2.10 */ })

TimeOnly ::= DateTimeType            (FROM ("0".."9" | "Z:.-"))
                                     (CONSTRAINED BY { /* W3C XML Schema Part 2, 3.2.8 */ })

ENCODING-CONTROL XER
    GLOBAL-DEFAULTS MODIFIED-ENCODINGS
    GLOBAL-DEFAULTS CONTROL-NAMESPACE
        "http://www.w3.org/2001/XMLSchema-instance"
    PREFIX "xsi"
    NAMESPACE ALL, ALL IN ALL AS
        "http://www.w3.org/2001/XMLSchema"
    PREFIX "xsd"
    USE-QNAME QName
    DECIMAL Decimal
    LIST ENTITIES, IDREFS, NMTOKENS
    EMBED-VALUES AnyType, AnyType-nillable
    ANY-ATTRIBUTES AnyType.attr, AnyType-nillable.attr
    ANY-ELEMENT AnyType.elem-list.*, AnyType-nillable.content.elem-list.*
    UNTAGGED AnyType.elem-list, AnyType-nillable.content.elem-list
    NAME AnySimpleType, AnyURI, Boolean,
        Byte, Date, DateTime, Decimal, Double, Duration,
        Float, GDay, GMonth, GMonthDay, GYear, GYearMonth,
        Int, Language, Long,
        NormalizedString, Short,
        String, Time, Token,
        UnsignedInt, UnsignedLong, UnsignedShort
    AS UNCAPITALIZED
    USE-NIL AnyType-nillable
    WHITESPACE AnyURI, Language, Token, DurationType, DateTimeType COLLAPSE
    WHITESPACE NormalizedString REPLACE

END

```

## Annex B

## ASN.1 type definitions corresponding to XSD built-in types for the Version 2 mapping

(This annex forms an integral part of this Recommendation | International Standard)

**B.1** This annex specifies a module that defines the ASN.1 types that correspond to the XSD built-in types and that are used for the mapping from W3C XML Schema to ASN.1 for the Version 2 mapping.

**B.2** W3C XML Schema defines many built-in date and time types to represent durations, instants or recurring instants. Although they are all derived from ISO 8601, there are some extensions and restrictions. The XSD built-in date and time types are normally mapped to one of the ASN.1 time types, but where XSD provides additional abstract values, the mapping is to a CHOICE of an ASN.1 time type and a `visibleString` with a user-defined constraint referencing the applicable XSD clause.

**B.3** The `xsd` module for the Version 2 mapping is:

```
XSD {joint-iso-itu-t asn1(1) specification(0) modules(0) xsd-module(2) version2(2)}
"/ASN.1/Specification/Modules/XSD-Module/Version2"
DEFINITIONS
AUTOMATIC TAGS ::=
BEGIN

/* xsd:anySimpleType */

AnySimpleType ::= XMLCompatibleString

/* xsd:anyType */

AnyType ::= SEQUENCE {
    embed-values SEQUENCE OF String,
    attr SEQUENCE
        (CONSTRAINED BY {
            /* Each item shall conform to the "AnyAttributeFormat" specified
             in ITU-T Rec. X.693 | ISO/IEC 8825-4, clause 18 */ } ) OF String,
    elem-list SEQUENCE OF elem String
        (CONSTRAINED BY {
            /* Shall conform to the "AnyElementFormat" specified
             in ITU-T Rec. X.693 | ISO/IEC 8825-4, clause 19 */ } ) }
        (CONSTRAINED BY {
            /* Shall conform to ITU-T Rec. X.693 | ISO/IEC 8825-4, clause 25 */ } )
AnyType-nillable ::= SEQUENCE {
    embed-values SEQUENCE OF String,
    attr SEQUENCE
        (CONSTRAINED BY {
            /* Each item shall conform to the "AnyAttributeFormat" specified
             in ITU-T Rec. X.693 | ISO/IEC 8825-4, clause 18 */ } ) OF String,
    content SEQUENCE {
        elem-list SEQUENCE OF elem String
            (CONSTRAINED BY {
                /* Shall conform to the "AnyElementFormat" specified
                 in ITU-T Rec. X.693 | ISO/IEC 8825-4, clause 19 */ } )
    } OPTIONAL }
        (CONSTRAINED BY {
            /* Shall conform to ITU-T Rec. X.693 | ISO/IEC 8825-4, clause 25
            */ } )

/* xsd:anyUri */

AnyURI ::= XMLStringWithNoCRLFHT
        (CONSTRAINED BY {
            /* The XMLStringWithNoCRLFHT shall be a valid URI as defined in IETF RFC
             2396. Note that 2396 allows any valid IRI format without escaping
             non-ASCII characters. Use of the IANA oid: URI/IRI scheme should be
             considered. */ } )

/* xsd:date */
```

```

Date ::= GenericTimeTypeChoice {
    TIME (SETTINGS "Basic=Date Date=YMD"),
    VisibleString
    (FROM ("0".."9" | "DHMPSTY:..-"))
    (CONSTRAINED BY { /* W3C XML Schema 1.0 Part 2, 3.2.9
                        and used if a time-zone is present */ }) }

/* xsd:dateTime */
DateTime ::= TIME ((SETTINGS "Basic=Date-Time Date=YMD Midnight=Start"))
    (CONSTRAINED BY { /* The time-zone shall be in the range -14 to +14 */ })
    (CONSTRAINED BY { /* The seconds and fractions of a second shall be less
                        than 60 (no leap seconds supported, in accordance with
                        W3C XML Schema 1.0 Part 2, 3.2.7) */ })

(CONSTRAINED BY { /* The type is constrained to "Time=HMSFn" for any n */ }) /*
xsd:decimal */

Decimal ::= REAL (WITH COMPONENTS { ..., base(10) })
    (ALL EXCEPT (-0 | MINUS-INFINITY | PLUS-INFINITY | NOT-A-NUMBER))

/* xsd:double */
Double ::= REAL (WITH COMPONENTS {
    mantissa(-9007199254740991..9007199254740991),
    base(2),
    exponent(-1075..970) })

/* xsd:duration */
Duration ::= GenericTimeTypeChoice {
    DURATION
    ((WITH COMPONENTS { ...,
        seconds ABSENT,
        fractional-part ABSENT }) |
    (WITH COMPONENTS { ...,
        seconds PRESENT })),
    VisibleString
    (FROM ("0".."9" | "DHMPSTY:..-"))
    (CONSTRAINED BY { /* W3C XML Schema 1.0 Part 2, 3.2.6
                        and used for negative durations */ }) }

/* xsd:ENTITIES */
ENTITIES ::= SEQUENCE (SIZE(1..MAX)) OF ENTITY

/* xsd:ENTITY */
ENTITY ::= NCName

/* xsd:float */
Float ::= REAL (WITH COMPONENTS {
    mantissa(-16777215..16777215),
    base(2),
    exponent(-149..104) })

/* xsd:gDay */
GDay ::= DateTimeType (Day)
    /* This is an integer followed optionally by a time-zone.
       It is not supported in either ISO 8601 or in ASN.1, so the Version 1
       mapping has been retained (similarly for other "G" types). */

/* xsd:gMonth */
GMonth ::= DateTimeType (Month)

/* xsd:gMonthDay */
GMonthDay ::= DateTimeType (MonthDay)

/* xsd:gYear */
GYear ::= GenericTimeTypeChoice {
    TIME (SETTINGS "Basic=Date Date=Y"),

```

```

VisibleString
  (FROM ("0".."9" | "Z:+-"))
  (CONSTRAINED BY { /* W3C XML Schema 1.0 Part 2, 3.2.11
                     and used if a time-zone is present */ }) }

/* xsd:gYearMonth */
GYearMonth ::= GenericTimeTypeChoice {
  TIME (SETTINGS "Basic=Date Date=YM"),
  VisibleString
    (FROM ("0".."9" | "Z:+-"))
    (CONSTRAINED BY { /* W3C XML Schema 1.0 Part 2, 3.2.14
                     and used if a time-zone is present */ }) }

/* xsd:ID */
ID ::= NCName

/* xsd:IDREF */
IDREF ::= NCName

/* xsd:IDREFS */
IDREFS ::= SEQUENCE (SIZE(1..MAX)) OF IDREF

/* xsd:int */
Int ::= INTEGER (-2147483648..2147483647)

/* xsd:language */
Language ::= VisibleString (FROM ("a".."z" | "A".."Z" | "-" | "0".."9"))
  (PATTERN
    "[a-zA-Z]#(1,8)(-[a-zA-Z0-9]#(1,8))*")
  /* The semantics of Language is specified in IETF RFC 3066 */

/* xsd:long */
Long ::= INTEGER (-9223372036854775808..9223372036854775807)

/* xsd:name */
Name ::= Token (XMLStringWithNoWhitespace)
  (CONSTRAINED BY {
    /* The Token shall be a Name as defined in W3C XML 1.0, 2.3 */ } )

/* xsd:NCName */
NCName ::= Name
  (CONSTRAINED BY {
    /* The Name shall be an NCName as defined in W3C XML Namespaces, 2 */ } )

/* xsd:NMTOKEN */
NMTOKEN ::= Token (XMLStringWithNoWhitespace)
  (CONSTRAINED BY {
    /* The Token shall be an NMTOKEN as defined in W3C XML 1.0, 2.3 */ } )

/* xsd:NMTOKENS */
NMTOKENS ::= SEQUENCE (SIZE(1..MAX)) OF NMTOKEN

/* xsd:normalizedString */
NormalizedString ::= String (XMLStringWithNoCRLFHT)
  (CONSTRAINED BY {
    /* The String shall be a normalizedString as defined in W3C XML Schema
       Part 2, 3.3.1 */ })

/* xsd:NOTATION */
NOTATION ::= QName

/* xsd:QName */
QName ::= SEQUENCE {
  uri AnyURI OPTIONAL,
  name NCName }

```

```

/* xsd:short */
Short ::= INTEGER (-32768..32767)

/* xsd:string */
String ::= XMLCompatibleString

/* xsd:time */
Time ::= TIME ((SETTINGS "Basic=Time")
               EXCEPT (SETTINGS "Midnight=End"))
        (CONSTRAINED BY { /*The time-zone shall be in the range -14 to +14*/ })
        (CONSTRAINED BY { /*The seconds and fractions of a second shall be less
                           than 60 (no leap seconds supported, in accordance with
                           W3C XML Schema 1.0 Part 2, D.2)*/ })
        (CONSTRAINED BY { /*Constrained to "Time=HMSFn" for any n*/ })

/* xsd:token */
Token ::= NormalizedString (CONSTRAINED BY {
    /* The NormalizedString shall be a token as defined in W3C XML Schema Part 2,
       3.3.2 */ })

/* xsd:unsignedInt */
UnsignedInt ::= INTEGER (0..4294967295)

/* xsd:unsignedLong */
UnsignedLong ::= INTEGER (0..18446744073709551615)

/* xsd:unsignedShort */
UnsignedShort ::= INTEGER (0..65535)

/* ASN.1 type definitions supporting the mapping of W3C XML Schema built-in types
*/

XMLCompatibleString ::= UTF8String (FROM(
    {0, 0, 0, 9} |
    {0, 0, 0, 10} |
    {0, 0, 0, 13} |
    {0, 0, 0, 32} .. {0, 0, 215, 255} |
    {0, 0, 224, 0} .. {0, 0, 255, 253} |
    {0, 1, 0, 0} .. {0, 16, 255, 253}))

XMLStringWithNoWhitespaces ::= UTF8String (FROM(
    {0, 0, 0, 33} .. {0, 0, 215, 255} |
    {0, 0, 224, 0} .. {0, 0, 255, 253} |
    {0, 1, 0, 0} .. {0, 16, 255, 253}))

XMLStringWithNoRLFHT ::= UTF8String (FROM(
    {0, 0, 0, 32} .. {0, 0, 215, 255} |
    {0, 0, 224, 0} .. {0, 0, 255, 253} |
    {0, 1, 0, 0} .. {0, 16, 255, 253}))

/* ASN.1 type definitions supporting the mapping of W3C XML Schema built-in date
and time types */

GenericTimeTypeChoice {BasicType, Alternative} ::= CHOICE {
    asn1supportedvalue      BasicType,
    othervalues             Alternative}
    (CONSTRAINED BY
     { /* The "othervalues" alternative shall not be used for abstract
       values in the "asn1supportedvalue" alternative */ })

DateTimeType ::= VisibleString (FROM ("0".."9" | "TZ:+-"))
    (CONSTRAINED BY { /* W3C XML Schema Part 2, 3.2.7 */ })

Day ::= DateTimeType (FROM ("0".."9" | "Z:+-"))
    (CONSTRAINED BY { /* W3C XML Schema Part 2, 3.2.13 */ })

Month ::= DateTimeType (FROM ("0".."9" | "Z:+-"))
    (CONSTRAINED BY { /* W3C XML Schema Part 2, 3.2.14 */ })

```

```

MonthDay ::= DateTimeType(FROM ("0".."9" | "Z:+-"))
(CONSTRAINED BY { /* W3C XML Schema Part 2, 3.2.12 */ })

```

```

ENCODING-CONTROL XER

```

```

    GLOBAL-DEFAULTS MODIFIED-ENCODINGS
    GLOBAL-DEFAULTS CONTROL-NAMESPACE
        "http://www.w3.org/2001/XMLSchema-instance"
    PREFIX "xsi"
    NAMESPACE ALL, ALL IN ALL AS
        "http://www.w3.org/2001/XMLSchema"
    PREFIX "xsd"
    USE-QNAME QName
    DECIMAL Decimal
    LIST ENTITIES, IDREFS, NMTOKENS
    EMBED-VALUES AnyType, AnyType-nillable
    ANY-ATTRIBUTES AnyType.attr, AnyType-nillable.attr
    ANY-ELEMENT AnyType.elem-list.*, AnyType-nillable.content.elem-list.*
    UNTAGGED AnyType.elem-list, AnyType-nillable.content.elem-list
    NAME AnySimpleType, AnyURI, Date, DateTime, Decimal, Double, Duration,
        Float, GDay, GMonth, GMonthDay, GYear, GYearMonth,
        Int, Language, Long,
            NormalizedString, Short,
        String, Time, Token,
        UnsignedInt, UnsignedLong, UnsignedShort
    AS UNCAPITALIZED
    NAME GenericTimeTypeChoice.ALL AS ""
    USE-NIL AnyType-nillable
    USE-UNION GenericTimeTypeChoice
    WHITESPACE AnyURI, Language, Token, DateTimeType COLLAPSE
    WHITESPACE NormalizedString REPLACE

```

```

END

```

IECNORM.COM : Click to view the full PDF of ISO/IEC 8825-5:2008

## Annex C

### Identification of the XSD module

(This annex does not form an integral part of this Recommendation | International Standard)

The following object identifier, OID internationalized resource identifier and object descriptor values are assigned in this Recommendation | International Standard:

For the module defining ASN.1 types corresponding to the XSD built-in types:

```
{ joint-iso-itu-t asn1(1) specification(0) modules(0) xsd-module(2) version1(1) }  
"/ASN.1/Specification/Modules/XSD-Module/Version1"  
"ASN.1 XSD Module for Version 1 mapping"  
{ joint-iso-itu-t asn1(1) specification(0) modules(0) xsd-module(2) version2(2) }  
"/ASN.1/Specification/Modules/XSD-Module/Version2"  
"ASN.1 XSD Module for Version 2 mapping"
```

IECNORM.COM : Click to view the full PDF of ISO/IEC 8825-5:2008

## Annex D

### Examples of mappings

(This annex does not form an integral part of this Recommendation | International Standard)

This annex illustrates the Version 1 mapping specified in this Recommendation | International Standard by giving an ASN.1 module corresponding to an XSD Schema. The Version 2 mapping is similar, and differs (for this example) only in the use of the XSD module from Annex B instead of the XSD module from Annex A.

#### D.1 A Schema using simple type definitions

The following Schema contains examples of XSD built-in types (`xsd:string`, `xsd:decimal`, `xsd:integer`, `xsd:int`, `xsd:date`), other **simple type definitions** and **complex type definitions**.

```
<?xml version="1.0" encoding="UTF-8"?>
<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" elementFormDefault="unqualified">
  <xsd:element name="EXAMPLES">
    <xsd:complexType>
      <xsd:sequence>
        <xsd:element ref="personnelRecord"/>
        <xsd:element name="decimal" type="xsd:decimal"/>
        <xsd:element name="daysOfTheWeek" type="ListOfDay"/>
        <xsd:element ref="namesOfMemberNations"/>
        <xsd:element ref="fileIdentifier" maxOccurs="unbounded"/>
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
  <xsd:element name="personnelRecord">
    <xsd:complexType>
      <xsd:sequence>
        <xsd:element name="name" type="name"/>
        <xsd:element name="title" type="xsd:string"/>
        <xsd:element name="decimal" type="xsd:integer"/>
        <xsd:element name="dateOfHire" type="xsd:date"/>
        <xsd:element ref="nameOfSpouse"/>
        <xsd:element ref="children"/>
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
  <xsd:element name="nameOfSpouse" type="name"/>
  <xsd:complexType name="name">
    <xsd:sequence>
      <xsd:element name="givenName" type="xsd:string"/>
      <xsd:element name="initial" type="xsd:string"/>
      <xsd:element name="familyName" type="xsd:string"/>
    </xsd:sequence>
  </xsd:complexType>
  <xsd:element name="children">
    <xsd:complexType>
      <xsd:sequence>
        <xsd:element ref="ChildInformation" minOccurs="0"
maxOccurs="unbounded"/>
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
  <xsd:element name="ChildInformation">
    <xsd:complexType>
      <xsd:sequence>
        <xsd:element name="name" type="name"/>
        <xsd:element name="dateOfBirth" type="xsd:date"/>
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
  <xsd:simpleType name="ListOfDay">
    <xsd:list itemType="Day"/>
  </xsd:simpleType>
  <xsd:simpleType name="Day">
    <xsd:restriction base="xsd:string">
      <xsd:enumeration value="monday"/>
      <xsd:enumeration value="tuesday"/>
      <xsd:enumeration value="wednesday"/>
      <xsd:enumeration value="thursday"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:schema>
```

```

        <xsd:enumeration value="friday"/>
        <xsd:enumeration value="saturday"/>
        <xsd:enumeration value="sunday"/>
    </xsd:restriction>
</xsd:simpleType>
<xsd:element name="namesOfMemberNations">
    <xsd:simpleType>
        <xsd:list itemType="xsd:string"/>
    </xsd:simpleType>
</xsd:element>
<xsd:element name="fileIdentifier">
    <xsd:complexType>
        <xsd:choice>
            <xsd:element name="serialNumber" type="xsd:int"/>
            <xsd:element name="relativeName" type="xsd:string"/>
            <xsd:element ref="unidentified"/>
        </xsd:choice>
    </xsd:complexType>
</xsd:element>
<xsd:element name="unidentified" type="xsd:anyType"/>
</xsd:schema>

```

## D.2 The corresponding ASN.1 definitions

The following is the corresponding ASN.1 specification and validates the same XML documents as the XSD Schema:

```

EXAMPLES{joint-iso-itu-t asn1(1) examples(999) xml-defined-types(3)}
"ASN.1/Examples/XML-defined-types"
DEFINITIONS

XER INSTRUCTIONS AUTOMATIC TAGS ::=
BEGIN

IMPORTS String, Decimal, Int, Date, AnyType

FROM XSD
{joint-iso-itu-t asn1(1) specification(0) modules(0) xsd-module(2) version1(1)};
/* For a Version 2 mapping, the last component of the module identifier would be
version2(2) */

EXAMPLES ::= SEQUENCE {
    personnelRecord      PersonnelRecord,
    number                Decimal,
    daysOfTheWeek         ListOfDays,
    namesOfMemberNations NamesOfMemberNations,
    fileIdentifier-list    [UNTAGGED]
        SEQUENCE (SIZE(1..MAX)) OF fileIdentifier FileIdentifier }

PersonnelRecord ::= [NAME AS UNCAPITALIZED] SEQUENCE {
    name      Name,
    title     XSD.String,
    number    INTEGER,
    dateOfHire XSD.Date,
    nameOfSpouse NameOfSpouse,
    children  Children }

NameOfSpouse ::= [NAME AS UNCAPITALIZED] Name

Name ::= [NAME AS UNCAPITALIZED] SEQUENCE {
    givenName    XSD.String,
    initial      XSD.String,
    familyName   XSD.String }

Children ::= [NAME AS UNCAPITALIZED] SEQUENCE {
    childInformation-list [UNTAGGED]
        SEQUENCE OF
            childInformation [NAME AS CAPITALIZED] ChildInformation }

ChildInformation ::= SEQUENCE {
    name      Name,
    dateOfBirth XSD.Date }

ListOfDays ::= [LIST] SEQUENCE OF Day

Day ::= ENUMERATED
{ friday, monday, saturday, sunday, thursday, tuesday, wednesday }

```

```

-- Note that 12.4.1.3 specifies use of a lexicographical order, as
-- the members of an enumeration are not ordered in an XML Schema

NamesOfMemberNations ::= [NAME AS UNCAPITALIZED] [LIST] SEQUENCE OF
    XSD.String (FROM({0, 0, 0, 33} .. {0, 16, 255, 253}))

FileIdentifier ::= [NAME AS UNCAPITALIZED] SEQUENCE {
    choice [UNTAGGED] CHOICE {
        serialNumber      XSD.Int,
        relativeName      XSD.String,
        unidentified      Unidentified    } }

Unidentified ::= [NAME AS UNCAPITALIZED] XSD.AnyType

ENCODING-CONTROL XER
    GLOBAL-DEFAULTS MODIFIED-ENCODINGS
    GLOBAL-DEFAULTS CONTROL-NAMESPACE
        "http://www.w3.org/2001/XMLSchema-instance" PREFIX "xsi"
    TEXT Day:ALL

END

```

### D.3 Further examples

In this subclause, all the partial examples (the examples that do not contain the **schema** element) assume that the XML elements representing the XSD syntax are in the scope of a **default namespace** declaration whose **namespace name** is the **target namespace** of the schema.

#### D.3.1 Schema documents with import and include element information items

The following XSD Schema is composed of two namespaces that are composed from four schema files:

```

<!-- file "http://example.com/xyz/schema.xsd" -->
<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
    xmlns:xyz="http://example.com/xyz"
    targetNamespace="http://example.com/xyz">
    <xsd:element name="xyz-elem" type="xsd:string"/>
    <xsd:complexType name="Xyz-type">
        <xsd:attribute name="xyz-attr" type="xsd:boolean"/>
    </xsd:complexType>
</xsd:schema>

<!-- file "http://example.com/abc/main.xsd" -->
<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
    xmlns:xyz="http://example.com/xyz"
    xmlns:abc="http://example.com/abc"
    targetNamespace="http://example.com/abc">
    <xsd:import namespace="http://example.com/xyz"
        schemaLocation="http://example.com/xyz/schema.xsd"/>
    <xsd:include schemaLocation="http://example.com/abc/sub1.xsd"/>
    <xsd:include schemaLocation="http://example.com/abc/sub2.xsd"/>
    <xsd:element name="abc-elem" type="xyz:Xyz-type"/>
</xsd:schema>

<!-- file "http://example.com/abc/sub1.xsd" -->
<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
    xmlns:abc="http://example.com/abc"
    targetNamespace="http://example.com/abc">
    <xsd:element name="sub1-elem" type="xsd:string"/>
</xsd:schema>

<!-- file "http://example.com/abc/sub2.xsd" -->
<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
    xmlns:abc="http://example.com/abc"
    targetNamespace="http://example.com/abc">
    <xsd:element name="sub2-elem" type="xsd:string"/>
    <xsd:attribute name="sub2-attr" type="xsd:string"/>
</xsd:schema>

```

Those four schema documents are mapped to the two following ASN.1 modules:

```

XYZ  -- The module reference is not standardized
DEFINITIONS XER INSTRUCTIONS AUTOMATIC TAGS ::=
BEGIN
IMPORTS
String FROM XSD{joint-iso-itu-t asn1(1) specification(0) modules(0)
               xsd-module(2) version1(1)}
               /* For a Version 2 mapping, the last component of the module
                  identifier would be version2(2) */
;

Xyz-elem ::= [NAME AS UNCAPITALIZED] XSD.String
Xyz-type  ::= SEQUENCE {
               xyz-attr [ATTRIBUTE] BOOLEAN OPTIONAL }

ENCODING-CONTROL XER
GLOBAL-DEFAULTS MODIFIED-ENCODINGS
GLOBAL-DEFAULTS CONTROL-NAMESPACE
               "http://www.w3.org/2001/XMLSchema-instance"
PREFIX "xsi"
NAMESPACE ALL AS "http://example.com/xyz"
PREFIX "xyz"
END

ABC  -- The module reference is not standardized
DEFINITIONS XER INSTRUCTIONS AUTOMATIC TAGS ::=
BEGIN
IMPORTS
Xyz-type FROM XYZ
String FROM XSD {joint-iso-itu-t asn1(1) specification(0) modules(0)
               xsd-module(2) version1(1)}
               /* For a Version 2 mapping, the last component of the module
                  identifier would be version2(2) */
;

Abc-elem ::= [NAME AS UNCAPITALIZED] Xyz-type
Sub1-elem ::= [NAME AS UNCAPITALIZED] XSD.String
Sub2-elem ::= [NAME AS UNCAPITALIZED] XSD.String
Sub2-attr ::= [NAME AS UNCAPITALIZED] [ATTRIBUTE] XSD.String

ENCODING-CONTROL XER
GLOBAL-DEFAULTS MODIFIED-ENCODINGS
GLOBAL-DEFAULTS CONTROL-NAMESPACE
               "http://www.w3.org/2001/XMLSchema-instance"
PREFIX "xsi"
NAMESPACE ALL AS "http://example.com/abc"
PREFIX "abc"
END

```

### D.3.2 Mapping simple type definitions

#### D.3.2.1 simple type definition derived by restriction

For a complete set of examples of simple type restrictions, see the examples of facets in D.3.3.

#### D.3.2.2 simple type definition derived by list

```

<xsd:simpleType name="Int-list">
  <xsd:list itemType="xsd:integer"/>
</xsd:simpleType>

<xsd:simpleType name="Int-10-to-100-list">
  <xsd:list>
    <xsd:simpleType>
      <xsd:restriction base="xsd:integer">
        <xsd:minInclusive value="10"/>
        <xsd:maxInclusive value="100"/>
      </xsd:restriction>
    </xsd:simpleType>
  </xsd:list>
</xsd:simpleType>

```

These **simple type** definitions are mapped to the following ASN.1 type assignments:

```

Int-list ::= [LIST] SEQUENCE OF INTEGER
Int-10-to-100-list ::= [LIST] SEQUENCE OF INTEGER (10..100)

```

### D.3.2.3 simple type definition derived by union

```

<xsd:simpleType name="Int-or-boolean">
  <xsd:union memberType="xsd:integer xsd:boolean"/>
</xsd:simpleType>

<xsd:simpleType name="Time-or-int-or-boolean-or-dateRestriction">
  <xsd:union memberType="xsd:time Int-or-boolean">
    <xsd:simpleType>
      <xsd:restriction base="xsd:date">
        <xsd:minInclusive value="2003-01-01"/>
      </xsd:restriction>
    </xsd:simpleType>
  </xsd:union>
</xsd:simpleType>

```

These simple type definitions are mapped to the following ASN.1 type assignments:

```

Int-or-boolean ::= [USE-UNION] CHOICE {
  integer [NAMESPACE "http://www.w3.org/2001/XMLSchema"] INTEGER,
  boolean [NAMESPACE "http://www.w3.org/2001/XMLSchema"] BOOLEAN }

Time-or-int-or-boolean-or-dateRestriction ::= [USE-UNION] CHOICE {
  time [NAMESPACE "http://www.w3.org/2001/XMLSchema"] XSD.Time,
  integer [NAMESPACE "http://www.w3.org/2001/XMLSchema"] INTEGER,
  boolean [NAMESPACE "http://www.w3.org/2001/XMLSchema"] BOOLEAN,
  alt [NAME AS ""] XSD.Date (CONSTRAINED BY
    { /* minInclusive="2003-01-01" */ }) }

```

### D.3.2.4 Mapping type derivation hierarchies for simple type definitions

```

<xsd:simpleType name="Int-10-to-50">
  <xsd:restriction base="xsd:integer">
    <xsd:minExclusive value="10"/>
    <xsd:maxExclusive value="50"/>
  </xsd:restriction>
</xsd:simpleType>

<xsd:simpleType name="Ten-multiples">
  <xsd:restriction base="Int-10-to-50">
    <xsd:enumeration value="20"/>
    <xsd:enumeration value="30"/>
    <xsd:enumeration value="40"/>
  </xsd:restriction>
</xsd:simpleType>

<xsd:simpleType name="Twenty-multiples">
  <xsd:restriction base="Ten-multiples">
    <xsd:pattern value=".*[02468]0|0"/>
  </xsd:restriction>
</xsd:simpleType>

<xsd:complexType name="Stock-level">
  <xsd:simpleContent>
    <xsd:extension base="Int-10-to-50">
      <xsd:attribute name="procurement" type="Int-10-to-50"/>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>

```

These simple type definitions are mapped to the following ASN.1 type assignments:

```

Int-10-to-50 ::= INTEGER (10<..<50)

Ten-multiples ::= [USE-NUMBER] ENUMERATED {int20(20), int30(30), int40(40)}

Twenty-multiples ::= [USE-NUMBER] ENUMERATED {int20(20), int40(40)}

Stock-level ::= SEQUENCE {
  procurement [ATTRIBUTE] Int-10-to-50 OPTIONAL,
  base [UNTAGGED] Int-10-to-50 }

Ten-multiples-derivations ::= [USE-TYPE] CHOICE {
  ten-multiples [NAME AS CAPITALIZED] Ten-multiples,
  twenty-multiples [NAME AS CAPITALIZED] Twenty-multiples }

```

```

Int-10-to-50-derivations ::= [USE-TYPE] CHOICE {
    int-10-to-50      [NAME AS CAPITALIZED] Int-10-to-50,
    stock-level       [NAME AS CAPITALIZED] Stock-level,
    ten-multiples     [NAME AS CAPITALIZED] Ten-multiples,
    twenty-multiples [NAME AS CAPITALIZED] Twenty-multiples }

```

if and only if:

- the **simple type definition** "Int-10-to-50" occurs as the **type definition** of at least one **element declaration** (not shown in the example) that is being mapped to ASN.1;
- the **simple type definition** "Ten-multiples" occurs as the **type definition** of at least one **element declaration** (not shown in the example) that is being mapped to ASN.1; and
- there are no other schema components being mapped to ASN.1 which are generating the ASN.1 type reference names Int-10-to-50, Ten-multiples, Twenty-multiples, Stock-level, Ten-multiples-derivations, and Int-10-to-50-derivations.

### D.3.3 Mapping facets

#### D.3.3.1 length, minLength, and maxLength

```

<xsd:simpleType name="String-10">
    <xsd:restriction base="xsd:string">
        <xsd:length value="10"/>
    </xsd:restriction>
</xsd:simpleType>

<xsd:simpleType name="String-5-to-10">
    <xsd:restriction base="xsd:string">
        <xsd:minLength value="5"/>
        <xsd:maxLength value="10"/>
    </xsd:restriction>
</xsd:simpleType>

```

These two **simple type definitions** are mapped to the following ASN.1 type assignments:

```

String-10 ::= XSD.String (SIZE(10))
String-5-to-10 ::= XSD.String (SIZE(5..10))

```

#### D.3.3.2 pattern

```

<xsd:simpleType name="My-filename">
    <xsd:restriction base="xsd:string">
        <xsd:pattern value="[&#x20;-&#xFF;]*"/>
        <xsd:pattern value="/?([^\/*]*[^\/*]*"/>
    </xsd:restriction>
</xsd:simpleType>

```

This **simple type definition** is mapped to the following ASN.1 type assignment:

```

My-filename ::= XSD.String
    (CONSTRAINED BY
        { /* XML representation of the XSD pattern
          "[&#x20;-&#xFF;]*"  "/"? ([^\/*]*[^\/*]*"/>

```

#### D.3.3.3 whiteSpace

```

<xsd:simpleType name="My-String">
    <xsd:restriction base="xsd:string">
        <xsd:whiteSpace value="preserve"/>
    </xsd:restriction>
</xsd:simpleType>

<xsd:simpleType name="My-NormalizedString">
    <xsd:restriction base="xsd:string">
        <xsd:whiteSpace value="replace"/>
    </xsd:restriction>
</xsd:simpleType>

<xsd:simpleType name="My-TokenString">
    <xsd:restriction base="xsd:string">
        <xsd:whiteSpace value="collapse"/>
    </xsd:restriction>
</xsd:simpleType>

```

These **simple type definitions** are mapped to the following ASN.1 type assignments:

```

My-String ::= XSD.String
My-NormalizedString ::= [WHITESPACE REPLACE] XSD.String
    (FROM ({0, 0, 0, 32} .. {0, 16, 255, 255}))
My-TokenString ::= [WHITESPACE COLLAPSE] XSD.String
    (FROM ({0, 0, 0, 32} .. {0, 16, 255, 255}))
    (PATTERN "([^\ ]([^\ ]| [^\ ])*)?")

```

#### D.3.3.4 minInclusive, minExclusive, maxInclusive, and maxExclusive

```

<xsd:simpleType name="Int-10-to-100">
  <xsd:restriction base="xsd:integer">
    <xsd:minExclusive value="10"/>
    <xsd:maxInclusive value="100"/>
  </xsd:restriction>
</xsd:simpleType>

<xsd:simpleType name="Pi-approximation">
  <xsd:restriction base="xsd:double">
    <xsd:minExclusive value="3.14159"/>
    <xsd:maxExclusive value="3.1416"/>
  </xsd:restriction>
</xsd:simpleType>

<xsd:simpleType name="Morning">
  <xsd:restriction base="xsd:time">
    <xsd:minInclusive value="00:00:00"/>
    <xsd:maxExclusive value="12:00:00"/>
  </xsd:restriction>
</xsd:simpleType>

```

These **simple type definitions** are mapped to the following ASN.1 type assignments:

```

Int-10-to-100 ::= INTEGER (10<..100)
Pi-approximation ::= XSD.Double (3.14159<..<3.1416)
Morning ::= XSD.Time (CONSTRAINED BY
  { /* minInclusive="00:00:00" maxExclusive="12:00:00" */ })

```

#### D.3.3.5 totalDigits and fractionDigits

```

<xsd:simpleType name="RefundableExpenses">
  <xsd:restriction base="xsd:decimal">
    <xsd:totalDigits value="5"/>
    <xsd:fractionDigits value="2"/>
  </xsd:restriction>
</xsd:simpleType>

```

This **simple type definition** is mapped to the following ASN.1 type assignment:

```

RefundableExpenses ::= XSD.Decimal (CONSTRAINED BY
  { /* totalDigits="5" fractionDigits="2" */ })

```

#### D.3.3.6 enumeration

```

<xsd:simpleType name="FarmAnimals">
  <xsd:restriction base="xsd:normalizedString">
    <xsd:enumeration value="Horse"/>
    <xsd:enumeration value="Bull"/>
    <xsd:enumeration value="Cow"/>
    <xsd:enumeration value="Pig"/>
    <xsd:enumeration value="Duck"/>
    <xsd:enumeration value="Goose"/>
  </xsd:restriction>
</xsd:simpleType>

<xsd:simpleType name="PrimeNumbersBelow30">
  <xsd:restriction base="xsd:integer">
    <xsd:enumeration value="2"/>
    <xsd:enumeration value="3"/>
    <xsd:enumeration value="5"/>
    <xsd:enumeration value="7"/>
    <xsd:enumeration value="11"/>
    <xsd:enumeration value="13"/>
    <xsd:enumeration value="17"/>
    <xsd:enumeration value="19"/>
    <xsd:enumeration value="23"/>
    <xsd:enumeration value="29"/>
  </xsd:restriction>
</xsd:simpleType>

```

```

</xsd:restriction>
</xsd:simpleType>

<xsd:simpleType name="X680-release">
  <xsd:restriction base="xsd:gYearMonth">
    <xsd:enumeration value="2002-07"/>
    <xsd:enumeration value="1997-12"/>
    <xsd:enumeration value="1994-07"/>
  </xsd:restriction>
</xsd:simpleType>

```

These **simple type definitions** are mapped to the following ASN.1 type assignments:

```

FarmAnimals ::= [WHITESPACE REPLACE]
  -- This encoding instruction ensures that an enumeration such as
  -- value="Slow Loris" (containing a space) is encoded correctly.
  ENUMERATED { bull, cow, duck, goose, horse, pig }

PrimeNumbersBelow30 ::= [USE-NUMBER] ENUMERATED {int2(2), int3(3), int5(5),
  int7(7), int11(11), int13(13), int17(17), int19(19), int23(23), int29(29)}

X680-release ::= XSD.GYearMonth ("2002-07" | "1997-12" | "1994-07")

```

The following encoding instruction is included in the XER encoding control section:

```
TEXT FarmAnimals:ALL AS CAPITALIZED
```

### D.3.3.7 enumeration in conjunction with other facets

The following examples are based on the inheritance of facets using the restriction of some of the types defined in D.3.3.6.

```

<xsd:simpleType name="FarmAnimals-subset">
  <xsd:restriction base="FarmAnimals">
    <xsd:minLength value="4"/>
    <xsd:pattern value="^[^ae]*"/>
  </xsd:restriction>
</xsd:simpleType>

<xsd:simpleType name="PrimeNumbersBelow30-subset">
  <xsd:restriction base="PrimeNumbersBelow30">
    <xsd:minExclusive value="5"/>
    <xsd:pattern value=".*[23].*"/>
  </xsd:restriction>
</xsd:simpleType>

```

These **simple type definitions** are mapped to the following ASN.1 type assignments:

```

/* Horse and Goose do not satisfy the pattern facet
   Cow and Pig do not satisfy the minLength facet */
FarmAnimals-subset ::= [WHITESPACE REPLACE] ENUMERATED {bull, duck}
/* 2, 3 and 5 do not satisfy the minExclusive facet
   2, 5, 7, 11, 17 and 19 do not satisfy the pattern facet */
PrimeNumbersBelow30-subset ::= [USE-NUMBER] ENUMERATED {int13(13), int23(23),
  int29(29)}

```

The following encoding instruction is included in the XER encoding control section:

```
TEXT FarmAnimals-subset:ALL AS CAPITALIZED
```

### D.3.4 Mapping element declarations

#### D.3.4.1 element declarations whose type definition is a top-level simple type definition or complex type definition

```

<xsd:element name="Forename" type="xsd:token"/>
<xsd:element name="File" type="My-filename"/>
<xsd:element name="Value" type="Int-10-to-50"/>

```

These **element declarations** are mapped to the following ASN.1 type assignments:

```

Forename ::= XSD.Token
File ::= My-filename
Value ::= Int-10-to-50-derivations

```

NOTE – The type "**My-filename**" and its mapping to ASN.1 is defined in D.3.3.2; the type "**Int-10-to-50**" and its mapping to ASN.1 is defined in D.3.2.4.

#### D.3.4.2 element declarations whose type definition is an anonymous simple type definition or complex type definition

```

<xsd:element name="maxOccurs">
  <xsd:simpleType>
    <xsd:union memberTypes="xsd:nonNegativeInteger">
      <xsd:simpleType>
        <xsd:restriction base="xsd:token">
          <xsd:enumeration value="unbounded"/>
        </xsd:restriction>
      </xsd:simpleType>
    </xsd:union>
  </xsd:simpleType>
</xsd:element>

<xsd:element name="address">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="line-1" type="xsd:token"/>
      <xsd:element name="line-2" type="xsd:token"/>
      <xsd:element name="city" type="xsd:token"/>
      <xsd:element name="state" type="xsd:token" minOccurs="0"/>
      <xsd:element name="zip" type="xsd:token"/>
    </xsd:sequence>
    <xsd:attribute name="country" type="xsd:token"/>
  </xsd:complexType>
</xsd:element>

```

These **element declarations** are mapped to the following ASN.1 type assignments:

```

MaxOccurs ::= [NAME AS UNCAPITALIZED] [USE-UNION] CHOICE {
  nonNegativeInteger [NAMESPACE AS "http://www.w3.org/2001/XMLSchema"]
    INTEGER (0..MAX),
  alt [NAME AS ""] ENUMERATED {unbounded} }

Address ::= [NAME AS UNCAPITALIZED] SEQUENCE {
  country [ATTRIBUTE] XSD.Token OPTIONAL,
  line-1 XSD.Token,
  line-2 XSD.Token,
  city XSD.Token,
  state XSD.Token OPTIONAL,
  zip XSD.Token }

```

#### D.3.4.3 element declarations which are the head of an element substitution group

```

<xsd:element name="Tic" type="xsd:integer" abstract="true"/>
<xsd:element name="Tac" type="xsd:byte" substitutionGroup="Tic"/>
<xsd:element name="Toe" substitutionGroup="Tic"/>
<xsd:element name="Foo" type="xsd:date"/>
<xsd:element name="Bar" substitutionGroup="Foo"/>

```

These **element declarations** are mapped to:

```

Tac ::= INTEGER (-128..127)
Toe ::= INTEGER

Tic-group ::= [UNTAGGED] CHOICE {
  tac [NAME AS CAPITALIZED] Tac,
  toe [NAME AS CAPITALIZED] Toe }

Foo ::= XSD.Date
Bar ::= XSD.Date

Foo-group ::= [UNTAGGED] CHOICE {
  bar [NAME AS CAPITALIZED] Bar,
  foo [NAME AS CAPITALIZED] Foo }

```

if and only if:

- the **element declaration** "Tic" occurs as the **term** of at least one **particle** (not shown in the example) that is being mapped to ASN.1;
- the **element declaration** "Foo" occurs as the **term** of at least one **particle** (not shown in the example) that is being mapped to ASN.1; and
- there are no other schema components being mapped to ASN.1 which are generating the ASN.1 type reference names Tac, Toe, Foo, Bar, Tic-group, and Foo-group.

#### D.3.4.4 element declarations with a value constraint that is a default value

**D.3.4.4.1** The following is an **element declaration** with an anonymous **simple type definition**, not used as the **base type definition** of any type.

```
<xsd:element name="Telephone" type="xsd:token" default="undefined"/>
```

This **element declaration** is mapped to the following ASN.1 type assignment:

```
Telephone ::= [DEFAULT-FOR-EMPTY AS "undefined"] XSD.Token
```

**D.3.4.4.2** The following is an **element declaration** with an anonymous **complex type definition** with simple content, not used as the **base type definition** of any type.

```
<xsd:element name="InternationalTelephone" default="undefined">
  <xsd:complexType>
    <xsd:simpleContent>
      <xsd:extension base="xsd:token">
        <xsd:attribute name="country-code" type="xsd:integer"/>
      </xsd:extension>
    </xsd:simpleContent>
  </xsd:complexType>
</xsd:element>
```

This **element declaration** is mapped to the following ASN.1 type assignment:

```
InternationalTelephone ::= [DEFAULT-FOR-EMPTY AS "undefined"] SEQUENCE {
  country-code [ATTRIBUTE] INTEGER OPTIONAL,
  base [UNTAGGED] XSD.Token }
```

**D.3.4.4.3** The following is an **element declaration** with an anonymous **complex type definition**. The **complex type definition** has complex content that is **mixed** and **emptiable**, and is not used as the **base type definition** of any type.

```
<xsd:element name="Description" default="absent">
  <xsd:complexType mixed="true">
    <xsd:choice minOccurs="0" maxOccurs="unbounded">
      <xsd:element name="bold" type="xsd:string"/>
      <xsd:element name="italic" type="xsd:string"/>
    </xsd:choice>
  </xsd:complexType>
</xsd:element>
```

This **element declaration** is mapped to the following ASN.1 type assignment:

```
Description ::= [EMBED-VALUES] [DEFAULT-FOR-EMPTY AS "absent"] SEQUENCE {
  embed-values SEQUENCE OF XSD.String,
  choice-list [UNTAGGED] SEQUENCE OF [UNTAGGED] CHOICE {
    bold XSD.String,
    italic XSD.String } } (CONSTRAINED BY
  { /* Shall conform to ITU-T Rec. X.693 | ISO/IEC 8825-4, clause 25 */ })
```

**D.3.4.4.4** The **type definition** of the **element declaration** in the following example is used as the **base type definition** of another type.

This example uses the XSD and ASN.1 types of the example in D.3.2.4.

```
<xsd:element name="Quantity" type="Int-10-to-50" default="20"/>
```

This **element declaration** is mapped to the following ASN.1 type assignment:

```
Quantity ::= Int-10-to-50-deriv-default-20
```

If no ASN.1 type corresponding to Int-10-to-50, with a default value of "20" has already been generated, the following type is also generated:

```
Int-10-to-50-deriv-default-20 ::= [USE-TYPE] CHOICE {
  int-10-to-50 [NAME AS CAPITALIZED] [DEFAULT-FOR-EMPTY AS 20]
```

```

                                Int-10-to-50,
stock-level      [NAME AS CAPITALIZED] [DEFAULT-FOR-EMPTY AS 20]
                                Stock-level,
ten-multiples    [NAME AS CAPITALIZED] [DEFAULT-FOR-EMPTY AS int20]
                                Ten-multiples,
twenty-multiples [NAME AS CAPITALIZED] [DEFAULT-FOR-EMPTY AS int20]
                                Twenty-multiples }

```

#### D.3.4.5 element declaration with a value constraint that is a fixed value

**D.3.4.5.1** The following is an **element declaration** with an anonymous **simple type definition**, which is not used as the **base type definition** of any type.

```
<xsd:element name="UnknownTelephone" type="xsd:token" fixed="undefined"/>
```

This **element declaration** is mapped to the following ASN.1 type assignment:

```
UnknownTelephone ::= [DEFAULT-FOR-EMPTY AS "undefined"] XSD.Token ("undefined")
```

**D.3.4.5.2** The following is an **element declaration** with an anonymous **complex type definition**. The **complex type definition** has simple content and is not used as the **base type definition** of any type.

```

<xsd:element name="UnknownInternationalTelephone" fixed="undefined">
  <xsd:complexType>
    <xsd:simpleContent>
      <xsd:extension base="xsd:token">
        <xsd:attribute name="country-code" type="xsd:integer"/>
      </xsd:extension>
    </xsd:simpleContent>
  </xsd:complexType>
</xsd:element>

```

This **element declaration** is mapped to the following ASN.1 type assignment:

```

UnknownInternationalTelephone ::= [DEFAULT-FOR-EMPTY AS "undefined"] SEQUENCE {
  country-code [ATTRIBUTE] INTEGER OPTIONAL,
  base [UNTAGGED] XSD.Token }
(WITH COMPONENTS {..., base ("undefined")})

```

**D.3.4.5.3** The following is an **element declaration** with an anonymous **complex type definition**. The **complex type definition** has complex content that is **mixed** and **emptiable**, and is not used as the **base type definition** of any type.

```

<xsd:element name="UnknownDescription" fixed="absent">
  <xsd:complexType mixed="true">
    <xsd:choice minOccurs="0" maxOccurs="unbounded">
      <xsd:element name="bold" type="xsd:string"/>
      <xsd:element name="italic" type="xsd:string"/>
    </xsd:choice>
  </xsd:complexType>
</xsd:element>

```

This **element declaration** is mapped to the following ASN.1 type assignment:

```

UnknownDescription ::= [EMBED-VALUES] [DEFAULT-FOR-EMPTY AS "absent"] SEQUENCE {
  embed-values SEQUENCE OF XSD.String,
  choice-list [UNTAGGED] SEQUENCE OF [UNTAGGED] CHOICE {
    bold XSD.String,
    italic XSD.String } }
(CONSTRAINED BY
  { /* Shall conform to ITU-T Rec. X.693 | ISO/IEC 8825-4, clause 25 */ })
(WITH COMPONENTS {embed-values ({ "absent" }),
  choice-list (SIZE(0))})

```

**D.3.4.5.4** The **type definition** of the following **element declaration** is a **simple type definition** used as the **base type definition** of another type.

This example uses the XSD and ASN.1 types of the example in D.3.2.4.

```
<xsd:element name="Quantity" type="Int-10-to-50" fixed="20"/>
```

This **element declaration** is mapped to the following ASN.1 type assignment:

```
Quantity ::= Int-10-to-50-deriv-fixed-20
```

If no ASN.1 type corresponding to `Int-10-to-50` with a fixed value of "20" has already been generated, the following type is also generated:

```

Int-10-to-50-deriv-fixed-20 ::= [USE-TYPE] CHOICE {
    int-10-to-50      [NAME AS CAPITALIZED] [DEFAULT-FOR-EMPTY AS 20]
                        Int-10-to-50,
    stock-level       [NAME AS CAPITALIZED] [DEFAULT-FOR-EMPTY AS 20]
                        Stock-level,
    ten-multiples     [NAME AS CAPITALIZED] [DEFAULT-FOR-EMPTY AS int20]
                        Ten-multiples,
    twenty-multiples [NAME AS CAPITALIZED] [DEFAULT-FOR-EMPTY AS int20]
                        Twenty-multiples }

(WITH COMPONENTS {
    int-10-to-50 (20),
    stock-level (WITH COMPONENTS {..., base (20)}),
    ten-multiples (int20),
    twenty-multiples (int20) })

```

#### D.3.4.6 element declarations that are nillable

**D.3.4.6.1** The following example shows an **element declaration** that is **nillable** and whose **type definition** is an XSD built-in type.

```
<xsd:element name="Nillable-1" type="xsd:string" nillable="true"/>
```

This **element declaration** is mapped to the following ASN.1 type assignment:

```

Nillable-1 ::= [USE-NIL] SEQUENCE {
    content XSD.String OPTIONAL }

```

**D.3.4.6.2** The following example shows an **element declaration** that is **nillable** and whose **type definition** is an anonymous complex type definition.

```

<xsd:element name="Nillable-2" nillable="true">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="a" type="xsd:string"/>
      <xsd:element name="b" type="xsd:string"/>
    </xsd:sequence>
    <xsd:attribute name="b" type="xsd:boolean"/>
  </xsd:complexType>
</xsd:element>

```

This **element declaration** is mapped to the following ASN.1 type assignment:

```

Nillable-2 ::= [USE-NIL] SEQUENCE {
    b      [ATTRIBUTE] BOOLEAN OPTIONAL,
    content SEQUENCE {
        a      XSD.String,
        b      XSD.String } OPTIONAL }

```

**D.3.4.6.3** The following example shows an **element declaration** that is **nillable**, and whose **type definition** is a top-level complex type definition.

```

<xsd:complexType name="Foo">
  <xsd:sequence>
    <xsd:element name="a" type="xsd:string"/>
    <xsd:element name="b" type="xsd:string"/>
  </xsd:sequence>
  <xsd:attribute name="b" type="xsd:boolean"/>
</xsd:complexType>

<xsd:element name="Nillable-3" type="Foo" nillable="true"/>

```

These schema components are mapped to the following ASN.1 type assignments:

```

Foo ::= SEQUENCE {
    b      [ATTRIBUTE] BOOLEAN OPTIONAL,
    a      XSD.String,
    b-1    [NAME AS "b"] XSD.String }

Foo-nillable ::= [USE-NIL] SEQUENCE {
    b      [ATTRIBUTE] BOOLEAN OPTIONAL,
    content SEQUENCE {
        a      XSD.String,
        b      XSD.String } OPTIONAL }

```

Nillable-3 ::= Foo-nillable

**D.3.4.6.4** The following example shows an **element declaration** that is **nillable**, whose **type definition** is a top-level **complex type definition**, and which is used as the **base type definition** of another **complex type definition**.

The following schema components are defined in addition to the schema components of D.3.4.6.3:

```
<xsd:complexType name="Bar">
  <xsd:complexContent>
    <xsd:extension base="Foo">
      <xsd:sequence>
        <xsd:element name="z" type="xsd:string"/>
      </xsd:sequence>
      <xsd:attribute name="c" type="xsd:boolean"/>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>

<xsd:element name="Nillable-4" type="Foo" nillable="true"/>
```

In addition to the type Foo of D.3.4.6.3, the following ASN.1 types are generated:

```
Bar ::= SEQUENCE {
  b      [ATTRIBUTE] BOOLEAN OPTIONAL,
  c      [ATTRIBUTE] BOOLEAN OPTIONAL,
  a      XSD.String,
  b-1    [NAME AS "b"] XSD.String,
  z      XSD.String }

Foo-nillable ::= [USE-NIL] SEQUENCE {
  b      [ATTRIBUTE] BOOLEAN OPTIONAL,
  content SEQUENCE {
    a      XSD.String,
    b      XSD.String } OPTIONAL }

Bar-nillable ::= [USE-NIL] SEQUENCE {
  b      [ATTRIBUTE] BOOLEAN OPTIONAL,
  c      [ATTRIBUTE] BOOLEAN OPTIONAL,
  content SEQUENCE {
    a      XSD.String,
    b      XSD.String,
    z      XSD.String } OPTIONAL }

Foo-deriv-nillable ::= [USE-TYPE] CHOICE {
  foo      [NAME AS CAPITALIZED] Foo-nillable,
  bar      [NAME AS CAPITALIZED] Bar-nillable }

Nillable-4 ::= Foo-deriv-nillable
```

### D.3.5 Mapping attribute uses and attribute declarations

**D.3.5.1** The following is an example of a top-level **attribute declaration** whose **type definition** is a top-level **simple type definition**.

```
<xsd:attribute name="name" type="xsd:NCName"/>
```

This **attribute declaration** is mapped to the following ASN.1 type assignment:

```
Name ::= [NAME AS UNCAPITALIZED] [ATTRIBUTE] XSD.NCName
```

**D.3.5.2** The following is an example of a top-level **attribute declaration** whose **type definition** is an anonymous **simple type definition**.

```
<xsd:attribute name="form">
  <xsd:simpleType>
    <xsd:restriction base="xsd:token">
      <xsd:enumeration value="qualified"/>
      <xsd:enumeration value="unqualified"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:attribute>
```

This **attribute declaration** is mapped to the following ASN.1 type assignment:

```
Form ::= [NAME AS UNCAPITALIZED] [ATTRIBUTE] ENUMERATED {qualified, unqualified}
```

**D.3.5.3** The following example is an **attribute use** with a **value constraint** that is a **default value**.