

TABLE 1 - BODY DIMENSIONS

BASIC NO. AS1733 SIZE CODE	THREAD T (TUBE SIZE) PER H28/2	A	B	C	D	E	F	G	H
		+ .005/- .000	+ .005/- .000	+ .010/- .000	+ .000/- .010	+ .005/- .000	+ .005/- .000	+ .005/- .000	G TOL
04	.250 .687-12 UN-2A	.660	.529	.480	.298	.233	.375	.254	+ .005/- .000 .720
05	.312 .750-12 UN-2A	.743	.580	.535	.353	.295	.437	.316	+ .005/- .000 .720
06	.375 .812-12 UN-2A	.805	.635	.590	.408	.358	.500	.379	+ .005/- .000 .720
08	.500 .937-12 UN-2A	.930	.762	.716	.534	.483	.625	.504	+ .005/- .000 .720
10	.625 1.062-12 UN-2A	1.055	.900	.850	.668	.609	.750	.630	+ .005/- .000 .735
12	.750 1.250-12 UNF-2A	1.243	1.033	.984	.802	.734	.890	.755	+ .005/- .000 .735
16	1.000 1.500-12 UNF-2A	1.493	1.284	1.235	1.053	.984	1.142	1.005	+ .005/- .000 .735
20	1.250 1.750-12 UN-2A	1.743	1.534	1.485	1.303	1.235	1.392	1.256	+ .005/- .000 .735
24	1.500 2.000-12 UN-2A	1.993	1.783	1.735	1.553	1.480	1.642	1.506	+ .005/- .000 .825
28	1.750 2.250-12 UN-2A	2.243	2.045	1.965	1.783	1.730	1.895	1.756	+ .005/- .000 .835
32	2.000 2.500-12 UN-2A	2.493	2.292	2.235	2.053	1.981	2.145	2.006	+ .005/- .000 .835
36	2.250 2.750-12 UN-2A	2.743	2.545	2.485	2.283	2.231	2.395	2.257	+ .005/- .000 .835
40	2.500 3.000-12 UN-2A	2.993	2.800	2.713	2.531	2.481	2.645	2.507	+ .005/- .000 .835
44	2.750 3.250-12 UN-2A	3.243	3.045	2.961	2.781	2.731	2.895	2.757	+ .005/- .000 .835
48	3.000 3.625-12 UN-2A	3.618	3.395	3.340	3.158	2.979	3.145	3.007	+ .005/- .000 .785
56	3.500 4.125-12 UN-2A	4.118	3.895	3.840	3.658	3.479	3.645	3.509	+ .005/- .000 .785
64	4.000 4.625-12 /7/	4.625	4.395	4.340	4.158	3.979	4.155	4.009	+ .005/- .000 .770
72	4.500 5.125-12 /7/	5.103	4.895	4.840	4.658	4.479	4.655	4.509	+ .006/- .000 .950
80	5.000 5.625-12 /7/	5.602	5.378	5.325	5.143	4.979	5.155	5.009	+ .006/- .000 .950

AS1733

REV.
C

TABLE 2 - BODY DIMENSIONS AND DESIGN INFORMATION

BASIC NO. AS1733 SIZE CODE	J	K LENGTH	K TOL	M	N PLACES LAND	P PLACES GROOVE	S +.020/- .010	W	X	Y PLACES	(O-RINGS DASH NO) /B/	WEIGHT	
												MAX	LB
04	.234	.090	±.005/- .000	.045	4	5	.210	.008/.010	.125	4	012	.008	
05	.234	.090	±.005/- .000	.045	4	5	.210	.008/.010	.125	4	013	.009	
06	.234	.090	±.005/- .000	.045	4	5	.210	.008/.010	.125	4	014	.011	
08	.234	.090	±.005/- .000	.045	4	5	.210	.008/.010	.125	4	016	.014	
10	.250	.100	±.010	.045	4	5	.225	.008/.010	.125	8	018	.017	
12	.250	.100	±.010	.045	4	5	.225	.008/.010	.187	8	020	.022	
16	.250	.100	±.010	.045	4	5	.225	.008/.010	.187	8	022	.025	
20	.250	.100	±.010	.045	4	5	.225	.008/.010	.187	8	028	.033	
24	.250	.100	±.010	.045	5	6	.225	.008/.010	.187	8	030	.041	
28	.250	.100	±.010	.075	5	6	.205	.008/.010	.250	8	032	.046	
32	.250	.105	±.010	.075	5	6	.205	.008/.010	.250	8	034	.052	
36	.279	.110	±.010	.075	5	6	.205	.008/.010	.250	8	036	.060	
40	.279	.110	±.010	.075	5	6	.205	.008/.010	.250	8	038	.067	
44	.279	.110	±.010	.075	5	6	.205	.008/.010	.250	8	040	.092	
48	.309	.060	±.010	.075	5	6	.205	.008/.010	.250	8	042	.092	
56	.309	.060	±.010	.075	5	6	.205	.014/.016	.250	8	044	.105	
64	.309	.100	±.010	.075	4	5	.230	.014/.016	.250	8	046	.118	
72	.409	.100	±.010	.075	6	7	.260	.020/.024	.250	8	048	.196	
80	.409	.100	±.010	.075	6	7	.260	.020/.024	.250	8	050	.229	