

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

SAE AS81714/18

RATIONALE

FEDERAL SUPPLY CLASS
5940

AS81714/18 HAS BEEN REAFFIRMED TO COMPLY WITH THE SAE FIVE-YEAR REVIEW POLICY.

NOTICE


THIS DOCUMENT HAS BEEN TAKEN DIRECTLY FROM U.S. MILITARY SPECIFICATION MIL-T-81714/18B AND CONTAINS ONLY MINOR EDITORIAL AND FORMAT CHANGES REQUIRED TO BRING IT INTO CONFORMANCE WITH THE PUBLISHING REQUIREMENTS OF SAE TECHNICAL STANDARDS. THE INITIAL RELEASE OF THIS DOCUMENT IS INTENDED TO REPLACE MIL-T-81714/18B. ANY PART NUMBERS ESTABLISHED BY THE ORIGINAL SPECIFICATION REMAIN UNCHANGED.

THE ORIGINAL MILITARY SPECIFICATION WAS ADOPTED AS AN SAE STANDARD UNDER THE PROVISIONS OF THE SAE TECHNICAL STANDARDS BOARD (TSB) RULES AND REGULATIONS (TSB 001) PERTAINING TO ACCELERATED ADOPTION OF GOVERNMENT SPECIFICATIONS AND STANDARDS. TSB RULES PROVIDE FOR (A) THE PUBLICATION OF PORTIONS OF UNREVISED GOVERNMENT SPECIFICATIONS AND STANDARDS WITHOUT CONSENSUS VOTING AT THE SAE COMMITTEE LEVEL, AND (B) THE USE OF THE EXISTING GOVERNMENT SPECIFICATION OR STANDARD FORMAT.

UNDER DEPARTMENT OF DEFENSE POLICIES AND PROCEDURES, ANY QUALIFICATION REQUIREMENTS AND ASSOCIATED QUALIFIED PRODUCTS LISTS ARE MANDATORY FOR DOD CONTRACTS. ANY REQUIREMENT RELATING TO QUALIFIED PRODUCTS LISTS (QPL'S) HAS NOT BEEN ADOPTED BY SAE AND IS NOT PART OF THIS SAE TECHNICAL DOCUMENT.

SAENORM.COM : Click to view the full PDF of as81714-18

SAE values your input. To provide feedback on this Technical Report, please visit <http://www.sae.org/technical/standards/AS81714/18>



CUSTODIAN: AE-8C2



AEROSPACE STANDARD

TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 20, SERIES I

SAE AS81714/18
SHEET 1 OF 9

ISSUED 2001-07 REAFFIRMED 2012-01




FIGURE 1. BLOCKS WITH ONE RESISTOR.

TABLE I. DASH NUMBERS FOR FIGURE 1.

Dash No.	Figure	Ref. Des.	Ohms	Part Number	Specification No.
-001	1A	R1	150	RCR20G151JS	MIL-R-39008/2
-002	1A	R1	180	RCR20G181JM	MIL-R-39008/2
-003	1A	R1	221	RWR89N2210FR	MIL-R-39007/11
-004	1A	R1	249	RN65H2490FM	MIL-R-55182/3
-005	1A	R1	390	RCR20G391JM	MIL-R-39008/2
-006	1A	R1	4750	RN60D4751F	MIL-R-10509/1
-007	1A	R1	3300	RCR20G332JM	MIL-R-39008/2
-008	1A	R1	3900	RLR20C3901GR	MIL-R-39017/2
-009	1A	R1	2200	RCR20G222JM	MIL-R-39008/2
-010	1A	R1	5600	RCR20G562JM	MIL-R-39008/2
-011	1A	R1	24K	RLR20G2402GR	MIL-R-39017/2
-012	1A	R1	47.5	RN60D47R5F	MIL-R-10509/1
-013	1A	R1	150K	RLR20C1503FR	MIL-R-39017/2
-014	1A	R1	100	RCR20G101JM	MIL-R-39008/2

Inch	mm	Inch	mm	Inch	mm	Inch	mm
.002	0.05	.014	0.36	.305	7.75	.690	17.53
.005	0.13	.034	0.86	.306	7.77	.700	17.78
.007	0.18	.038	0.97	.370	9.40	.760	19.30
.008	0.20	.040	1.02	.390	9.91	.847	21.51
.010	0.25	.059	1.50	.440	11.18	.850	21.59
.011	0.28						






FIGURE 2. BLOCKS WITH TWO RESISTORS.

TABLE II. DASH NUMBERS FOR FIGURE 2.

Dash No.	Figure	Ref. Des.	Ohms	Part Number	Specification No.
-301	2A	R1 R2	150 150	RCR20G151JS RCR20G151JS	MIL-R-39008/2
-302	2A	R1 R2	1000 1000	RCR07G102JM RCR07G102JM	MIL-R-39008/1
-303	2A	R1 R2	150K 150K	RCR07G154JM RCR07G154JM	MIL-R-39008/1
-304	2B	R3 R4	2000 3000	RCR07G202JM RCR07G302JM	MIL-R-39008/1




TOP MARKING (TYP)





SCHEMATIC DIAGRAM

FIG. 3A




TOP MARKING (TYP)




SCHEMATIC DIAGRAM

FIG. 3B




TOP MARKING (TYP)




SCHEMATIC DIAGRAM

FIG. 3C




TOP MARKING (TYP)





SCHEMATIC DIAGRAM

FIG. 3D



TOP MARKING (TYP)



SCHEMATIC DIAGRAM

FIG. 3E

FIGURE 3. BLOCKS WITH DIODE(S).




FIGURE 3. BLOCKS WITH DIODE(S) (CONTINUED).

SAENORM.COM : Click to view the full PDF of as81714/18

TABLE III. DASH NUMBERS FOR FIGURE 3.

Dash No.	Figure	Ref Des	Part Number	Specification <u>1/</u>
-501	3A	D1	JAN 1N5618	MIL-S-19500/427
-502	3B	D2	JAN 1N1526	MIL-S-19500/432
		D3		
-503	3C	D4	1N4003	JEDEC
		D5	1N4003	JEDEC
-504	3D	D6	1N4003	JEDEC
		D7	1N4003	JEDEC
-505	3E	D8	JAN 1N5618	MIL-S-19500/427
		D9	JAN 1N5618	MIL-S-19500/427
-506	3F	D10, D11	JAN 1N3611	MIL-S-19500/228
		D12, D13		
-507	3G	D14	JAN TX4971	MIL-C-19500/356
		D15	JAN-1N5553	MIL-S-19500/420

1/ JEDEC: Joint Electronic Design Engineering Council (EIA), 2001 Eye Street, N.W., Washington, DC 20006.

SAENORM.COM : Click to view the full PDF of AS81714/18