

Fourth edition
2017-02-01

AMENDMENT 2
2019-01

**Information technology — Coding of
audio-visual objects —**

Part 15:

**Carriage of network abstraction layer
(NAL) unit structured video in the ISO
base media file format**

**AMENDMENT 2: Support for additional
brands**

Technologies de l'information — Codage des objets audiovisuels —

*Partie 15: Transport de vidéo structuré en unités NAL au format ISO
de base pour les fichiers médias*

AMENDEMENT 2: .



Reference number
ISO/IEC 14496-15:2017/Amd.2:2019(E)

© ISO/IEC 2019

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 14496-15:2017/AMD2:2019



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see <http://patents.iec.ch>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

A list of all parts in the ISO/IEC 14496 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 14496-15:2017/AMD2:2019

Information technology — Coding of audio-visual objects —

Part 15:

Carriage of network abstraction layer (NAL) unit structured video in the ISO base media file format

AMENDMENT 2: Support for additional brands

Annex D.4

Add the following new subclauses:

D.4.3 HEVC tile track brand

The brand 'hvti' may be present among the `compatible_brands` of the `FileTypeBox`. It is intended for use cases where HVEC tile tracks are needed without having to support other L-HEVC file format tools. File readers conforming to the 'hvti' brand shall support HEVC tile storage tools specified in Clause 10.

Files conformant to this brand shall obey the following constraints:

- There shall be at least one track with 'hvt1' sample entry or an HEVC tile base track with 'hvc2' or 'hev2' sample entry, as specified in 10.5.
- Extractors or aggregators shall not be present in any 'hvc2' or 'hev2' track.
- There shall be no 'lhv1' or 'lhe1' tracks in the file.
- There shall not be any L-HEVC NAL units (with `nuh_layer_id` greater than 0) in the file.

D.4.4 L-HEVC tile track implicit brand

The brand 'lhti' may be present among the `compatible_brands` of the `FileTypeBox`. It is intended for use cases where tile tracks are needed together with the implicit bitstream reconstruction tools of L-HEVC file format. File readers conforming to the 'lhti' brand shall support the L-HEVC file format tools specified in Clause 9 and the HEVC and L-HEVC tile storage tools specified in clause 10 with the following constraints applied:

- Extractors or aggregators shall not be present in any 'hvc2' or 'hev2' track.
- Each track of type 'hvc1', 'hev1', 'hvc2', 'hev2', 'lhv1', or 'lhe1' shall not contain NAL units from more than one layer.

D.4.5 L-HEVC tile track explicit brand

The brand 'lhte' may be present among the `compatible_brands` of the `FileTypeBox`. It is intended for use cases where tile tracks are needed together with the extractor tools of L-HEVC file format. File readers confirming to the 'lhte' brand shall support L-HEVC file format tools specified

in Clause 9 and the HEVC and L-HEVC tile storage tools specified in Clause 10 with the following constraints applied:

- Extractors or aggregators may be present in 'hvc2' or 'hev2' track, except when forbidden by the specification (i.e. not present in tile tracks).
- Each 'hvc2' and 'hev2' track shall represent a valid HEVC sub-bitstream, and may contain aggregators, when allowed. The sub-bitstream shall be contained:
 - natively,
 - through extractors,
 - or through tile track reconstruction mechanism as defined in 10.5.4.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 14496-15:2017/AMD2:2019